

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 Merch 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: _	May	2	2011	Spot Description:	
	month	day	year	SE SE NE NW Sec. 4 Twp. 21	21 FZI=C]
	9267				
PERATOR: License#					/ W Line of Section
lame: JRC Oil Compa				ts SECTION: Regular Virregular?	1 XI M. mue ot Section
vidress 1: P. O. Box 4				is section. Tuesday. Musdays.	
Address 2:	Shaker 10	S Zio: 66032	+ 0426	(Note: Locate well on the Section Plat on re	werse side)
Contact Person: Miles		<u> </u>	_+	County: Anderson	
hone: 785-304-0377				Lease Name: Deniel	Well # DP-10
· ·		·		Field Name: Bush City Shoesiring	
CONTRACTOR: Licens				Is this a Prorated / Spaced Field?	Mes No
Name: Hat Drilling, LLC				Target Formetion(s): Cherokee	
Well Drilled For	r: Well Class:	Type Eq	uipment:	Nearest Lease or unit boundary line (in footage): 185 <	
	nin Rec Xinfield	- IXh	id Rotary	Ground Surface Elevation: 980	feet MSL
	torage Pool E		Rotary	Water well within one-quarter mile:	☐Yes ⊠No j
	isposal Wildca			Public water supply well within one mile:	☐Nes ⊠No
أأكسسا ويبير	_# of Holes Other			Depth to bottom of fresh water: 50'	
Other:			 	Depth to bottom of usable water: 128 /00	
				Surface Pipe by Alternate: I I XIII	
The control of a	wait information as folio	MS.		Length of Surface Pipe Planned to be set: 20"	
Operator:				Length of Conductor Pipe (If any): 0	
Well Name:				Projected Total Depth: 800'	
Original Completion	n Dete: (Original Total De	pth:	Formation at Total Depth: Charolese	·
Di			TL. 676	Water Source for Drilling Operations:	
Directional, Deviated or			∐Yes X No	Meil Farm Pond XOther:	
	h:			DWR Permit#:	
CC DKT#			·	(Note: Apply for Permit with DWR	
(00 DI(1 #				Will Cores be taken?	∏Yes ⊠No
		4		If Yes, proposed zone:	RECEIVED
			AFF	FIDAVIT	" LOCIVED
The undersigned here	by affirms that the dr	illing, completio		gging of this well will comply with K.S.A. 55 et. seg.	APR 2 8 201
-		-	· ·	.,	~ · · · · · · · · · · · · · · · · · · ·
t is agreed that the foi	ilowina minimum reau	arements will be	F HRSL		
-	Nowing minimum requ			•	VOC MARCHINE
1. Notify the appro	opriate district office p	vior to spudding	g of well;	drilling rio:	KCC WICHIT
Notify the appro A copy of the appro	opriate district office p	vior to spudding nt to drill shall !	g of well; be posted on each		
Notify the appro A copy of the ap The minimum a through all unco	opriate district office p pproved notice of inte imount of surface pipe onsolidated materials	rior to spudding nt to drill <i>shall l</i> as specified be plus a minimum	g of well; be posted on each slow shall be set i n of 20 feet into the	by circulating coment to the top; in all cases surface pipe a underlying formation.	shell be set
Notify the appro A copy of the ap The minimum a through all unco If the well is dry	opriate district office p pproved notice of inte imount of surface pipe onsolidated materials i hole, an agreement l	rior to spudding nt to dril shelf it as specified be plus a minimum between the ope	g of well; be posted on each slow <i>shall be set</i> i n of 20 feet into the erator and the dist	by circulating coment to the top; in all cases surface pipe a underlying formation. rict office on plug length and placement is necessary pelo	shell be set
Notify the appro A copy of the ag The minimum a through all unco If the well is dry The appropriate	opriate district office p pproved notice of inte imount of surface pipe onsolidated materials in hole, an agreement le district office will be	rior to spudding nt to drill shall it as specified be plus a minimum between the open notified before v	g of well; be posted on each slow <i>shall be set</i> i n of 20 feet into the erator and the dist well is either plugg	by circulating coment to the top; in all cases surface pipe of underlying formation. In this control is necessary prices of production casing is comented in;	shall be set or to plugging;
Notify the appropriate A copy of the ag The minimum a through all uncc If the well is dry The appropriate If an ALTERNAL	opriate district office p pproved notice of inte imount of surface ploe onsolidated materials in hole, an agreement le district office will be ITE II COMPLETION,	rfor to spudding nt to drill shalf A e as specified be plus a minimum between the opi notified before v production pipe	g of well; be posted on each slow shall be set i n of 20 feet into the erator and the dist well is either plugg shall be camented	by circulating coment to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary price and or production casing is comented in; if from below any usable water to surface within 120 DAYS.	shall be set or to plugging; S of spud date.
Notify the appro A copy of the ag The minimum a through all unco If the well is dry The appropriate If an ALTERNAL Or pursuent to I	opriate district office proposed notice of intermount of surface pipe onsolidated materials viole, an agreement is district office will be TE II COMPLETION, Appendix "B" - Eastern	rfor to spudding nt to drill shalf it is as specified be plus a minimum between the ope notified before v production pipe in Kansas surface	g of well; be posted on each slow shall be set i n of 20 feet into the erator and the dist well is either plugg shall be camented be casing order #1:	by circulating coment to the top; in all cases surface pipe of underlying formation. In this control is necessary prices of production casing is comented in;	shall be set or to plugging; S of spud date. note II comenting
1. Notify the appro 2. A copy of the ag 3. The minimum a through all uncc 4. If the well is dry 5. The appropriate 6. If an ALTERNAL Or pursuant to a must be comple	opriate district office p pproved notice of inte smount of surface ploe onsolidated materials hole, an agreement I s district office will be I'E II COMPLETION, Appendix "B" - Easten sted within 30 days of	rfor to spudding nt to drill shalf A e as specified be plus a minimum between the opi notified before v production pipe n Kansas surfac the spud date of	g of well; be posted on each slow <i>shall be set</i> in of 20 feet into the erator and the dist well is either plugg shall be camented be casing order #1: or the well shall be	by circulating coment to the top; in all cases surface pipe is underlying formation. rict office on plug length and placement is necessary price and or production casing is comented in; If from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alterniplugged. In all cases, MOTIFY district office prior to an	shall be set or to plugging; S of spud date. note II comenting
1. Notify the appro 2. A copy of the ag 3. The minimum a through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAL Or pursuent to / must be comple hereby certify that the	opriate district office p pproved notice of inte amount of surface pipe onsolidated materials is hole, an agreement is district office will be I'E II COMPLETION, Appendix "B" - Easter sted within 30 days of the statements made h	rfor to spudding nt to drill shalf A e as specified be plus a minimum between the opi notified before v production pipe n Kansas surfac the spud date of	g of well; be posted on each slow <i>shall be set</i> in of 20 feet into the erator and the dist well is either plugg shall be camented be casing order #1: or the well shall be	by circulating coment to the top; in all cases surface pipe is underlying formation. rict office on plug length and placement is necessary price and or production casing is comented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternic plugged. In all cases, NOTIFY district office prior to any knowledge and belief.	shall be set or to pluggling; S of spud date. nate II cementing ny cementing.
1. Notify the appro 2. A copy of the ag 3. The minimum a through all uncc 4. If the well is dry 5. The appropriate 6. If an ALTERNAL Or pursuant to a must be comple	opriate district office proposed notice of intermount of surface pipe oneolidated materials ribole, an agreement is district office will be TE II COMPLETION, Appendix "B" - Easter sted within 30 days of a statements made h	rfor to spudding nt to drill shalf A e as specified be plus a minimum between the opi notified before v production pipe n Kansas surfac the spud date of	g of well; be posted on each elow shall be set i of 20 feet into the erator and the dist well is either plugg shall be camented as casing order it! or the well shall be not to the best of, m	by circulating coment to the top; in all cases surface pipe is underlying formation. rict office on plug length and placement is necessary price and or production casing is comented in; If from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alterniplugged. In all cases, MOTIFY district office prior to an	shall be set or to pluggling; S of spud date. nate II cementing ny cementing.
1. Notify the appropriate 2. A copy of the ag 3. The minimum a through all unco. 4. If the well is dry 5. The appropriate 6. If an ALTERNAL Or pursuant to must be complete the propriate for a pursuant to a must be complete. April 25, 2011	opriate district office proposed notice of intermount of surface pipe oneolidated materials ribole, an agreement is district office will be TE II COMPLETION, Appendix "B" - Easter sted within 30 days of a statements made h	rfor to spudding nt to drill shalf A eas specified be plus a minimum between the opi notified before v production pipe in Kansas surfac the spud date o orein are true as	g of well; be posted on each elow shall be set i of 20 feet into the erator and the dist well is either plugg shall be camented as casing order it! or the well shall be not to the best of, m	by circulating coment to the top; in all cases surface pipe is underlying formation. rict office on plug length and placement is necessary price and or production casing is comented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternic plugged. In all cases, NOTIFY district office prior to any knowledge and belief.	shall be set or to pluggling; S of spud date. nate II cementing ny cementing.
1. Notify the appropriate 2. A copy of the ag 3. The minimum a through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAL Or pursuent to / must be comple hereby certify that the Date: April 25, 2011 For KCC Use ONLY	opriate district office p pproved notice of inte amount of surface pipe provedinated materials r hole, an agreement is district office will be TE II COMPLETION, Appendix "B" - Easter pted within 30 days of the statements made h	rfor to spudding nt to drill shalf A e as specified be plus a minimum between the op- notified before v production pipe n Kansas surfac the spud date of erein are true as f Operator or Ag	g of well; be posted on each elow shall be set in of 20 feet into the erator and the dist well is either plugg shall be camented be casing order if: or the well shall be not to the best of, m pent:	by circulating coment to the top; in all cases surface pipe is underlying formation. rict office on plug length and placement is necessary price and or production casing is comented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternic plugged. In all cases, NOTIFY district office prior to any topowierige and belief. Title: Vice Pro-	shall be set or to pluggling; S of spud date. nate II comenting ny comenting. esident
1. Notify the appro 2. A copy of the ag 3. The minimum a through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAL Or pursuent to / must be comple hereby certify that the Date: April 25, 2011 For KCC Use ONLY	opriate district office proposed notice of intermount of surface pipe oneolidated materials ribole, an agreement is district office will be TE II COMPLETION, Appendix "B" - Easter sted within 30 days of a statements made h	rfor to spudding nt to drill shalf A e as specified be plus a minimum between the op- notified before v production pipe n Kansas surfac the spud date of erein are true as f Operator or Ag	g of well; be posted on each elow shall be set in of 20 feet into the erator and the dist well is either plugg shall be camented be casing order if: or the well shall be not to the best of, m pent:	by circulating coment to the top; in all cases surface pipe is underlying formation. rict office on plug length and placement is necessary price and or production casing is comented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternic plugged. In all cases, NOTIFY district office prior to any knowledge and belief. Title: Vice Prior to the CCC Prior to the C	shall be set or to pluggling; S of spud date. nate II comenting ny comenting. esident
1. Notify the appropriate 2. A copy of the ag 3. The minimum a through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAL Or pursuent to a must be comple hereby certify that the Date: April 25, 2011 For KCC Use ONLY API # 15	opriate district office proved notice of intermount of surface ploe onsolidated materials in hole, an agreement le district office will be TE II COMPLETION, Appendix "B" - Easternited within 30 days of the statements made here. Signature of the statement of	rfor to spudding nt to drill shalf is as specified be as specified before to production pipe in Kansas surfactive and take of operator or Ag	g of well; be posted on each elow shall be set in of 20 feet into the erator and the dist well is either plugg shall be camented be casing order if: or the well shall be not to the best of, m pent:	by circulating coment to the top; in all cases surface pipe is underlying formation. rict office on plug length and placement is necessary price and or production casing is comented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alterniciply plugged. In all cases, NOTIFY district office prior to any knowledge and belief. **Title: Vice Pro- **Remember to: - File Certification of Compliance with the Kansas Surface	shall be set or to pluggling; S of spud date. nate II comenting ny comenting. esident
1. Notify the appropriate 2. A copy of the ag 3. The minimum a through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNA Or pursuent to must be comple hereby certify that the Date: April 25, 2011 For KCC Use ONLY API # 15 - OC Conductor pipe require	ppriate district office proved notice of intermount of surface pipe proved notice of intermount of surface pipe proved an agreement is district office will be ITE II COMPLETION, Appendix "B" - Easter sted within 30 days of e statements made him	rfor to spudding nt to drill shalf A to drill shalf A to eas specified be plus a minimum between the opinotified before a production pipe in Kansas surfactive apud date of operator or Ag	g of well; be posted on each elow shall be set in of 20 feet into the erator and the dist well is either plugg shall be camented be casing order in: or the well shall be not to the best of, m	by circulating cernent to the top; in all cases surface pipe is underlying formation. rict office on plug length and placement is necessary price and or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternic plugged. In all cases, NOTIFY district office prior to an any knowledge and belief. **Title: Vice Prior Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud days.	shall be set or to pluggling; S of spud date. sete II cementing by cementing. esident Owner Notification te;
1. Notify the appropriate 2. A copy of the ag 3. The minimum a through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAL Or pursuent to must be comple hereby certify that the Date: April 25, 2011 For KCC Use ONLY API # 15	ppriate district office proved notice of intermount of surface pipe proved notice of intermount of surface pipe proved an agreement is district office will be ITE II COMPLETION, Appendix "B" - Easter sted within 30 days of e statements made has a surface of the	rfor to spudding nt to drill shalf A to drill shalf A to eas specified be plus a minimum between the opinotified before a production pipe in Kansas surfactive apud date of operator or Ag	g of well; be posted on each elow shall be set in of 20 feet into the erator and the dist well is either plugg shall be camented be casing order if: or the well shall be not to the best of, m pent:	by circulating cernent to the top; in all cases surface pipe is underlying formation. rict office on plug length and placement is necessary price and or production casing is cernented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to an any knowledge and belief. **Title: Vice Pro- Remember to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud data. - File acreage attribution plat according to field proration of the province of the completion of the control of the completion of the control of the completion of the control of the control of the completion of the control of the completion of the control	shall be set or to pluggling; S of spud date. sete II cementing by cementing. esident Owner Notification te; rders;
1. Notify the appropriate 2. A copy of the ag 3. The minimum a through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNA Or pursuent to must be comple hereby certify that the Date: April 25, 2011 For KCC Use ONLY API # 15 - OC Conductor pipe require	ppriate district office proved notice of intermount of surface pipe onsolidated materials viole, an agreement is district office will be ITE II COMPLETION, Appendix "B" - Easter sted within 30 days of e statements made h	erfor to spudding nt to drill shalf is as specified in the specified before the open condition pipe in Kansas surfactive and date of the spud	g of well; be posted on each elow shall be set in of 20 feet into the erator and the dist well is either plugg shall be camented be casing order in: or the well shall be not to the best of, m	by circulating cement to the top; in all cases surface pipe is underlying formation. rict office on plug length and placement is necessary price and or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to an any knowledge and belief. **Title: Vice Pro- **Remember to:* - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud data. - File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workover.	shall be set or to pluggling; S of spud date. sete II cementing by cementing. esident Owner Notification te; rders; or or re-entry;
1. Notify the appropriate 2. A copy of the ag 3. The minimum a through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAL Or pursuent to a must be comple hereby certify that the late: April 25, 2011 For KCC Use ONLY API # 15 - OC Conductor pipe requir Minimum surface pipe Approved by: AMA This authorization exp	ppriate district office proved notice of intermount of surface pipe proved notice of intermount of surface pipe proved materials in hole, an agreement is district office will be ITE II COMPLETION, Appendix "B" - Easternoted within 30 days of the statements made in Signature of 1 Signature o	rfor to spudding nt to drill shalf A is a specified by plus a minimum between the opinotified before v production pipe in Kansas surfact the spud date of operator or Ag 9-0-0-0-1 g feet per	g of well; be posted on each elow shall be set in of 20 feet into the erator and the dist well is either plugg shall be camented be casing order in or the well shall be not to the best of m pent:	by circulating cernent to the top; in all cases surface pipe is underlying formation. rict office on plug length and placement is necessary price and or production casing is cernented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to an any knowledge and belief. **Title: Vice Pro- **Remember to:* - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud data. - Notify appropriate district office 48 hours prior to workows. - Submit plugging report (CP-4) after plugging is complete.	shall be set or to plugging; S of spud date. sete II comenting ny comenting. esident Owner Notification te; rders; or or re-entry; d (within 60 days);
1. Notify the appropriate 2. A copy of the ag 3. The minimum a through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAL Or pursuent to / must be comple hereby certify that the Date: April 25, 2011 For KCC Use ONLY API # 15	ppriate district office proved notice of intermount of surface pipe proved notice of intermount of surface pipe proved materials in hole, an agreement is district office will be TE II COMPLETION, Appendix "B" - Easternoted within 30 days of the statements made here will be statements and will b	rfor to spudding nt to drill shalf A is a specified by plus a minimum between the opinotified before v production pipe in Kansas surfact the spud date of operator or Ag 9-0-0-0-1 g feet per	g of well; be posted on each elow shall be set in of 20 feet into the erator and the dist well is either plugg shall be camented be casing order in or the well shall be not to the best of m pent:	by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary price and or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternic plugged. In all cases, NOTIFY district office prior to any knowledge and belief. **Title: Vice Pro- **Remember to:* - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud data. File acreage stiribution plat according to field proration of Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting saft.	shall be set or to pluggling; S of spud date. sete II cementing by cementing. esident Owner Notification te; rders; or or re-entry; d (within 60 days); water.
1. Notify the appropriate 2. A copy of the ag 3. The minimum a through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAL Or pursuent to a must be comple hereby certify that the cate: April 25, 2011 For KCC Use ONLY API # 15	ppriate district office proved notice of intermount of surface pipe proved notice of intermount of surface pipe proved materials in hole, an agreement is district office will be TE II COMPLETION, Appendix "B" - Easternoted within 30 days of the statements made here is sufface and the statements of t	rfor to spudding nt to drill shalf A is a specified by plus a minimum between the opinotified before v production pipe in Kansas surfact the spud date of operator or Ag 9-0-0-0-1 g feet per	g of well; be posted on each elow shall be set in of 20 feet into the erator and the dist well is either plugg shall be camented be casing order in or the well shall be not to the best of m pent:	by circulating cernent to the top; in all cases surface pipe is underlying formation. rict office on plug length and placement is necessary price and or production casing is cernented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to an any knowledge and belief. **Title: Vice Pro- **Remember to:* - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud data. - Notify appropriate district office 48 hours prior to workows. - Submit plugging report (CP-4) after plugging is complete.	shall be set or to pluggling; S of spud date. nate II comenting by comenting. Ssident Owner Notification te; or or re-entry; d (within 60 days); water.
1. Notify the appropriate 2. A copy of the ag 3. The minimum a through all unco 4. If the well is dry 5. The appropriate 6. If an ALTERNAL Or pursuent to a must be comple hereby certify that the late: April 25, 2011 For KCC Use ONLY API # 15 - OC Conductor pipe requir Minimum surface pipe Approved by: AMA This authorization exp	ppriate district office proved notice of intermount of surface pipe proved notice of intermount of surface pipe proved materials in hole, an agreement is district office will be ITE II COMPLETION, Appendix "B" - Easternoted within 30 days of the statements made in Signature of 1 Signature o	rfor to spudding nt to drill shalf A is a specified by plus a minimum between the opinotified before v production pipe in Kansas surfact the spud date of operator or Ag 9-0-0-0-1 g feet per	g of well; be posted on each elow shall be set in of 20 feet into the erator and the dist well is either plugg shall be camented be casing order in or the well shall be not to the best of m pent:	by circulating cement to the top; in all cases surface pipe anderlying formation. rict office on plug length and placement is necessary price and or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternic plugged. In all cases, NOTIFY district office prior to any troowledge and belief. **Title: Vice Pro- **Remember to:* - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud data. File acreage stiribution plat according to field provation of Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is complete. Obtain written approval before disposing or injecting salt. If well will not be drilled or permit has expired (See: author).	shall be set or to plugging; S of spud date. sete II comenting by comenting. Owner Notification te; rders; or or re-entry; d (within 60 days); water. rized expiration date)

For KCC Use ONLY
API # 15 - 003-25059-00-00

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Ji	RC Oil Con	npany, Inc.					Lo	cation of We	il: Cou	nty: <u>Anderson</u>	ľ		
Lease: Daniel						1,155 2,145			_ feet from X N / S Line of Section E / X W Line of Section				
Well Number: DP-10													
Field: Bush	City Shoe	estring					Se	ec. <u>4</u>	_Twp.	<u>21 </u>	. R. 21	X E	∐ w
Number of	Acres attri	butable to	well: 2.5				- Is	Section:	Reg	ular or 🔀	irregular		
QTR/QTR/	QTR/QTR	of acreage	: SE	- <u>SE</u>	_ <u>NE</u>	- NW							
	Sh	ow location	n of the wel	ll. Show fo	potage to		S: PLAT	ection corner	used:	r, locate well NE X	w∭s	Esw	boundary.
					electrica.	l lines, as r	equired I		s Surfa	ce Owner No			32).
	10	Acres	in the	e Nort						Section	4-T21	S-R21E	÷
660'		: :		INOLU	IIWCOL	Trucc	LOHAL	· ·	. 01	beceron		U 11212	
											LEGEN	ID .	
		········ : :	:	••••••	********	: ::	••••••	:		0	Well Lo	cation	
			:								Tank Ba	ittery Locat	ion
		·	······· '			`					-	Location	
		DN∹	12			DP-	12					Line Locati	
			•					!			• Lease F	Road Locati	on
		········ : :	:			: :	;	:					
			:				·			EXAMPLE		:	<u>.</u>
9901		: ;			-	: :		:		:	:		
			•										
		:				: :		:			;		
		:	•										
											······································	······	••••
			····-	F-T-T-1		C)				O-1		1980' FSL
		DN-	10			DP-	10			:			
		:	:			:		:] :	1	:	
		:	:				, · · · · · · · · · · · · · · · · · · ·	:			'1ቜ	:	İ
										SEWARD CO.	3390' FEL		
1320								•					
	 NOTE: In 980 '	all cases i	locate the	spot of th		: sed drilling	g locator	: n. 264() [†]				

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-003-25059-0000

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)					
OPERATOR: License # 9267 Name: JRC Oil Company, Inc.	Well Location: SE_SE_NE_NW Sec. 4 Twp. 21 S. R. 21 XEas West					
Address 1: P. O. Box 426						
	County: Anderson Lease Name: Daniel Well #: DP-10					
Address 2: KS 66032 0426	Lease Name: Well #: Well #:					
City: Garnett State: KS Zip: 66032 + 0426	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:					
Contact Person: Mike Colvin	ing loads solon.					
Phone: (785) 304-0377 Fax: ()						
Email Address:						
Surface Owner Information: Name: JRC Oil Company, Inc.	When filing a Form T-1 involving multiple surface owners, attach an additional					
Name: JRC Oil Company, Inc. Address 1: P. O. Box 426	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the					
Address 2:	county, and in the real estate property tax records of the county treasurer.					
City: Garnett State: KS Zip: 66032 + 0426						
owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s).	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this					
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.					
I hereby certify that the statements made herein are true and correct to	to the best of my knowledge and belief. RECEIVED					
Date: April 25, 2011 Signature of Operator or Agent:	Half Glass Title: Vice President APR 2 8 2011					
	KCC WICHITA					

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: JRC Oil Company, Inc	с.	License Number: 9267						
Operator Address: P. O. Box 426		nett Kansas 66032 0426						
Contact Person: Mike Colvin			Phone Number: 785-304-0377					
Lease Name & Well No.: Daniel	DP	-10	Pit Location (QQQQ):					
Type of Pit:	Pit is:		SE _ SE _ NE _ NW					
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 4 Twp. 21 R. 21 X East West					
Settling Pit X Drilling Pit	If Existing, date co	nstructed:	1,155 Feet from X North / South Line of Section					
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	2,475 Feet from East / West Line of Section Anderson County					
Is the pit located in a Sensitive Ground Water A	ma? Vac V		Chloride concentration:mg/l					
is the pit located in a Sensitive Cloud Water A	riea: ies 🔼		(For Emergency Pits and Settling Pits only)					
Is the bottom below ground level? XYes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Surface Clay					
Pit dimensions (all but working pits):	0 Length (fe	et) 10	Width (feet) N/A: Steel Pits					
Depth fro	om ground level to dec	epest point:	4 (feet) No Pit					
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner	Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.						
Natural		None						
			50					
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water 50 feet. Source of information:						
None feet Depth of water well	feet	measured well owner electric log KDWR						
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:						
Producing Formation:	<u> </u>	Type of material utilized in dritling/workover:						
Number of producing wells on lease:	· · · · · · · · · · · · · · · · · · ·	Number of working pits to be utilized:						
	- 10 - d Ø: 1 d - 4 -	Abandonment procedure: Backfill with backhoe.						
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date. APR 2 8 201						
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.								
April 25, 2011	W	Jucharl	J. COLO KCC WICHIT					
Date		nature of Applicant or Agent						
	NLY Steel Pit RFAC RFAS							
Date Received: 4-28-11 Permit Num	ber:	Permi	t Date: <u> </u>					

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd, Commissioner

Corporation Commission

Sam Brownback, Governor

April 28, 2011

JRC Oil Company, Inc. PO Box 426 Garnett, KS 66032-0426

RE:

Drilling Pit Application

Daniel Lease Well No. DP-10 NW/4 Sec. 04-21S-21E Anderson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File