

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33718
Name: JOHN C. MEARS
Address 1: 4100 240TH ROAD
Address 2: _____
City: CHANUTE State: KS Zip: 66720 + 5399
Contact Person: JOHN C. MEARS
Phone: (620) 431-2129
CONTRACTOR: License # 33977
Name: E K ENERGY, LLC
Wellsite Geologist: N/A
Purchaser: N/A

Designate Type of Completion:

- ☒ New Well ☐ Re-Entry ☐ Workover
☒ Oil ☐ WSW ☐ SWD ☐ SIOW
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW
☐ OG ☐ GSW ☐ Temp. Abd.
☐ CM (Coal Bed Methane)
☐ Cathodic ☐ Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD
☐ Conv. to GSW
☐ Plug Back: _____ Plug Back Total Depth
☐ Commingled Permit #: _____
☐ Dual Completion Permit #: _____
☐ SWD Permit #: _____
☐ ENHR Permit #: _____
☐ GSW Permit #: _____

NOVEMBER 12, 2010	NOVEMBER 15, 2010	NOVEMBER 15, 2010
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 207-27625-00-00
Spot Description: _____
NE NW SW SE Sec. 34 Twp. 26 S. R. 16 ☒ East ☐ West
1,006 Feet from ☐ North / ☒ South Line of Section
2,171 Feet from ☒ East / ☐ West Line of Section
Footages Calculated from Nearest Outside Section Corner:
☐ NE ☐ NW ☒ SE ☐ SW
County: WOODSON
Lease Name: SHOCKLEY-SIZEMORE Well #: 27
Field Name: BUFFALO-VILAS
Producing Formation: WISER-SQUIRREL
Elevation: Ground: 970 EST. Kelly Bushing: N/A
Total Depth: 719 FT. Plug Back Total Depth: 710 FT.
Amount of Surface Pipe Set and Cemented at: 40.5 Feet
Multiple Stage Cementing Collar Used? ☐ Yes ☒ No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: SURFACE
feet depth to: 710 FT. w/ 90 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: N/A ppm Fluid volume: _____ bbls
Dewatering method used: DRILLED WITH FRESH WATER - AIR DRY
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License #: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West
County: _____ Permit #: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Ronna Thanda
Title: AGENT Date: MARCH 11, 2011

KCC Office Use ONLY

- ☐ Letter of Confidentiality Received
Date: _____
☐ Confidential Release Date: _____
☐ Wireline Log Received
☐ Geologist Report Received
☐ UIC Distribution

ALT ☐ I ☒ II ☐ III Approved by: Dg Date: 3/17/11

RECEIVED

MAR 15 2011

KCC WICHITA

Operator Name: JOHN C. MEARS Lease Name: SHOCKLEY-SIZEMORE Well #: 27
 Sec. 34 Twp. 26 S. R. 16 ☒ East ☐ West County: WOODSON

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken ☐ Yes ☒ No
 (Attach Additional Sheets)

Samples Sent to Geological Survey ☐ Yes ☒ No

Cores Taken ☐ Yes ☒ No

Electric Log Run ☐ Yes ☒ No

Electric Log Submitted Electronically ☐ Yes ☒ No
 (If no, Submit Copy)

List All E. Logs Run:

DRILLERS LOG

☒ Log Formation (Top), Depth and Datum ☐ Sample

Name Top Datum
 See attached Log

CASING RECORD ☐ New ☐ Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface		12-1/4"		40.5'			
production		5-5/8"		710'		90	

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
☐ Perforate				
☐ Protect Casing				
☐ Plug Back TD				
☐ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD:		Size:	Set At:	Packer At:	Liner Run: ☐ Yes ☐ No
Date of First, Resumed Production, SWD or ENHR.		Producing Method: ☐ Flowing ☐ Pumping ☐ Gas Lift ☐ Other (Explain) _____			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: ☐ Vented ☐ Sold ☐ Used on Lease (If vented, Submit ACO-18.)		METHOD OF COMPLETION: ☒ Open Hole ☐ Perf. ☐ Dually Comp. ☐ Commingled (Submit ACO-5) (Submit ACO-4) ☐ Other (Specify) _____		PRODUCTION INTERVAL: _____ _____
--	--	--	--	--

DRILLERS LOG

Company: JOHN MEARS

Contractor: EK Energy LLC

License# 33977

Farm: SHOCKLEY-SIZEMORE

County: Allen

Well No: 27

Sec: 34 TWP: 26 Range: 19

API: 15-207-27625-0000

Location: 422 FSL 1006

Surface Pipe: 40.5'

Location: 1352 FEL 2171

Spot: NE-SE-SW-SE

[illegible]

509 East Walnut
Blue Mound, KS 66010

Date	Invoice #
11/21/2010	1162

Bill To
John Mears 4100 240th Road Chanute, KS 66720

P.O. No.	Terms	Project

Quantity	Description	Rate	Amount
1	11/16/10, Well #27, circulated 90 sacks of cement to surface, pumped plug, and set float shoe. Sales Tax	600.00 7.30%	600.00T 43.80
Thank you for your business.		Total	\$643.80 643.80

Ch # 2100
1502.20

RECEIVED
FEB 28 2011
KCC WICHITA

128760
21460
150220

802 N Industrial Rd.
P.O. Box 664
Idola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

SOLD TO:

CASH CUSTOMER:

MEYER

JOHN MEYER

4000 24TH RD. S.W. TUCSON

N. 2ND ST. 10TH AVE. N. W. D. 50

2 RED GATE BLVD

CHANDLER, AZ 86020

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	PLANT/TRANSACTION
12:26:53p	WELL	4.50 yd	9.00 yd	0.00	DM 34	% AIR 0.00
DATE	LOAD	YARDS DEL	BATCH#	WATER/TRA	SLUMP	TICKET NUMBER
11-15-10	To Date	4	18.00 yd			
	Today	2	9.00 yd	14995	4.00 in	28031

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. (Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY)

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST BE TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not titter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X

Excessive Water is Detrimental to Concrete Performance

H₂O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
----------	------	-------------	------------	----------------

4.50

WELL

WELL (10 BAGS PER UNIT)

9.00

RECEIVED

342.00

FEB 28 2011

KCC WICHITA

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
2:38	1:36		1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	
LEFT PLANT	ARRIVED JOB	START UNLOADING	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
12:39	1:15			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		

SubTotal \$	342.00
Tax % 7.300	24.97
Total \$	366.97
Order \$	366.97
ADDITIONAL CHARGE 1	

8027 Industrial Rd.
P.O. Box 664
Jola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water content for strength of mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Failure of this contractor to pay these persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

R-1P TO:

SOLD TO:

CA001
CASH CUSTOMER

ME2/25
JOHN MEARS.
4100 240TH RD. 739W TO THOMAS,
N 3 MI TO 10TH W 3/4 MI. N. 50
RED GATES/BUFFALO
CHANUTE, KS 66720

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
11-15-10	WELL	4.50 yd	9.00 yd	0.00	DM 34	0.00	
DATE	LOAD #	YARDS DEL	BATCH #	WATER TRIM	SUMP	TICKET NUMBER	
11-16-10	3	13.50 yd	14994			4.00 in	28030

WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY AND BECOMES THE PROPERTY OF THE PURCHASER UPON LEAVING THE PLANT. ANY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED TO THE OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorney's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A 25% Service Charge and Loss of the Cash Discount will be collected on all Returned Cakes.

Express Delivery Time Charged @ \$50/Hr.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in the load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. In making an additional consideration, this supplier agrees to indemnify and hold harmless the owner of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this truck.

X

Excessive Water Is Detrimental to Concrete Performance H₂O Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
4.50	WELL	WELL (10 BACKS PER UNIT)	76.00	342.00
2.00	TRUCKING	TRUCKING CHARGE	50.00	100.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION	CYLINDER TEST TAKEN	TIME ALLOWED
2:38	1:36		4. JOB NOT READY	6. TRUCK BROKE DOWN	
			5. SLOW POUR OR PUMP	7. ACCIDENT	
			3. TRUCK AHEAD ON JOB	8. CITATION	
			4. CONTRACTOR BROKE DOWN	9. OTHER	
			5. ADDITIONAL WATER		
LEFT PLANT	ARRIVED JOB	START UNLOADING			TIME DUE
12:39	1:11				
TOTAL ROUND TRIP	TOTAL AT-JOB	UNLOADING TIME			DELAY TIME

SubTotal \$	442.00
Tax % 7.300	32.27
Total \$	474.27
Order \$	474.27
ADDITIONAL CHARGE 1	
ADDITIONAL CHARGE 2	
GRAND TOTAL	

5 HOCKEY
W 11/14/20