

Operator Name: Keith F. Walker Oil & Gas Company, L.L.C. Lease Name: Lorne Well #: 8 #4
 Sec. 8 Twp. 31 S. R. 30 East West County: Meade

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Attach Additional Sheets) Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No (Submit Copy) List All E. Logs Run: Induction,SDL/DSN,Microlog	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum Chester 5387'
---	---

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Conductor		20"	94#/H-40	54'		135	
Surface		8 5/8"	24#/J-55	1639'		590	
Production		4 1/2"	11.6#/J-55	5650'			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	Chester 5403'-5459'		

TUBING RECORD		Size	Set At	Packer At	Liner Run	<input type="checkbox"/> Yes <input type="checkbox"/> No
		2 3/8"	5379'	N/A		
Date of First, Resumerd Production, SWD or Enhr.			Producing Method			
			<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity	
	0	0	0			

Disposition of Gas Vented Sold Used on Lease (If vented, Submit ACO-18.)

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

RECEIVED
MAR 18 2009
KCC WICHITA

J and L Cementing Service, LLC

Prepared for
Keith Walker
Lorne 8 #4
Barry Jones
Meade Co. KS



Prepared by
J & L Cementing Service, LLC
Brad Kirchner
P.O. Box 848 Shattuck, OK 73853
580-938-2205 Office
580-938-2915 Fax

TICKET#2278

Lorne 8 #4

8 5/8" Surface

Description	Amount	Units of Sale	Unit Cost	Total Cost
DOT Unit Mileage - per unit, per one way mile	60	ut-mi	\$ 6.95	\$ 417.00
Non-DOT Unit Mileage - Per unit, Per one way mile	30	ut-mi	\$ 3.97	\$ 119.10
Bulk CMT Delivery - Per SK, Per one way mile	17700	sk-mi	\$ 0.16	\$ 2,832.00
Bulk Blending Service	590	sk	\$ 2.72	\$ 1,604.80
Cementing Services - Per Unit, Per Job	1	ut-job	\$ 1,100.00	\$ 1,100.00
Monitoring / Recording System - each, per job	1	ea	\$ 1,300.00	\$ 1,300.00
Depth Pumped 1,500' to 1,999' - first 4 hours, per unit	1	unit	\$ 2,050.00	\$ 2,050.00
Recirculating Cement Mix System (RCMS) - each, per job	1	ea	\$ 700.00	\$ 700.00
Cement "A" (Type I) - per sack	436	sk	\$ 23.65	\$ 10,311.40
Flyash - per sack	154	sk	\$ 13.70	\$ 2,109.80
SPV 200 - per pound	3062	lb	\$ 0.53	\$ 1,622.86
Calcium Chloride (CaCl) - per pound	1048	lb	\$ 0.90	\$ 943.20
FWC-1 - per pound	766	lb	\$ 2.18	\$ 1,669.88
Seal Flake - per pound	148	lb	\$ 4.25	\$ 629.00
Foam - Cleaner 100 - per gallon	10	gal	\$ 126.00	\$ 1,260.00
Plug Container / Swedge HP Single - each, per job	1	ea	\$ 675.00	\$ 675.00
Guide Shoe - Texas Pattern - 8 5/8"	1	ea	\$ 1,364.00	\$ 1,364.00
Insert Float Valve 8-5/8 - each	1	ea	\$ 1,010.00	\$ 1,010.00
Centralizer 8-5/8 X 12 - each	12	ea	\$ 239.00	\$ 2,868.00
Stop Ring 8-5/8 - each	1	ea	\$ 108.00	\$ 108.00
Vane Cement Basket 8-5/8 - each	2	ea	\$ 1,054.00	\$ 2,108.00
Add Hours - Stand-by - Per unit, Per hour	2	ut-hr	\$ 3,000.00	\$ 6,000.00
Thread Locking Compound - each	1	ea	\$ 150.00	\$ 150.00
Rubber Plug Top 8-5/8 - each	1	ea	\$ 205.00	\$ 205.00

Gross Price \$ 43,157.04

63.00% Special Discount Applied \$ 15,968.10

Customer Signature

J & L Cement Supervisor Torrey Mawk

RECEIVED


MAR 18 2009

Page 1 of 1

KCC WICHITA

Keith Walker Lorne 8#4

Total Rate — Total Volume — Total Pressure



RECEIVED

MAR 18 2009

KCC WICHITA

J and L Cementing Service, LLC

Prepared for
Keith Walker
Lorne 8 #4
Barry Jones
Meade Co., KS

Prepared by
J & L Cementing Service, LLC
Brad Kirchner
P.O. Box 848 Shattuck, OK 73853
580-938-2205 Office
580-938-2915 Fax

TICKET#2332

Lorne 8 #4


4 1/2" Production

Description	Amount	Units of Sale	Unit Cost	Total Cost
DOT Unit Mileage - per unit, per one way mile	60	ut-mi	\$ 6.95	\$ 417.00
Non-DOT Unit Mileage - Per unit, Per one way mile	30	ut-mi	\$ 3.97	\$ 119.10
Bulk CMT Delivery - Per SK, Per one way mile	19800	sk-mi	\$ 0.16	\$ 3,168.00
Bulk Blending Service	230	sk	\$ 2.72	\$ 625.60
Cementing Services - Per Unit, Per Job	1	ut-job	\$ 1,100.00	\$ 1,100.00
Monitoring / Recording System - each, per job	0	ea	\$ 1,300.00	\$ -
Depth Pumped 5,500' to 5,999' - first 4 hours, per unit	1	unit	\$ 3,950.00	\$ 3,950.00
Recirculating Cement Mix System (RCMS) - each, per job	1	ea	\$ 700.00	\$ 700.00
Cement "H" - per sack	230	sk	\$ 34.29	\$ 7,886.70
U.S. Gypsum - per pound	2162	lb	\$ 1.05	\$ 2,270.10
Sodium Chloride (NaCl) - per pound	1242	lb	\$ 0.48	\$ 596.16
CFL - 110 - per pound	162	lb	\$ 21.10	\$ 3,418.20
Gilsonite - per pound	2300	lb	\$ 1.25	\$ 2,875.00
Seal Flake - per pound	58	lb	\$ 4.25	\$ 246.50
Caustic Spacer - per gallon	840	gal	\$ 2.05	\$ 1,722.00
Turbolizer 4 1/2 X 7 7/8 - each	25	ea	\$ 264.25	\$ 6,606.25
Canvas Cement Basket 4-1/2 - each	2	ea	\$ 355.00	\$ 710.00
Float Shoe 4-1/2 - each	1	ea	\$ 992.00	\$ 992.00
Latchdown Baffle 4-1/2 - (1.870) - each	1	ea	\$ 873.00	\$ 873.00
Latchdown Flex Plug 4-1/2 - (2.00) - each	1	ea	\$ 873.00	\$ 873.00
Stop Ring 4-1/2 - each	1	ea	\$ 86.05	\$ 86.05
Thread Locking Compound - each	3	ea	\$ 150.00	\$ 450.00
Foam - Cleaner 100 - per gallon	10	gal	\$ 126.00	\$ 1,260.00
Plug Container / Swedge HP Single - each, per job	1	ea	\$ 675.00	\$ 675.00

Gross Price \$ 41,619.66

63.00% Special Discount Applied \$ 15,399.27

Customer Signature _____



J & L Cement Supervisor Brandon McAffrey

RECEIVED

MAR 18 2008

KCC WICHITA Page 1 of 1

