

**CONFIDENTIAL**

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

2/13/09

Form ACO-1  
September 1999  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 33476  
Name: FIML Natural Resources, LLC  
Address: 410 17th Street Ste. 900  
City/State/Zip: Denver, CO. 80202  
Purchaser: NCRA  
Operator Contact Person: Cassandra Parks  
Phone: ( 303 ) 893-5090  
Contractor: Name: Murfin Drilling Company  
License: 30606

**KCC**  
**CONFIDENTIAL**

Wellsite Geologist: \_\_\_\_\_  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

10/31/2008	11/10/2008	12/29/2008
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 171-20707-00-00  
County: Scott  
SW NE NW NW Sec. 21 Twp. 19 S. R. 31 [ ] East [x] West  
375 feet from S / **(N)** (circle one) Line of Section  
950 feet from E / **(W)** (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE **(NW)** SW  
Lease Name: Meyers Well #: 4A-21-1931

Field Name: Unknown  
Producing Formation: Marmaton & Lansing  
Elevation: Ground: 2962' Kelly Bushing: 2974'  
Total Depth: 4848' Plug Back Total Depth: \_\_\_\_\_  
Amount of Surface Pipe Set and Cemented at 9 jts @ 385 Feet  
Multiple Stage Cementing Collar Used?  Yes [ ] No  
If yes, show depth set DV tool @ 2983' Feet  
If Alternate II completion, cement circulated from 2983'  
feet depth to surface w/ 540 ALF2-Dlg-4/10/09 <sup>sx cmt.</sup>

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
Chloride content 7,800 ppm Fluid volume 1200 bbls  
Dewatering method used Backfill/evaporation  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_ [ ] East [ ] West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: \_\_\_\_\_  
Title: Regulatory Specialist Date: 02/13/2009  
Subscribed and sworn to before me this 13 day of February  
20 09.  
Notary Public: Elaine Minich  
Date Commission Expires: 5/5/2009

**KCC Office Use ONLY**

Letter of Confidentiality Received  
 If Denied. Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

**RECEIVED**  
KANSAS CORPORATION COMMISSION  
FEB 17 2009

Operator Name: FIML Natural Resources, LLC Lease Name: Meyers Well #: 4A-21-1931  
 Sec. 21 Twp. 19 S. R. 31  East  West County: Scott

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)  
 Samples Sent to Geological Survey  Yes  No  
 Cores Taken  Yes  No  
 Electric Log Run  Yes  No  
 (Submit Copy)

Log Formation (Top), Depth and Datum  Sample

Name	Top	Datum
Topeka	3634'	-661
Heebner	3884'	-911
Lansing	3922'	-949
Kansas City	4316'	-1343
Marmaton	4340'	-1367
Mississippi	4557'	-1584

List All E. Logs Run: *rec'd 2 logs w/ ACOI:*  
**Triple Combo ; DUAL RECEIVER CMT.**  
**BOND LOG**

**CASING RECORD**  New  Used  
 Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4"	8-5/8"	23.0#	385'	"A" common	355	2% gel & 3% CaCl2
Production	7-7/8"	5-1/2"	15.5#	4837'	ASC	330	2% gel & 10% salt
				2983' DV tool	Lightweight	540	.25 pps flo & 5 pps gil

**ADDITIONAL CEMENTING / SQUEEZE RECORD**

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	Mouse & rat hole	Lightweight	25	.25 pps flocele & 5 pps gilsonite

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	4186-4189'	Acidize with 500 gal 15% MCA	4186-4189'
4	4366-4369'	Acidize with 500 gal 15% MCA	4366-4369'
1	4624-4627' CIBP @ 4500'	Acidize with 500 gal 15% MCA	4624-4627'
1	4630-4633'		

**TUBING RECORD** Size 2-7/8" Set At 4401' Packer At \_\_\_\_\_ Liner Run  Yes  No

Date of First, Resumerd Production, SWD or Enhr. 01/07/2009 Producing Method  Flowing  Pumping  Gas Lift  Other (Explain) \_\_\_\_\_  
 Estimated Production Per 24 Hours Oil Bbls. 30 Gas Mcf \_\_\_\_\_ Water Bbls. 251 Gas-Oil Ratio \_\_\_\_\_ Gravity \_\_\_\_\_

Disposition of Gas \_\_\_\_\_ METHOD OF COMPLETION \_\_\_\_\_ Production Interval \_\_\_\_\_  
 Vented  Sold  Used on Lease  Open Hole  Perf.  Dually Comp.  Commingled 4186-4189' & 4366-4369'  
 (If vented, Submit ACO-18.)  Other (Specify) \_\_\_\_\_



24 S. Lincoln Street  
P.O. Box 31  
Russell, KS 67665-2906

Voice: (785) 483-3887  
Fax: (785) 483-5566

**RECEIVED**  
NOV 06 2008

**INVOICE**

Invoice Number: 116838  
Invoice Date: Oct 31, 2008  
Page: 1

**Bill To:**  
FIML Natural Resources LLC  
410 17th St., #900  
Denver, CO 80202

**KCC**  
FEB 13 2009  
**CONFIDENTIAL**

*Meyer 4A-21-1931*

Customer ID	Well Name# or Customer P.O.	Payment Terms	
FIML	<del>Meyer #4A-21-1931</del>	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS1	Oakley	Oct 31, 2008	11/30/08

Quantity	Item	Description	Unit Price	Amount
255.00	MAT	Class A Common	15.45	3,939.75
5.00	MAT	Gel	20.80	104.00
9.00	MAT	Chloride	58.20	523.80
269.00	SER	Handling	2.40	645.60
60.00	SER	Mileage 269 sx @ .10 per sk per mi	26.90	1,614.00
1.00	SER	Surface	1,018.00	1,018.00
86.00	SER	Extra Footage	0.85	73.10
60.00	SER	Mileage Pump Truck	7.00	420.00
1.00	SER	Manifold Head Rental	113.00	113.00
4.00	SER	Waiting Hours	250.00	1,000.00
1.00	EQP	Surface plug	68.00	68.00
1.00	EQP	Cement Nose Guide Shoe	282.00	282.00
1.00	EQP	AFu Insert	377.00	377.00
3.00	EQP	Centralizers	62.00	186.00

**RECEIVED**  
KANSAS CORPORATION COMMISSION  
FEB 17 2009  
CONSERVATION DIVISION  
WICHITA, KS

*D08142*  
*8100-145*  
*Adam J. Bl...*

ALL PRICES ARE NET, PAYABLE  
30 DAYS FOLLOWING DATE OF  
INVOICE. 1 1/2% CHARGED  
THEREAFTER. IF ACCOUNT IS  
CURRENT, TAKE DISCOUNT OF

**\$ 1036.42**

ONLY IF PAID ON OR BEFORE

**Nov 30, 2008**

Subtotal	10,364.25
Sales Tax	345.27
Total Invoice Amount	10,709.52
Payment/Credit Applied	
<b>TOTAL</b>	<b>10,709.52</b>

*- 1036.42*  
*9673.10*

# ALLIED CEMENTING CO., LLC. 32105

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Oakley KS

DATE <u>10/31/08</u>	SEC. <u>27</u>	TWP. <u>19</u>	RANGE <u>31</u>	CALLED OUT	ON LOCATION	JOB START <u>11:45</u>	JOB FINISH <u>11:45</u>
LEASE <u>Meyer</u>	WELL# <u>4A-21-1931</u>	LOCATION <u>Scott City E to Road rd. South</u>			COUNTY <u>Scott</u>	STATE <u>Ks</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			TO <u>Dead End East 2 1/4 miles Sinto</u>				

CONTRACTOR <u>Mr FIN 21</u>	OWNER <u>Same</u>
TYPE OF JOB <u>Sur Face</u>	
HOLE SIZE <u>11 1/4</u>	T.D.
CASING SIZE <u>8 5/8</u>	DEPTH <u>386'</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT <u>42 09'</u>
CEMENT LEFT IN CSG. <u>42 09'</u>	
PERFS.	
DISPLACEMENT	

CEMENT	
AMOUNT ORDERED <u>255 SKs Com 370 CC</u>	
<u>270 gel</u>	
COMMON <u>255</u>	@ <u>15 45</u> <u>3939 75</u>
POZMIX	@
GEL <u>5</u>	@ <u>20 00</u> <u>104 00</u>
CHLORIDE <u>9</u>	@ <u>58 00</u> <u>523 00</u>
ASC	@

### EQUIPMENT

PUMP TRUCK # <u>422</u>	CEMENTER <u>Alan</u>
	HELPER <u>Wayne</u>
BULK TRUCK # <u>377</u>	DRIVER <u>John</u>
BULK TRUCK #	DRIVER

RECEIVED  
KANSAS CORPORATION COMMISSION

FEB 13 2009

FEB 17 2009

CONFIDENTIAL

CONFIDENTIAL  
WICHITA, KS

HANDLING <u>269 SKs</u>	@ <u>2 10</u> <u>645 60</u>
MILEAGE <u>104 / SK / mile</u>	<u>1614 00</u>
TOTAL	<u>6827 15</u>

### REMARKS:

Mix 255 SKs Com 370 CC 270 gel

Cement did not circulate

Franklin  
Alan, Wayne, John

CHARGE TO: FI ML

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

### SERVICE

DEPTH OF JOB <u>386'</u>	
PUMP TRUCK CHARGE	<u>1018 40</u>
EXTRA FOOTAGE <u>86</u>	@ <u>.85</u> <u>73 10</u>
MILEAGE <u>60</u>	@ <u>7 00</u> <u>420 00</u>
MANIFOLD <u>Head</u>	@ <u>113 00</u>
<u>Waiting on location</u>	@ <u>250 00</u> <u>1000 00</u>
<u>4 hrs</u>	

TOTAL 2624 10

### PLUG & FLOAT EQUIPMENT

<u>8 5/8 surface plug</u>	@ <u>68 00</u>
<u>Cement Nose Guide Shoe</u>	@ <u>282 00</u>
<u>AFM Insert</u>	@ <u>377 00</u>
<u>Centralizers - 3</u>	@ <u>62 00</u> <u>186 00</u>

TOTAL 913 00

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Gary Doka

SIGNATURE W. Gary Doka

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS



24 S. Lincoln Street  
P.O. Box 31  
Russell, KS 67665-2906

Voice: (785) 483-3887  
Fax: (785) 483-5566

234  
**RECEIVED**  
NOV 10 2008

# INVOICE

Invoice Number: 116856  
Invoice Date: Nov 1, 2008  
Page: 1

**Bill To:**  
FIML Natural Resources LLC  
410 17th St., #900  
Denver, CO 80202

*Meyers 4A-21-1931*

Customer ID	Well Name# or Customer P.O.	Payment Terms	
FIML	<del>Meyers #4A-21-1931</del>	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS1	Oakley	Nov 1, 2008	12/1/08

Quantity	Item	Description	Unit Price	Amount
100.00	MAT	Class A Common	15.45	1,545.00
4.00	MAT	Chloride	58.20	232.80
207.00	SER	Handling	2.40	496.80
60.00	SER	Mileage 207 sx @ .10 per sk per mi	20.70	1,242.00
1.00	SER	Top Off Surface	460.00	460.00

KCC  
FEB 13 2009  
CONFIDENTIAL  
RECEIVED  
KANSAS CORPORATION COMMISSION  
FEB 17 2009  
CONSERVATION DIVISION  
WICHITA, KS

*8100-145*  
*Adam D. Bl...*  
*D08142*

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$ 397.65

ONLY IF PAID ON OR BEFORE

**Dec 1, 2008**

Subtotal	3,976.60
Sales Tax	112.00
Total Invoice Amount	4,088.60
Payment/Credit Applied	
<b>TOTAL</b>	<b>4,088.60</b>

*- 397.65*  
*3690.94*

# ALLIED CEMENTING CO., LLC. 32106

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Jakley Ks

DATE <u>11/10/08</u>	SEC. <u>21</u>	TWP. <u>19</u>	RANGE <u>31</u>	CALLED OUT	ON LOCATION	JOB START <u>3:30 pm</u>	JOB FINISH <u>4:00 pm</u>
LEASE <u>Mayer S</u>	WELL # <u>4A-21-1931</u>		LOCATION <u>Scott City E to Road Rd</u>		COUNTY <u>Scott</u>	STATE <u>Ks</u>	
OLD OR <u>NEW</u> (Circle one)			<u>S to Dead End 2 1/4 E S into</u>				

CONTRACTOR Murkin 21

TYPE OF JOB 1" TO TOP OFF SURFACE

HOLE SIZE 12 1/4 T.D.

CASING SIZE 8 5/8 DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG.

PERFS.

DISPLACEMENT

OWNER Same

CEMENT AMOUNT ORDERED 200 SK Com 390 CC

COMMON 100 @ 15.45 1545.00

POZMIX @

GEL @

CHLORIDE 4 @ 58.00 232.80

ASC @

**EQUIPMENT**

PUMP TRUCK CEMENTER Alan

# 422 HELPER Wayne

BULK TRUCK DRIVER Jerry

# 28 DRIVER

BULK TRUCK DRIVER

#

RECEIVED  
KANSAS STATE COMMISSION  
FEB 17 2009  
CONFIDENTIAL  
CONSERVATION DIVISION  
WICHITA, KS

HANDLING 207 @ 2.40 496.80

MILEAGE 104 SK/mile 1242.00

TOTAL 3516.60

**REMARKS:**

Mix 50 SKs Down Celler TO TOP OFF SURFACE, Fell TO 44 FT. Went 1 hr Mix 100 SKs, TOP OFF SURFACE, Cement Did NOT Fall.

Thank You  
Alan, Wayne, Jerry

**SERVICE**

DEPTH OF JOB

PUMP TRUCK CHARGE 460.00

EXTRA FOOTAGE @

MILEAGE @

MANIFOLD @

TOTAL 460.00

CHARGE TO: FIM L

STREET

CITY STATE ZIP

**PLUG & FLOAT EQUIPMENT**

@

@

@

@

@

TOTAL

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Gary Job

SIGNATURE Wayne Job

SALES TAX (If Any)

TOTAL CHARGES

DISCOUNT IF PAID IN 30 DAYS

# ALLIED

CEMENTING CO., LLC  
Cementing & Acidizing Services

24 S. Lincoln Street  
P.O. Box 31  
Russell, KS 67665-2906

Voice: (785) 483-3887  
Fax: (785) 483-5566

RECEIVED  
NOV 17 2008

# INVOICE

Invoice Number: 117008  
Invoice Date: Nov 10, 2008  
Page: 1

**Bill To:**  
FIML Natural Resources LLC  
410 I7th St., #900  
Denver, CO 80202

Customer ID	Well Name# or Customer P.O.	Payment Terms	
FIML	Meyers #4A-21-1931	Net 30 Days	
Job Location	Camp Location	Service Date	Due Date
KS1	Oakley	Nov 10, 2008	12/10/08

Quantity	Item	Description	Unit Price	Amount
6.00	MAT	Gel	20.80	124.80
330.00	MAT	ASC Class A	18.50	6,105.00
31.00	MAT	Salt	23.95	742.45
1,650.00	MAT	Gilsonite	0.89	1,468.50
500.00	MAT	WFR-2	1.27	635.00
437.00	SER	Handling	2.40	1,048.80
60.00	SER	Mileage 437 sx @ .10 per sk per mi	43.70	2,622.00
1.00	SER	Production Casing - Bottom Stage	2,185.00	2,185.00
60.00	SER	Mileage Pump Truck	7.00	420.00
1.00	SER	Manifold Head Rental	113.00	113.00
1.00	EQP	Float Shoe	529.00	529.00
1.00	EQP	Sure Seal Float Collar	425.00	425.00
1.00	EQP	Limit Clamp	29.00	29.00
1.00	EQP	D V Tool	4,500.00	4,500.00
2.00	EQP	Baskets	186.00	372.00
25.00	EQP	Centralizers	57.00	1,425.00

RECEIVED  
KANSAS CORPORATION COMMISSION  
FEB 17 2009  
WICHITA, KS

D 08142  
8200-118  
Adam Q. Bl...  
"1st stage"

KCC  
FEB 13 2009  
CONFIDENTIAL

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$ 2274.45

ONLY IF PAID ON OR BEFORE

Dec 10, 2008

Subtotal	22,744.55
Sales Tax	1,030.41
Total Invoice Amount	23,774.96
Payment/Credit Applied	
<b>TOTAL</b>	<b>23,774.96</b>

- 2274.4  
21,500.5

# ALLIED CEMENTING CO., LLC. 043862

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>10-10-08</u>	SEC <u>21</u>	TYPE <u>195</u>	RANGE <u>31W</u>	CALLED OUT	ON LOCATION <u>12:00 AM</u>	JOB START <u>9:30 AM</u>	JOB FINISH <u>10:20 AM</u>
LEASE <u>Meyers</u>	WELL # <u>4A-21-1931</u>	LOCATION <u>Scott city</u>	COUNTY <u>8 E 55</u>		STATE <u>KS</u>		
OLD OR NEW (Circle one) <u>NEW</u>			<u>1 E 15 1/2 W Sinto</u>				

CONTRACTOR <u>Murfin Drilling Rig 21</u>	OWNER <u>same</u>
TYPE OF JOB <u>Production (Dotted stage)</u>	
HOLE SIZE <u>7 7/8</u>	T.D. <u>4850</u>
CASING SIZE <u>5 1/2</u>	DEPTH <u>4837.29'</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL <u>DV</u>	DEPTH <u>2983.48'</u>
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT <u>19.80'</u>
CEMENT LEFT IN CSG. <u>19.80</u>	
PERFS.	
DISPLACEMENT <u>114.65 BBL</u>	<u>43.65 w/ 71 mud</u>

EQUIPMENT	COMMON	@	
	POZMIX	@	
	GEL <u>6 sks</u>	@	<u>20.80 124.80</u>
	CHLORIDE	@	
	ASC <u>330 sks</u>	@	<u>18.50 6105.00</u>
	<u>salt 31 sks</u>	@	<u>23.95 742.45</u>
	<u>Gilsonite 1650#</u>	@	<u>.89 1468.50</u>
	<u>WFR-2 500 gal</u>	@	<u>1.27 635.00</u>
	HANDLING <u>437 sks</u>	@	<u>2.40 1048.80</u>
	MILEAGE <u>104 sk/mile</u>	@	<u>26.29 2729.00</u>
			TOTAL <u>12746.55</u>

REMARKS:  
Pump 500 gal WFR-2 followed by 330 sks ASC wash pump and lines  
clean displace plug down with water and mud locate lift pressure 1400# land plug.  
Plug landed float held drop opening device open DV tool 1500#  
Thank you

RECEIVED  
KANSAS CORPORATION COMMISSION  
FEB 17 2009

CHARGE TO: FIML  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE	
DEPTH OF JOB <u>4837.29'</u>	
PUMP TRUCK CHARGE	<u>2185.00</u>
EXTRA FOOTAGE	@
MILEAGE <u>60 miles</u>	@ <u>7.00 420.00</u>
MANIFOLD <u>head rental</u>	@ <u>113.00</u>
	@
	@
	TOTAL <u>2718.00</u>

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT	
<u>5/2</u>	
<u>1 float shoe</u>	@ <u>529.00</u>
<u>1 sure seal float collar</u>	@ <u>425.00</u>
<u>1 limit clamp</u>	@ <u>29.00</u>
<u>1 DV TOOL</u>	@ <u>4500.00</u>
<u>2 Baskets</u>	@ <u>186.00 372.00</u>
<u>25 centralizers</u>	<u>57.00 1425.00</u>
	TOTAL <u>7280.00</u>

PRINTED NAME Grady Dolge  
 SIGNATURE [Signature]

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS





# INVOICE

24 S. Lincoln Street  
 P.O. Box 31  
 Russell, KS 67665-2906  
 Voice: (785) 483-3887  
 Fax: (785) 483-5566

Invoice Number: 117009  
 Invoice Date: Nov 10, 2008  
 Page: 1

<b>Bill To:</b>
FIML Natural Resources LLC 410 17th St., #900 Denver, CO 80202

*Meyers AA-21-1931*

<b>Customer ID</b>	<b>Well Name# or Customer P.O.</b>	<b>Payment Terms</b>	
FIML	Meyers #A4-21-1931	Net 30 Days	
<b>Job Location</b>	<b>Camp Location</b>	<b>Service Date</b>	<b>Due Date</b>
KS1	Oakley	Nov 10, 2008	12/10/08

Quantity	Item	Description	Unit Price	Amount
565.00	MAT	Lightweight Class A	14.05	7,938.25
2,825.00	MAT	Gilsonite	0.89	2,514.25
141.00	MAT	Flo Seal	2.50	352.50
627.00	SER	Handling	2.40	1,504.80
60.00	SER	Mileage 627 sx @ .10 per sk per mi	62.70	3,762.00
1.00	SER	Production Casing - Top Stage	1,185.00	1,185.00

*D08142*  
*8200-118*  
*Adam D. Blum*  
*"2nd stage"*

RECEIVED  
 KANSAS CORPORATION COMMISSION  
 FEB 17 2009  
 CONSERVATION DIVISION  
 WICHITA, KS

KCC  
 FEB 13 2009

CONFIDENTIAL

Subtotal	17,256.80
Sales Tax	680.72
Total Invoice Amount	17,937.52
Payment/Credit Applied	
<b>TOTAL</b>	<b>17,937.52</b>

ALL PRICES ARE NET, PAYABLE  
 30 DAYS FOLLOWING DATE OF  
 INVOICE. 1 1/2% CHARGED  
 THEREAFTER. IF ACCOUNT IS  
 CURRENT, TAKE DISCOUNT OF

\$ 1725.68

ONLY IF PAID ON OR BEFORE

Dec 10, 2008

*- 1725.68*  
*16,211.84*

# ALLIED CEMENTING CO., LLC. 043863

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>11-10-08</u>	SEC <u>21</u>	TWP. <u>19s</u>	RANGE <u>31w</u>	CALLED OUT	ON LOCATION <u>12:00 am</u>	JOB START <u>3:00 am</u>	JOB FINISH <u>4:00 pm</u>
LEASE <u>Meyers</u>	WELL # <u>4A-21-1931</u>	LOCATION <u>Scott City 8E 5S</u>			COUNTY <u>Scott</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)				<u>1E 1S 1/2w Sinto</u>			

CONTRACTOR Murfin Drilling Rig 21 OWNER Same  
 TYPE OF JOB Production (Top Stage)  
 HOLE SIZE 7 7/8" T.D. 4850.00'  
 CASING SIZE 5 1/2" DEPTH 4832.29'  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL DV DEPTH 2983.48'  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT 19.80'  
 CEMENT LEFT IN CSG. 19.80'  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT 71. BBL

CEMENT AMOUNT ORDERED 565 sks LITE  
5# GILsonite 1/4" Flo-seal  
 RECEIVED  
 KANSAS CORPORATE COMMISSION  
 COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 ASC \_\_\_\_\_ @ \_\_\_\_\_  
LITE 565 sks @ 14.05 7938.25  
GILsonite 2825# @ .89 2514.25  
FLO-seal 141# @ 2.50 352.50  
 HANDLING 627 sks @ 2.40 1504.80  
 MILEAGE 109 sk/mile 3762.00  
 TOTAL 16021.80

**REMARKS:**

Plug Rathole 15 sks mouse hole  
10 sks mix 540 sks LITE down  
Center approx 450 sks mixed  
Lost circulation wash pump and  
line clean. Displace plug at a  
rate of 3/2 BBL min no circulation  
plug landed 1400# tool closed  
300# LIFT pressure  
Thank you

CHARGE TO: FIM L  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE  
 DEPTH OF JOB 2983.48  
 PUMP TRUCK CHARGE \_\_\_\_\_ 1185.00  
 EXTRA FOOTAGE @ \_\_\_\_\_  
 MILEAGE 60 miles @ N/A  
 MANIFOLD @ \_\_\_\_\_  
 TOTAL 1185.00

**PLUG & FLOAT EQUIPMENT**

\_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Gary Dale  
 SIGNATURE [Signature]

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS