

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1053669

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #34170	API No. 15 - 15-003-24929-00-00
Name: Sirius Energy Corp.	Spot Description:
Address 1: 526 COUNTRY PL, SOUTH	SW_NW_NE_NE_Sec. 14 Twp. 21 S. R. 20 V East West
Address 2:	4,822 Feet from North / South Line of Section
City: ABILENE State: TX Zip: 79606 + 7032	1,078 Feet from 🗸 East / 🗌 West Line of Section
Contact Person: Randy Teter	Footages Calculated from Nearest Outside Section Corner:
Phone: (785) 4488571	□ne □nw ☑se □sw
CONTRACTOR: License #_32079	County: Anderson
Name: Leis, John E.	Lease Name: West Van Winkte Well #: AB-36
Wellsite Geologist: n/a	Field Name:
Purchaser:	Producing Formation: Squirrel sand
Designate Type of Completion:	Elevation: Ground: 1090 Kelly Bushing: 0
✓ New Well Re-Entry Workover	Total Depth: 756 Plug Back Total Depth:
✓ SwD Siow	Amount of Surface Pipe Set and Cemented at: 21 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? Yes VNo
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 21
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 6 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	leet depth to:sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	, in the second of the second
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content: 0 ppm Fluid volume: 120 bbts
Conv. to GSW	Dewatering method used: Evaporated
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	
SWD	Lease Name: License #:
ENHR	Quarter Sec TwpS. R ☐ East ☐ West
GSW Permit #:	County: Permit #:
11/05/2010 11/05/2010 11/30/2010	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Letter of Confidentiality Received Date:							
Confidential Release Date: Wireline Log Received							
Geologist Report Received UIC Distribution ALT I I III Approved by: Desire German Date: 04/12/2011							

Side Two



1053669

Operator Name: Siriu	s Energy Corp.			Lease	Name: _	West Van Wir	ıkle	Well #:AE	3-36	
Sec. 14 Twp.21	s. R. <u>20</u>	✓ East		County	: Ande	erson				
INSTRUCTIONS: Sho time tool open and clos recovery, and flow rates line Logs surveyed. Att	ed, flowing and shu if gas to surface to	it-in pressui est, along w	res, whether si ith final chart(s	hut-in pres	sure rea	ched static level,	hydrostatic pr	essures, bottom	hole temp	erature, fluid
Drill Stem Tests Taken			Log Formation (Top			n (Top), Depth	op), Depth and Datum		Sample	
Samples Sent to Geological Survey			s 🗸 No		Name Squirrel sand			Top Datu 694 gl		Datum
Cores Taken Yes Electric Log Run Yes		s 🗌 No					034			
List All E. Logs Run:										
Gamma Ray / Neutron /	CCL									
	,		CASING	RECORD	✓ Ne	w Used				
	Size Hale		t all strings set-c	conductor, si		ermediate, producti Setting	on, etc.	# Sacks	Type	and Percent
Purpose of String	Drilled		(in O.D.)	Lbs.		Depth	Cement	Used		dditives
Surface	9.875	7		20		21	Portland	6	-	
Production	5.625	2.875		6.5		750	owc	66	Kol se	al 40%
		<u> </u>	ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				
Purpose: Perforate Protect Casing	Depth Top Bottom	Туре	# Sacks Used		Type and Percent Additives					
Plug Back TD Plug Off Zone	-						· · ·			
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
TUBING RECORD:	Size:	Set At:		Packer A	At:	Liner Run;	Yes	No		
Date of First, Resumed P	roduction, SWD or EN	IHR.	Producing Meth	hod: Pumpir	ng 🗆	Gas Lift 🔲 C	ther (Explain)			
Estimated Production Per 24 Hours	Oil	Bbts.	Gas	Mcf	Wat	er Bl	ols.	Gas-Oil Ratio		Gravity
DISPOSITIO	N OF GAS:			METHOD OI	F COMPLI	ETION:		PRODUCTI	ON INTER	VAL:
Vented Sold	Used on Lease	□ •	_	Perf.	Dualty	Comp. Com	nmingled			
(if vented, Subn	nit ACO-18.)		ther (Society)		(Submit .	ACO-5) (Subi	nit ACO-4)			

GARNETT TRUE VALUE HOMECENTER

410 N Maple Garnett, KS 66032 (785) 448-7106 FAX (785) 448-7135

Merchant Copy INVOICE

THIS COPY MUST REMAIN AT MERCHANT AT ALL TIMES!

Page: 1		In	voice: 10 1	66110
Special :			Time:	09:11:42
Instructions :			Ship Date:	11/22/10
			involce Date:	11/22/10
Sala rep #: JIM	,	Noort rep code:	Due Date:	12/08/10
Sold To: SIRIUS ENERGY CORP	· Ship To	SIRIUS ENERGY CO	RP	
528 COUNTRYPLACE SOUTH ABILENE, TX 79608-7032	(325) 685-9162			
,	(325) 665-9152			
Customer #: 0001860	Customer PO:	Order By		

87H 7 120 poping01 Alt Price/Uom PRICE **EXTENSION** ORDER SHIP L UM **ITEM#** DESCRIPTION 60.00 P BAG CPFA FLY ASH MIX 80 LBS PER BAG 6.2900 BAG 6.2900 377.40 60.00 539.40 60.00 60.00 P BAG CPPC PORTLAND CEMENT-94# 8.9900 BAG 8.9900

Surface casing and production casing are cemented with company tools.

6 sacks portland cement are used for surface casing

6 sacks portland cement are used for surface casing. 33 sacks portland cement and 33 sacks fly ash are used for production casing (=40% kol seal).

The remaining cement and fly ash from this ticket are used for plugging purposes as per submitted CP-1 and CP-4.

FILLED 8Y CHECKED BY DATE SHIPPED DRIVER Sales total \$916.80
SHIP VIA Customer Pick up

RECEIVED COMPLETE AND IN GOOD CONDITION — Taxable 916.80
Non-taxable 0.00
Safes tax 76.10

TOTAL

\$992.90

1 - Merchant Copy

* O O O 4 P P P H O O 1 O 2 9 H O R H