For KCC Use:	5-9-2011
Effective Date: _	3 /2011
District #	1
III.	[.7] _{vi} .

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Fitled

	NOTICE OF IN	TENT TO DRILL	Form must be Signed All blanks must be Filled
Must be a	approved by KCC five ((5) days prior to commencing well orface Owner Notification Act, MUST be submit	
•		urrace Owner Notification Act, MOST be Submit	ted with this lorm.
Expected Spud Date: 5 10 month day	2011 year	Spot Description:	25 12 [
·	•	$\frac{C}{(\alpha \alpha \alpha \alpha \alpha)} = \frac{SW}{SW} \cdot \frac{NW}{NW} \cdot \frac{NW}{SW} \cdot \frac{16}{SW} = \frac{16}{SW} \cdot \frac{16}{SW$	/p2S. RLZEK_W
PERATOR: License# 34549	<u></u>	330 feet in	om X N / S Line of Section om E / X W Line of Section
lame: VAUGHN GOOD OIL CO.	(104	Is SECTION: Regular X Irregular?	omE / AL W Line of Section
ddress 1:P.O. Box 3744			
city: Enid State: OK Zip:7	3702 +3744	(Note: Locate well on the Section	n Plat on reverse side)
,		County: Barber	
Contact Person: Vaughn Good Phone: cell 580-554-0777 off	. 580-233-38	39 dease Name: NUSSET Field Name: Unnamed	Well #:
CONTRACTOR: License# 34398	•	Is this a Prorated / Spaced Field?	Yes X No
Name: Mendenhall Drilling,	Inc.	Target Formation(s): Mississippi	-Meisner-Arbuck
		Nearest Lease or unit boundary line (in footage	nel: 330 '
	rpe Equipment:	Ground Surface Elevation: Est, 1408	feet MSL
	Mud Rotary	Water well within one-quarter mile:	Yes X No
Gas Storage X Pool Ext. Disposal Wildcat	Air Rotary Cable	Public water supply well within one mile:	X Yes No
Seismic : # of Holes Other	Cable	Depth to bottom of fresh water:180 *	
Other:		Depth to bottom of usable water: 180'	
		Surface Pipe by Alternate:	
If OWWO: old well information as follows:		Length of Surface Pipe Planned to be set:	500'
Operator:		Length of Conductor Pipe (if any):	·
Well Name:		Projected Total Depth: 5850'	
Original Completion Date: Original To	tal Depth:	Formation at Total Depth: <u>Arbuckle</u>	
Directional, Deviated or Horizontal wellbore?	Tyes No	Water Source for Drilling Operations:	2.23
f Yes, true vertical depth:		Well Farm Pond X Other: Cr	
Bottom Hole Location:		DWR Permit #: <u>Water in Okl</u> (Note: Apply for Permit)	
KCC DKT #:		Will Cores be taken?	Yes XNo
		****	<u> </u>
		If Yes, proposed zone:	
	ΔEE		RECEIVED
The undersigned hereby affirms that the drilling, com		IDAVIT	RECEIVED
	pletion and eventual plug	IDAVIT	nos
t is agreed that the following minimum requirements	pletion and eventual plug will be met:	IDAVIT	
	pletion and eventual plug will be met: udding of well;	IDAVIT gging of this well will comply with K.S.A. 55 et. s	nos
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as speci	pletion and eventual plug will be met: udding of well; shall be posted on each fied below shall be set b	IDAVIT gging of this well will comply with K.S.A. 55 et. s drilling rig; by circulating cement to the top; in all cases sur	MAY 0 3 2011 KCC WICHITA
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as speci through all unconsolidated materials plus a minimum amount of surface pipe.	pletion and eventual plug will be met: udding of well; shall be posted on each fied below shall be set b nimum of 20 feet into the	IDAVIT gging of this well will comply with K.S.A. 55 et. s drilling rig; by circulating cement to the top; in all cases sur underlying formation.	MAY 0 3 2011 KCC WICHITA
 t is agreed that the following minimum requirements Notify the appropriate district office <i>prior</i> to sp A copy of the approved notice of intent to drill a The minimum amount of surface pipe as specithrough all unconsolidated materials plus a minute. If the well is dry hole, an agreement between the 	pletion and eventual plug will be met: udding of well; shall be posted on each fied below shall be set b nimum of 20 feet into the he operator and the distri	drilling rig; by circulating cement to the top; in all cases sur underlying formation. ict office on plug length and placement is nece	MAY 0 3 2011 KCC WICHITA
 is agreed that the following minimum requirements Notify the appropriate district office <i>prior</i> to sp A copy of the approved notice of intent to drill a The minimum amount of surface pipe as specithrough all unconsolidated materials plus a minimum amount of surface pipe as specithrough all unconsolidated materials plus a minimum amount of surface pipe as specific through all unconsolidated materials plus a minimum amount of surface pipe as specific through all unconsolidated materials plus a minimum amount of surface pipe as specific through all unconsolidated materials plus a minimum amount of surface pipe as specific through all unconsolidated materials plus a minimum amount of surface pipe as specific through all unconsolidated materials plus a minimum amount of surface pipe as specific through all unconsolidated materials plus a minimum amount of surface pipe as specific through all unconsolidated materials plus a minimum amount of surface pipe as specific through all unconsolidated materials plus a minimum amount of surface pipe as specific through all unconsolidated materials plus a minimum amount of surface pipe as specific through all unconsolidated materials plus a minimum amount of surface pipe as specific through all unconsolidated materials plus a minimum amount of surface pipe and surface pipe an	pletion and eventual plug will be met: udding of well; shall be posted on each fied below shall be set b nimum of 20 feet into the he operator and the distri efore well is either plugge	drilling rig; by circulating cement to the top; in all cases sur underlying formation. ict office on plug length and placement is necesed or production casing is cemented in;	MAY 0 3 2011 KCC WICHITA face pipe shall be set
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as speci through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the supportance of the appropriate district office will be notified be an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas	pletion and eventual plug will be met: udding of well; shall be posted on each fied below shall be set b nimum of 20 feet into the he operator and the distri efore well is either plugge on pipe shall be cemented surface casing order #13	drilling rig; by circulating cement to the top; in all cases surunderlying formation. ict office on plug length and placement is necesed or production casing is cemented in; I from below any usable water to surface within 33,891-C, which applies to the KCC District 3 a	MAY 0 3 2011 KCC WICHITA face pipe shall be set. ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as specinthrough all unconsolidated materials plus a minumum and the well is dry hole, an agreement between the surface pipe and the appropriate district office will be notified by 6. If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud	pletion and eventual plug will be met: udding of well; shall be posted on each fied below shall be set b nimum of 20 feet into the he operator and the distri efore well is either plugge in pipe shall be cemented surface casing order #13 date or the well shall be	drilling rig; by circulating cement to the top; in all cases surunderlying formation. ict office on plug length and placement is neceded or production casing is cemented in; from below any usable water to surface within 33,891-C, which applies to the KCC District 3 a plugged. In all cases, NOTIFY district office	MAY 0 3 2011 KCC WICHITA face pipe shall be set. ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill and through all unconsolidated materials plus a minument of surface piace plus as a minument of surface piace and a minument of surface piace and a minument of surface piace and through all unconsolidated materials plus a minument of surface piace and surface piace and surface piace and surface piace and surface piace of surface piace p	pletion and eventual plug will be met: udding of well; shall be posted on each fied below shall be set b nimum of 20 feet into the he operator and the distri efore well is either plugge in pipe shall be cemented surface casing order #13 date or the well shall be	drilling rig; by circulating cement to the top; in all cases surunderlying formation. ict office on plug length and placement is neceded or production casing is cemented in; from below any usable water to surface within 33,891-C, which applies to the KCC District 3 a plugged. In all cases, NOTIFY district office	MAY 0 3 2011 KCC WICHITA face pipe shall be set. ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as speci through all unconsolidated materials plus a mil 4. If the well is dry hole, an agreement between the superpriate district office will be notified be of the appropriate district office will be notified be of the analyse of the specific or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud hereby certify that the statements made herein are the superprint of the specific or superprint or superprin	pletion and eventual plug will be met: udding of well; shall be posted on each field below shall be set b nimum of 20 feet into the he operator and the distri- efore well is either plugge in pipe shall be cemented surface casing order #13 date or the well shall be true and to the best of m	drilling rig; by circulating cement to the top; in all cases sur underlying formation. ict office on plug length and placement is neceded or production casing is cemented in; I from below any usable water to surface within 33,891-C, which applies to the KCC District 3 a plugged. In all cases, NOTIFY district office in knowledge and belief.	MAY 0 3 2011 KCC WICHITA face pipe shall be set. ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing.
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the three of the surface propriate district office will be notified being an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud hereby certify that the statements made herein are the surface of the spud three properties.	pletion and eventual plug will be met: udding of well; shall be posted on each field below shall be set b nimum of 20 feet into the he operator and the distri- efore well is either plugge in pipe shall be cemented surface casing order #13 date or the well shall be true and to the best of m	drilling rig; by circulating cement to the top; in all cases sur underlying formation. ict office on plug length and placement is necesed or production casing is cemented in; from below any usable water to surface within 33,891-C, which applies to the KCC District 3 a plugged. In all cases, NOTIFY district office on knowledge and belief.	MAY 0 3 2011 KCC WICHITA face pipe shall be set. ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing.
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as speci through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the surface of the appropriate district office will be notified be an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud thereby certify that the statements made herein are the surface of the spud that the statements made herein are the surface of the spud that the statements made herein are the surface of the spud that the statements made herein are the surface of the spud that the statements made herein are the surface of the spud that the statements made herein are the surface of the spud that the statements made herein are surface of the surface of the spud that the statements made herein are surface of the spud that the statements made herein are surface of the spud that the statements made herein are surface of the spud that the statements made herein are surface of the spud that the statements made herein are surface of the spud that the statements made herein are surface of the spud that the statements made herein are surface of the spud that the statement of the surface of the spud that the statement of the surface of the surface of the surface of the surface of the spud that the statement of the surface of th	pletion and eventual plug will be met: udding of well; shall be posted on each field below shall be set b nimum of 20 feet into the he operator and the distri- efore well is either plugge in pipe shall be cemented surface casing order #13 date or the well shall be true and to the best of m	drilling rig; by circulating cement to the top; in all cases sur underlying formation. ict office on plug length and placement is necesed or production casing is cemented in; I from below any usable water to surface within 33,891-C, which applies to the KCC District 3 a plugged. In all cases, NOTIFY district office within knowledge and belief. Title: O Remember to:	MAY 0 3 2011 KCC WICHITA face pipe shall be set. ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing.
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a minum an amount of surface pipe as specific through all unconsolidated materials plus a minum an amount of surface pipe as specific through all unconsolidated materials plus a minum an amount of the specific through all unconsolidated materials plus a minum an appropriate district office will be notified by the appropriate of the appropriate of the specific structure of the specif	pletion and eventual plug will be met: udding of well; shall be posted on each field below shall be set b nimum of 20 feet into the he operator and the distri- efore well is either plugge in pipe shall be cemented surface casing order #13 date or the well shall be true and to the best of my	drilling rig; by circulating cement to the top; in all cases sur underlying formation. ict office on plug length and placement is necesed or production casing is cemented in; from below any usable water to surface within 33,891-C, which applies to the KCC District 3 a plugged. In all cases, NOTIFY district office on knowledge and belief. Title: O Remember to: File Certification of Compliance with the Kansa	MAY 0 3 2011 KCC WICHITA face pipe shall be set ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing.
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a minum and the surface pipe as specific through all unconsolidated materials plus a minum all the well is dry hole, an agreement between the surface of t	pletion and eventual plugwill be met: udding of well; shall be posted on each fied below shall be set be nimum of 20 feet into the he operator and the distriction of 20 feet into the efore well is either pluggen pipe shall be cemented surface casing order #13 date or the well shall be true and to the best of metal or Agent:	drilling rig; by circulating cement to the top; in all cases surunderlying formation. ict office on plug length and placement is necesed or production casing is cemented in; from below any usable water to surface within 33,891-C, which applies to the KCC District 3 a plugged. In all cases, NOTIFY district office on knowledge and belief. Title: O Remember to: - File Certification of Compliance with the Kansa Act (KSONA-1) with Intent to Drill;	MAY 0 3 2011 KCC WICHITA face pipe shall be set ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing.
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus a minum and the surface pipe as specific through all unconsolidated materials plus a minum and the series of the well is dry hole, an agreement between the surface of th	pletion and eventual plugwill be met: udding of well; shall be posted on each fied below shall be set be nimum of 20 feet into the he operator and the district of the surface casing order #13 date or the well shall be true and to the best of more or Agent:	drilling rig; by circulating cement to the top; in all cases sur underlying formation. ict office on plug length and placement is necesed or production casing is cemented in; from below any usable water to surface within 33,891-C, which applies to the KCC District 3 a plugged. In all cases, NOTIFY district office on knowledge and belief. Title: O Remember to: File Certification of Compliance with the Kansa	MAY 0 3 2011 KCC WICHITA face pipe shall be set 120 DAYS of spud date. rea, alternate II cementing prior to any cementing. WILE T as Surface Owner Notification Int to Drill; of spud date;
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the first office will be notified be an appropriate district office will be notified be an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud thereby certify that the statements made herein are stated. Signature of Operator Signature of Operator Op	pletion and eventual plugwill be met: udding of well; shall be posted on each fied below shall be set be nimum of 20 feet into the he operator and the distriction of 20 feet into the efore well is either pluggen pipe shall be cemented surface casing order #13 date or the well shall be true and to the best of metal or Agent:	drilling rig; by circulating cement to the top; in all cases surunderlying formation. ict office on plug length and placement is neces ad or production casing is cemented in; from below any usable water to surface within 33,891-C, which applies to the KCC District 3 a plugged. In all cases, NOTIFY district office when knowledge and belief. Title: O Remember to: File Certification of Compliance with the Kansa- Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent	MAY 0 3 2011 KCC WICHITA face pipe shall be set HITA ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing. WILE T as Surface Owner Notification int to Drill; of spud date;
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as specitivough all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the first office will be notified by the first office will be notified b	pletion and eventual plugwill be met: udding of well; shall be posted on each fied below shall be set be nimum of 20 feet into the he operator and the district of the surface casing order #13 date or the well shall be true and to the best of more or Agent:	drilling rig; by circulating cement to the top; in all cases sur underlying formation. ict office on plug length and placement is necesed or production casing is cemented in; I from below any usable water to surface within 33,891-C, which applies to the KCC District 3 a plugged. In all cases, NOTIFY district office by knowledge and belief. Title: O Remember to: File Certification of Compliance with the Kansa Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intention File Completion Form ACO-1 within 120 days File acreage attribution plat according to field and Notify appropriate district office 48 hours prior	MAY 0 3 2011 KCC WICHITA face pipe shall be set ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing. WILE T as Surface Owner Notification int to Drill; of spud date; proration orders; to workover or re-entry;
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as specitivough all unconsolidated materials plus a minum and all unconsolidated materials plus a minum an appropriate district office will be notified by the appropriate district office will be notified by the analysis of the spud of the spud hereby certify that the statements made herein are supported as a signature of operator. For KCC Use ONLY API # 15 - 007 - 23 6 99 - 00 0 Month of the spud of the sp	pletion and eventual plug will be met: udding of well; shall be posted on each field below shall be set benimum of 20 feet into the he operator and the distriction of the end of the commented surface casing order #13 date or the well shall be true and to the best of my or Agent:	drilling rig; by circulating cement to the top; in all cases surunderlying formation. ict office on plug length and placement is neceed or production casing is cemented in; from below any usable water to surface within 33,891-C, which applies to the KCC District 3 aplugged. In all cases, NOTIFY district office by knowledge and belief. Title: O Remember to: File Certification of Compliance with the Kansa Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days File acreage attribution plat according to field Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging is	MAY 0 3 2011 KCC WICHITA face pipe shall be set ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing. WILE T as Surface Owner Notification int to Drill; of spud date; proration orders; to workover or re-entry; s completed (within 60 days);
2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as speci through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the surface pipe as specific through all unconsolidated materials plus a min 4. If the well is dry hole, an agreement between the surface plus of the well is dry hole, an agreement between the surface properties of the specific will be notified by the surface plus of the specific properties of the specific plus of	pletion and eventual plug will be met: udding of well; shall be posted on each field below shall be set benimum of 20 feet into the he operator and the distriction of the end of the commented surface casing order #13 date or the well shall be true and to the best of my or Agent:	drilling rig; by circulating cement to the top; in all cases surunderlying formation. ict office on plug length and placement is neceded or production casing is cemented in; from below any usable water to surface within 33,891-C, which applies to the KCC District 3 aplugged. In all cases, NOTIFY district office by knowledge and belief. Title: O Remember to: File Certification of Compliance with the Kansa Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days File acreage attribution plat according to field Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging is Obtain written approval before disposing or inj	MAY 0 3 2011 KCC WICHITA face pipe shall be set face pipe shall be set 120 DAYS of spud date. rea, alternate II cementing prior to any cementing. WILE T as Surface Owner Notification int to Drill; of spud date; proration orders; to workover or re-entry; s completed (within 60 days); ecting salt water.
1. Notify the appropriate district office <i>prior</i> to sp. 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a min. 4. If the well is dry hole, an agreement between the surface pipe as specithrough all unconsolidated materials plus a min. 5. The appropriate district office will be notified be office will be notified be office of the surface pipe reputation or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud thereby certify that the statements made herein are surface. Signature of Operator O	pletion and eventual plug will be met: udding of well; shall be posted on each field below shall be set benimum of 20 feet into the he operator and the distriction of the end of the commented surface casing order #13 date or the well shall be true and to the best of my or Agent:	drilling rig; by circulating cement to the top; in all cases surunderlying formation. ict office on plug length and placement is neceed or production casing is cemented in; from below any usable water to surface within 33,891-C, which applies to the KCC District 3 aplugged. In all cases, NOTIFY district office on knowledge and belief. File Certification of Compliance with the Kansa Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent in File Completion Form ACO-1 within 120 days File acreage attribution plat according to field Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging is Obtain written approval before disposing or inj	MAY 0 3 2011 KCC WICHITA face pipe shall be set face pipe shall be set ssary prior to plugging; 120 DAYS of spud date. rea, alternate II cementing prior to any cementing. WILE T as Surface Owner Notification int to Drill; of spud date; proration orders; to workover or re-entry; s completed (within 60 days); ecting salt water. (See: authorized expiration date)
t is agreed that the following minimum requirements 1. Notify the appropriate district office <i>prior</i> to sp 2. A copy of the approved notice of intent to drill a 3. The minimum amount of surface pipe as specitivough all unconsolidated materials plus a minum and all unconsolidated materials plus a minum an appropriate district office will be notified by the appropriate district office will be notified by the analysis of the spud of the spud hereby certify that the statements made herein are supported as a signature of operator. For KCC Use ONLY API # 15 - 007 - 23 6 99 - 00 0 Month of the spud of the sp	pletion and eventual plug will be met: udding of well; shall be posted on each field below shall be set benimum of 20 feet into the he operator and the distriction of the end of the commented surface casing order #13 date or the well shall be true and to the best of my or Agent:	drilling rig; by circulating cement to the top; in all cases surunderlying formation. ict office on plug length and placement is neceded or production casing is cemented in; from below any usable water to surface within 33,891-C, which applies to the KCC District 3 aplugged. In all cases, NOTIFY district office by knowledge and belief. Title: O Remember to: File Certification of Compliance with the Kansa Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days File acreage attribution plat according to field Notify appropriate district office 48 hours prior Submit plugging report (CP-4) after plugging is Obtain written approval before disposing or inj	MAY 0 3 2011 KCC WICHITA face pipe shall be set face

For KCC Use ONLY API # 15 . 007-23699-00-00

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: Barber

SEWARD CO. 3390' FEL

Operator: VAUGHN GOOD OIL CO. Lease: Nusser Well Number: 1-16 Field:	Location of Well: County: Barber 990' feet from X N / S Line of Section 330' feet from E / X W Line of Section Sec. 16 Twp. 35 S. R. 12 E X W Is Section: Regular or X Irregular		
Show location of the well. Show footage to the neare lease roads, tank batteries, pipelines and electrical lines, as	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NEXNW SE SW PLAT set lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032). a separate plat if desired.		
	LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location		
	1980' FSL		

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

15-007-23699-00-00 Kansas Corporation Commission

Oil & Gas Conservation Division

July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 34549 Name: VAUGHN GOOD OIL CO	Well Location:		
144116 V ALITATIV (4(1)) 1111. (4)	C-SWNWNW Sec. 16 Twp. 35 s	9.12 □ Fast® West	
Address 1: P. O. Box 3744	County: Barber	Casign Wood	
Address 2:	Lease Name: Nusser	Well #: 1-16	
City: Enid State: OK Zip: 73702+3744	If filing a Form T-1 for multiple wells on a lease, enter the legal descri		
Contact Person: Vaughn Good	the lease below:		
Phone: (580) 554-0777 Fax: (580) 233 7134	•		
Email Address: vgoil@yahoo.com	:	•	
Surface Owner information:			
Name: Dean Nusser	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1: 44774 Johnson Rd.	sheet listing all of the information to the left for each surface owner. Surface		
Address 2:	owner information can be found in the records of the register of deeds county, and in the real estate property tax records of the county treasur		
City: Alva State: OK Zip: 73717+		•	
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or	n the Form C-1 plat, Form CB-1 plat, or a sepa	iocations snown on the plat	
Select one of the following:		ягате ріастаў ре зарітіней.	
	ocated: 1) a copy of the Form C-1, Form CB- being filed is a Form C-1 or Form CB-1, the p	lowing to the surface	
Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filling in connection with this form; 2) if the form the connection with this form; 2) if the form the connection with this form; 2) if the form the connection with this form; 2) if the form the connection with this form; 2) if the form the connection with this form; 2) if the form the connection with this form; 2) if the form the connection with this form; 2) if the form the connection with this form; 2) if the form the connection with this form; 2) if the form the connection with this form; 2) if the form the connection with this form; 2) if the connection with this form; 2) if the form the connection with this form; 2) if the connection with this form; 3) if the form the connection with this form; 3) if the form the connection with this form; 3) if the form the connection with this form; 3) if the form the connection with this form; 3) if the form the connection with this form; 3) if the form the connection with this form; 3) if the form the connection with this form; 3) if the form the connection with the connecti	pocated: 1) a copy of the Form C-1, Form CB- being filed is a Form C-1 or Form CB-1, the p and email address. cknowledge that, because I have not provided mer(s). To mitigate the additional cost of the	lowing to the surface 1, Form T-1, or Form lat(s) required by this d this information, the KCC performing this	
Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be keepen that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner.	pocated: 1) a copy of the Form C-1, Form CB- being filed is a Form C-1 or Form CB-1, the p and email address. Cknowledge that, because I have not provided mer(s). To mitigate the additional cost of the fee, payable to the KCC, which is enclosed we fee with this form. If the fee is not received we	lowing to the surface 1, Form T-1, or Form lat(s) required by this d this information, the KCC performing this vith this form.	
Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be loce. CP-1 that I am filling in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface own task, I acknowledge that I am being charged a \$30.00 handling. If choosing the second option, submit payment of the \$30.00 handling.	pocated: 1) a copy of the Form C-1, Form CB- being filed is a Form C-1 or Form CB-1, the p and email address. Cknowledge that, because I have not provided mer(s). To mitigate the additional cost of the fee, payable to the KCC, which is enclosed we fee with this form. If the fee is not received we	lowing to the surface 1, Form T-1, or Form lat(s) required by this d this information, the KCC performing this vith this form, the KSONA-1	
Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be loce. CP-1 that I am filling in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface own task, I acknowledge that I am being charged a \$30.00 handling.	pocated: 1) a copy of the Form C-1, Form CB- peing filed is a Form C-1 or Form CB-1, the p and email address. Cknowledge that, because I have not provided amer(s). To mitigate the additional cost of the fee, payable to the KCC, which is enclosed a fee with this form. If the fee is not received a fixed will be returned.	lowing to the surface 1, Form T-1, or Form lat(s) required by this d this information, the KCC performing this vith this form.	
Select one of the following: ☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be loced CP-1 that I am filling in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface own task, I acknowledge that I am being charged a \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1.	pocated: 1) a copy of the Form C-1, Form CB- peing filed is a Form C-1 or Form CB-1, the p and email address. Cknowledge that, because I have not provided amer(s). To mitigate the additional cost of the fee, payable to the KCC, which is enclosed a fee with this form. If the fee is not received a fixed will be returned.	lowing to the surface 1, Form T-1, or Form lat(s) required by this d this information, the KCC performing this with this form. **RECEIVED** 2011	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate						
Operator Name: VAUGHN GOOD OIL CO.			License Number: 34549			
Operator Address: P.O. Box 3744, Enid, OK 73702						
Contact Person: Vaughn Good			Phone Number: 580-554-0777			
Lease Name & Well No.:			580-554-0777 Pit Location (QQQQ):			
Type of Pit:	ser 1-16		<u>3 w . ww</u> . <u>Nw</u>			
Emergency Pit Burn Pit	Pit is:					
Settling Pit Vy Drilling Pit	XX Proposed Existing		Sec. 16 Twp. 35 R. 12 East XX West			
Workover Pit Haul-Off Pit	If Existing, date co	instructed:				
(If WP Supply API No. or Year Drilled)	Pit capacity:					
	<u>600 bb1</u>	S(bbls)	BarberCounty			
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration: 5000 to 7000 mg/l			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
	Yes X		Native clay			
Pit dimensions (all but working pits):	50 Length (fe	et) <u>150 '</u>	Width (feet) N/A: Steel Pits			
	om ground level to dea	epest point:	4 ' (feet) No Pit			
If the pit is lined give a brief description of the liner material, thickness and installation procedure.		Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				
			RECEIVED MAY 0 3 201			
Distance to nearest water well within one-mile	of pit:					
1 mile Xest Depth of water well 60' feet		Source of information measured	west fresh water feet. KCC WICHITA feet. KCC WICHITA feet. KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Works	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: drilling mud				
Number of producing wells on lease:	· · · · · · · · · · · · · · · · · · ·	Number of working pits to be utilized: 2-(1-steel) (1-reserve)				
Barrels of fluid produced daily:		Abandonment p	procedure: DE water & backfilled			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
1) Am 6						
Signature of Applicant or Agent Steel Pit RFAC RFAS Steel Pit RFAC RFAC RFAS Steel Pit RFAC RFAS Steel Pit RFAC RFAC						
Liner Steel Pit 🗓 RFAC 🗓 RFAS 🛭 💆						
Date Received: 5-3-11 Permit Num	ber:	Permi	Date: 5-3-11 Lease Inspection: Yes No			

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd, Commissioner Corporation Commission

Sam Brownback, Governor

May 3, 2011

Vaugh Good Oil Co. PO Box 3744 Enid, OK 73702-3744

RE: Drilling Pit Application Nusser Lease Well No. 1-16 NW/4 Sec. 16-35S-12W Barber County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File