For KCC Use: 5-9-2011 Effective Date: 3 District

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

nected Sput Date: MAY 9, 2011		Snot Description:	
rected Spud Date: WIAT 9, 2011 month day	year	Spot Description:	_ 22 KZI- []
9652	•	NE - NW - NW - SW Sec. 29 Twp. 14 S	
ERATOR: License#		2,4/5 feet from N /	
me: _PETROLEUM TECHNOLOGIES, INC.			W Line of Section
dress 1: 801 W. 47TH STREET		ls SECTION: Regular Irregular?	
dress 2: SUITE 412		(Note: Locate well on the Section Plat on reve	rso sido!
KANSAS CITY State: MO Zip	o: 64112 + 1253	County: JOHNSON	rse side)
ntact Person: ALAN J. SEATON		County: SAMMER	3Δ
one: 816-531-6904		Lease Name: SAWYER	Well #: 3A
		Field Name: LONGANECKER SOUTHEAST	
NTRACTOR: License#_8509 ne: _EVANS ENERGY DEVELOPMENT INC.		Is this a Prorated / Spaced Field? Target Formation(s): _BARTLESVILLE SD	Yes No
IAIn!! Ovillad For: IAIn!! Class:	Tuno Equipment:	Nearest Lease or unit boundary line (in footage): 165	
Well Drilled For: Well Class:	Type Equipment:	Ground Surface Elevation: 1035	feet MSL
⊠Oil Enh Rec ⊠Infield	Mud Rotary	Water well within one-quarter mile:	Yes No
Gas Storage Pool Ext.	XAir Rotary	·	، انست الل
Disposal Wildcat	Cable	Public water supply well within one mile:	Yes No
Seismic ; # of Holes Other		Depth to bottom of fresh water: 100'	
Other:		Depth to bottom of usable water: 300'	
_		Surface Pipe by Alternate: I XII	
If OWWO: old well information as follows:		Length of Surface Pipe Planned to be set: 20'	
Operator:		Length of Conductor Pipe (if any): N/A	
•		Projected Total Depth: 925	
Well Name:		Formation at Total Depth: CHEROKEE	
Original Completion Date: Original	Total Depth:		
No. of Bouleton of the control wellborn 2	Yes X No	Water Source for Drilling Operations:	
ctional, Deviated or Horizontal wellbore?		Well Farm Pond Other:	
es, true vertical depth:		DWR Permit #:	
tom Hole Location:		(Note: Apply for Permit with DWR	
C DKT #:		Will Cores be taken?	Yes X No
		If Yes, proposed zone:	
			RECE
		IDAVIT	OE
	ompletion and eventual plur	gging of this well will comply with K.S.A. 55 et. seq.	MAN
e undersigned hereby affirms that the drilling, co	ompiction and eventual play		
•			MAY 04
s agreed that the following minimum requiremen	nts will be met:		MAY 04
s agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to	nts will be met: spudding of well;	drillina ria:	KCC MIO
agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to dr	nts will be met: spudding of well; ill <i>shall be</i> posted on each		MAY 0 4 KCC WIC
agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to dr 3. The minimum amount of surface pipe as spe	nts will be met: spudding of well; ill shall be posted on each ecified below shall be set to	by circulating cement to the top; in all cases surface pipe st	RECE MAY 0 4 KCC WIC
agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to dr. The minimum amount of surface pipe as spetthrough all unconsolidated materials plus a	nts will be met: spudding of well; ill shall be posted on each ecified below shall be set to minimum of 20 feet into the	by circulating cement to the top; in all cases surface pipe s eunderlying formation.	
 agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to A copy of the approved notice of intent to dr The minimum amount of surface pipe as spethrough all unconsolidated materials plus at If the well is dry hole, an agreement between 	nts will be met: spudding of well; ill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the distr	by circulating cement to the top; in all cases surface pipe st underlying formation. rict office on plug length and placement is necessary prior	
 agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to A copy of the approved notice of intent to dr The minimum amount of surface pipe as spetthrough all unconsolidated materials plus at if the well is dry hole, an agreement betwee The appropriate district office will be notified 	nts will be met: spudding of well; ill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the district before well is either plugge	by circulating cement to the top; in all cases surface pipe standerlying formation. The control of the control	to plugging;
agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to A copy of the approved notice of intent to draw through all unconsolidated materials plus at the well is dry hole, an agreement betwee the appropriate district office will be notified for pursuant to Appendix "B" - Eastern Kans	nts will be met: spudding of well; iill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the distr d before well is either pluggi- tion pipe shall be cemented as surface casing order #1:	by circulating cement to the top; in all cases surface pipe standerlying formation. The inderlying formation in the top; in all cases surface pipe standerlying formation in the case of	to plugging; of spud date. te II cementing
agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to A copy of the approved notice of intent to draw through all unconsolidated materials plus at If the well is dry hole, an agreement betwee The appropriate district office will be notified if an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kans	nts will be met: spudding of well; iill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the distr d before well is either pluggi- tion pipe shall be cemented as surface casing order #1:	by circulating cement to the top; in all cases surface pipe standerlying formation. The inderlying formation in the index of the index	to plugging; of spud date. te II cementing
 agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to A copy of the approved notice of intent to dr The minimum amount of surface pipe as spetthrough all unconsolidated materials plus a If the well is dry hole, an agreement betwee The appropriate district office will be notified If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kansmust be completed within 30 days of the spet 	nts will be met: spudding of well; ill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the district before well is either plugget tion pipe shall be cemented as surface casing order #1; ud date or the well shall be	by circulating cement to the top; in all cases surface pipe she underlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; if from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternal plugged. In all cases, NOTIFY district office prior to any	to plugging; of spud date. te II cementing
agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to dr. 3. The minimum amount of surface pipe as spet through all unconsolidated materials plus a 4. If the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kansmust be completed within 30 days of the spirit	nts will be met: spudding of well; ill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the district before well is either plugget tion pipe shall be cemented as surface casing order #1; ud date or the well shall be	by circulating cement to the top; in all cases surface pipe she underlying formation. ict office on plug length and placement is necessary prior ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternal plugged. In all cases, NOTIFY district office prior to any y knowledge and belief.	to plugging; of spud date. te II cementing cementing.
s agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to A copy of the approved notice of intent to dr The minimum amount of surface pipe as spethrough all unconsolidated materials plus at If the well is dry hole, an agreement betwee The appropriate district office will be notified for pursuant to Appendix "B" - Eastern Kans must be completed within 30 days of the species of the statements made herein and	nts will be met: spudding of well; ill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the district before well is either pluggition pipe shall be cemented as surface casing order #1; ud date or the well shall be re true and to the best of m	by circulating cement to the top; in all cases surface pipe she underlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; if from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternal plugged. In all cases, NOTIFY district office prior to any	to plugging; of spud date. te II cementing cementing.
s agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to dr 3. The minimum amount of surface pipe as spethrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kans must be completed within 30 days of the spetereby certify that the statements made herein and	nts will be met: spudding of well; ill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the district before well is either pluggition pipe shall be cemented as surface casing order #1; ud date or the well shall be re true and to the best of m	by circulating cement to the top; in all cases surface pipe she underlying formation. ict office on plug length and placement is necessary priored or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alternately plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. PRESIE	to plugging; of spud date. te II cementing cementing.
s agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to dr 3. The minimum amount of surface pipe as spetthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kansmust be completed within 30 days of the spetereby certify that the statements made herein and the statements and the statements of Operating 1.	nts will be met: spudding of well; ill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the district before well is either pluggition pipe shall be cemented as surface casing order #1; ud date or the well shall be re true and to the best of m	by circulating cement to the top; in all cases surface pipe she underlying formation. ict office on plug length and placement is necessary prior ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alterna plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. PRESI	to plugging; of spud date. te II cementing cementing.
s agreed that the following minimum requiremer 1. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to dr 3. The minimum amount of surface pipe as spethrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kans must be completed within 30 days of the specified with	nts will be met: spudding of well; iill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the distr d before well is either pluggi tion pipe shall be cemented as surface casing order #1: ud date or the well shall be re true and to the best of m ator or Agent:	by circulating cement to the top; in all cases surface pipe she underlying formation. The inderlying formation is underlying formation. The or production casing is cemented in; if from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any by knowledge and belief. Title: PRESIC Remember to: File Certification of Compliance with the Kansas Surface Office of the surface of the s	to plugging; of spud date. te II cementing cementing.
s agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to dr 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus at 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kans must be completed within 30 days of the specific production of the specific production. The production of the specific production of the specific production. Signature of Operation of the specific production of the specific production. Signature of Operation of the specific production of the specific production.	nts will be met: spudding of well; iill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the distr d before well is either pluggi tion pipe shall be cemented as surface casing order #1: ud date or the well shall be re true and to the best of m ator or Agent:	by circulating cement to the top; in all cases surface pipe she underlying formation. In order office on plug length and placement is necessary prior and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. PRESID Remember to: File Certification of Compliance with the Kansas Surface Office (KSONA-1) with Intent to Drill;	to plugging; of spud date. te II cementing cementing.
agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to dr3. The minimum amount of surface pipe as spetthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kansmust be completed within 30 days of the specific certify that the statements made herein and the complete of Coperative	Ints will be met: spudding of well; iill shall be posted on each ecified below shall be set to minimum of 20 feet into the inthe operator and the district before well is either pluggition pipe shall be cemented as surface casing order #1: and date or the well shall be re true and to the best of meters after or Agent:	by circulating cement to the top; in all cases surface pipe she underlying formation. In orderlying length and placement is necessary prior or ed or production casing is cemented in; In orderlying below any usable water to surface within 120 DAYS or 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Title: PRESIC Remember to: File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;	of spud date. te II cementing cementing. DENT
a agreed that the following minimum requirement. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to dr. 3. The minimum amount of surface pipe as spetthrough all unconsolidated materials plus at through all unconsolidated materials plus at the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kansmust be completed within 30 days of the specific certify that the statements made herein at the complete of the specific certify that the statements made herein and the complete of the specific certify that the statements made herein and the complete of the specific certify that the statements made herein and the complete of the specific certification. Signature of Operation of the specific certification of the specific certification of the specific certification.	nts will be met: spudding of well; iill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the district before well is either pluggition pipe shall be cemented as surface casing order #1: ud date or the well shall be re true and to the best of m ator or Agent:	by circulating cement to the top; in all cases surface pipe she underlying formation. In office on plug length and placement is necessary prior and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. File Certification of Compliance with the Kansas Surface Office Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date	of spud date. te II cementing cementing. DENT where Notification
agreed that the following minimum requiremer 1. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to dr 3. The minimum amount of surface pipe as specific through all unconsolidated materials plus at the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kansmust be completed within 30 days of the specific certify that the statements made herein at the complete of the specific certify that the statements made herein at the complete of the complete	Ints will be met: spudding of well; iill shall be posted on each ecified below shall be set to minimum of 20 feet into the inthe operator and the district before well is either pluggition pipe shall be cemented as surface casing order #1: and date or the well shall be re true and to the best of meters after or Agent:	by circulating cement to the top; in all cases surface pipe she underlying formation. In orderlying length and placement is necessary prior or ed or production casing is cemented in; In orderlying below any usable water to surface within 120 DAYS or 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. Title: PRESIC Remember to: File Certification of Compliance with the Kansas Surface Of Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;	of spud date. te II cementing cementing. DENT where Notification
s agreed that the following minimum requirement 1. Notify the appropriate district office prior to 2. A copy of the approved notice of intent to dr 3. The minimum amount of surface pipe as spethrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kans must be completed within 30 days of the species certify that the statements made herein at 1. Signature of Operation 2. Operation 3. The minimum surface pipe required proved by ways of the species of the s	nts will be met: spudding of well; iill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the district before well is either pluggition pipe shall be cemented as surface casing order #1: ud date or the well shall be re true and to the best of m ator or Agent:	by circulating cement to the top; in all cases surface pipe she underlying formation. In office on plug length and placement is necessary prior and or production casing is cemented in; if from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. File Certification of Compliance with the Kansas Surface Office Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date	of spud date. te II cementing cementing. DENT where Notification cers; or re-entry;
s agreed that the following minimum requirement 1. Notify the appropriate district office prior to 2. A copy of the approved notice of intent to dr 3. The minimum amount of surface pipe as spethrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kans must be completed within 30 days of the species certify that the statements made herein at te: 5-3-2011 Signature of Operation or KCC Use ONLY PI # 15 - O9/-23 4 5 7 - Onductor pipe required proved by WW 5-4-2011	nts will be met: spudding of well; iill shall be posted on each ecified below shall be set to minimum of 20 feet into the in the operator and the district before well is either pluggition pipe shall be cemented as surface casing order #1: ud date or the well shall be re true and to the best of m ator or Agent:	by circulating cement to the top; in all cases surface pipe she underlying formation. In ict office on plug length and placement is necessary prior and or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alterna plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. File Certification of Compliance with the Kansas Surface Office Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed.	of spud date. te II cementing cementing. DENT where Notification ers; or re-entry; (within 60 days);
s agreed that the following minimum requirement 1. Notify the appropriate district office prior to 2. A copy of the approved notice of intent to dr 3. The minimum amount of surface pipe as spetthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kans must be completed within 30 days of the specified within 30 days of the specifi	nts will be met: spudding of well; sill shall be posted on each ecified below shall be set to minimum of 20 feet into the on the operator and the distr d before well is either plugget tion pipe shall be cemented as surface casing order #1: ud date or the well shall be re true and to the best of me ator or Agent: feet feet per ALT.	by circulating cement to the top; in all cases surface pipe she underlying formation. In the complete of the	of spud date. te II cementing cementing. DENT where Notification ers; or re-entry; (within 60 days);
s agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to 2. A copy of the approved notice of intent to dr 3. The minimum amount of surface pipe as spetthrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kans must be completed within 30 days of the specified certify that the statements made herein and te: 5-3-2011 Signature of Operator KCC Use ONLY PI # 15 - 091-23457-0	nts will be met: spudding of well; sill shall be posted on each ecified below shall be set to minimum of 20 feet into the on the operator and the distr d before well is either plugget tion pipe shall be cemented as surface casing order #1: ud date or the well shall be re true and to the best of me ator or Agent: feet feet per ALT.	by circulating cement to the top; in all cases surface pipe she underlying formation. In ict office on plug length and placement is necessary prior and or production casing is cemented in; if from below any usable water to surface within 120 DAYS 33,891-C, which applies to the KCC District 3 area, alterna plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. File Certification of Compliance with the Kansas Surface Office Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed.	of spud date. te II cementing cementing. DENT where Notification cers; or re-entry; (within 60 days); atter. and expiration date)
s agreed that the following minimum requirement 1. Notify the appropriate district office prior to 2. A copy of the approved notice of intent to dr 3. The minimum amount of surface pipe as spethrough all unconsolidated materials plus at 4. If the well is dry hole, an agreement betwee 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, product Or pursuant to Appendix "B" - Eastern Kans must be completed within 30 days of the species certify that the statements made herein at te: 5-3-2011 Signature of Operator KCC Use ONLY PI # 15 - 09/-23 4 5 7 - 000 Inimum surface pipe required 20 Improved by Wy 5-4-2011 his authorization expires: 5-4-2012 This authorization void if drilling not started within 12 minimum surface pipe requires authorization void if drilling not started within 12 minimum surface pipe required 20 This authorization void if drilling not started within 12 minimum surface pipe required 20 This authorization void if drilling not started within 12 minimum surface pipe required 20	nts will be met: spudding of well; sill shall be posted on each ecified below shall be set to minimum of 20 feet into the on the operator and the distr d before well is either plugget tion pipe shall be cemented as surface casing order #1: ud date or the well shall be re true and to the best of me ator or Agent: feet feet per ALT.	by circulating cement to the top; in all cases surface pipe she underlying formation. In ict office on plug length and placement is necessary prior and or production casing is cemented in; if from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. File Certification of Compliance with the Kansas Surface Office Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date. File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt w	of spud date. te II cementing cementing. DENT where Notification cers; or re-entry; (within 60 days); atter. and expiration date)
agreed that the following minimum requirement Notify the appropriate district office prior to A copy of the approved notice of intent to draw through all unconsolidated materials plus at through all unconsolidated materials plus at the well is dry hole, an agreement between the appropriate district office will be notified. If an ALTERNATE II COMPLETION, product or pursuant to Appendix "B" - Eastern Kansmust be completed within 30 days of the spicereby certify that the statements made herein and the statements made herein	nts will be met: spudding of well; sill shall be posted on each ecified below shall be set to minimum of 20 feet into the on the operator and the distr d before well is either plugget tion pipe shall be cemented as surface casing order #1: ud date or the well shall be re true and to the best of me ator or Agent: feet feet per ALT.	by circulating cement to the top; in all cases surface pipe she underlying formation. In ict office on plug length and placement is necessary prior and or production casing is cemented in; if from below any usable water to surface within 120 DAYS (33,891-C, which applies to the KCC District 3 area, alternated plugged. In all cases, NOTIFY district office prior to any y knowledge and belief. File Certification of Compliance with the Kansas Surface Office Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration ord. Notify appropriate district office 48 hours prior to workover. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting salt w If well will not be drilled or permit has expired (See: authorized).	of spud date. te II cementing cementing. DENT where Notification ; ers; or re-entry; (within 60 days); ater. ted expiration date)

For KCC Use ONLY API#15 - 091-2345 7-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: PETROLEUM TECHNOLOGIES, INC.	Location of Well: County: JOHNSON				
Lease: SAWYER	2,475 feet from N / N S Line of Section				
Well Number: 3A	4,785 feet from E / W Line of Section				
Field: LONGANECKER SOUTHEAST	Sec. 29 Twp. 14 S. R. 22 X E W				
Number of Acres attributable to well: 2.5 QTR/QTR/QTR/QTR of acreage: NE - NW - NW - SW	Is Section: Regular or Irregular				
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW				

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE		#34			• • • •		plat if desired. W/4 SEC	LEGEND
SW/4 EXAMPLE								Tank Battery Locati Pipeline Location Electric Line Location
			5	W/4				EXAMPLE
P7			:		:	:		********* ******** ******** ******
					******		,	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, MAY 0 4 2011 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

KCC WICHITA

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-091-2345 7-0000

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

KCC WICHITA

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # 8653 Name: PETROLEUM TECHNOLOGIES, INC. Address 1: 801 W. 47TH STREET Address 2: SUITE 412 City: KANSAS CITY State: MO Zip: 64112 + 1253 Contact Person: ALAN J. SEATON Phone: (816) 531-6904 Fax: (816) 531-6905	Well Location: NE_NW_NW_SW_Sec29Twp14SR22XEasWest County: JOHNSON Lease Name: SAWYER
Phone: (816) 531-6904 Fax: (816) 531-6905 Email Address: ajseaton@swbell.net	
Surface Owner Information: Name: LELIA M. ROBERTS Address 1: P.O. BOX 421 Address 2:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be t	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
I have not provided this information to the surface owner(s). It is KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this give, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP	g fee with this form. If the fee is not received with this form, the KSONA-1 -1 will be returned.
I hereby certify that the statements made herein are true and correct to	
Date: 5-3-2011 Signature of Operator or Agent:	Title: PRESIDENT RECEIVED
	MAY 0 4 2011

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: PETROLEUM TECHNOLOGIES, INC.			License Number: 8653			\neg
Operator Address: 801 W. 47TH STREET SUI			ITE 412 KANSAS CITY MO 64112			2
Contact Person: ALAN J. SEATON			Phone Number: 816-531-6904			
Lease Name & Well No.: SAWYER 3A			Pit Location (QQQQ):			
Type of Pit:	Pit is:		NE NW NW SW			
Emergency Pit Burn Pit	X Proposed Existing		Sec. 29 Twp.	14 _{R.} 22 🔀	East West	
Settling Pit X Drilling Pit	If Existing, date constructed:		2,475 Feet from North / X South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		4,785 Feet from X East / West Line of Section			
(If WP Supply API No. or Year Drilled)	60 <u>60</u>	(bbls)	JOHNSON County			ł
Is the pit located in a Sensitive Ground Water A	rea? Yes 🗙	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? XYes No	Artificial Liner?	lo	How is the pit lined native o	if a plastic liner is not us clay	ed?	
Pit dimensions (all but working pits):	2 Length (fee	et) 6	Width (feet)	N	/A: Steel Pits	
Depth fro	m ground level to dee	epest point:	(feet)	[] N	lo Pit	
Distance to nearest water well within one-mile of	of pit:	l '	west fresh water	100 feet		
feet Depth of water well	Source of information of the source of information of the source of the	mation: well owner	electric log	X KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Works	ever and Haul-Off Pi	ts ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover: fresh water			_
		Number of worl	Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure: Air dry and backfill			-	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must l		be closed within 365 days of spud date.			- }	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED						
5-3-2011						
Date		Siç	nature of Applicant c	or Agent K	CC WICHIT	A
KCC OFFICE USE ONLY						
Date Received: 5 - 4 - 11 Permit Number: Permit Date: 5 - 4 - 11 Lease Inspection: Yes 🕅 No						