For KCC Use: Effective Date: District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Form KSONA-1, Certification of Compliance with the Kansas S		
Expected Spud Date: May 10,2011	Spot Description:	
month day year		
3830	NE NW - SW Sec. 29 Twp. 30	
OPERATOR: License#	2,280 feet from	N / 🔀 S Line of Section
Name: AX&P, fnc	feet from	E / X W Line of Section
Address 1: 20147 200 Road	Is SECTION: Regular ☐ Iπegular?	_
Address 2:	(Alada: Landa wall on the Contine Diet -	
City: Neodesha State: KS Zip: 66757 +	(Note : Locate well on the Section Plat on County: Wilsion	reverse side)
Contact Person: J J Hanke	Lease Name: Unit 1 - Wolfe West	MM4 20 0
Phone: 620-325-5212		Well #: WW 29 C
CONTRACTOR: License# 33079	Field Name: Neodesha	
	Is this a Prorated / Spaced Field?	Yes XNo
Name: Patrick Tubbs	Target Formation(s): Neodesha Sand	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 900	
	Ground Surface Elevation: 798	feet MSL
	Water well within one-quarter mile:	Yes XNo
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 100	□ ies □wo
Seismic ; # of Holes Other	1	
Other:	Depth to bottom of usable water: 150	
If OWWO: old well information as follows:	Surface Pipe by Alternate:	
E TO OVAVAO. OID WEB INDITIBUOTE AS FOROWS.	Length of Surface Pipe Planned to be set: 35'	
Operator:	Length of Conductor Pipe (if any): none	
Well Name:	Projected Total Depth: 850 '	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Neodesha Sand	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?		
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes No
	If Yes, proposed zone:	
AFF	If Yes, proposed zone:	RECEIVED
	If Yes, proposed zone:	RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:	RECEIVED
	If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq.	RECEIVED MAY û 9 2011
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig;	RECEIVED MAY û 9 2011 KCC WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b	If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In all cases surface pipe	RECEIVED MAY û 9 2011 KCC WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In circulating cement to the top; in all cases surface pipe underlying formation.	RECEIVED MAY û 9 2011 KCC WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	IFYes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. IDAVIT IDAVIT	RECEIVED MAY û 9 2011 KCC WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the same and the same and the same appropriate district office will be notified before well is either pluggers.	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary pried or production casing is cemented in;	RECEIVED MAY û 9 2011 KCC WICHITA shall be set ior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the same and the approved notice of intent to drill <i>shall be</i> posted on each of the same and the same and the same and the same and the same appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proced or production casing is cemented in; from below any usable water to surface within 120 DAN	RECEIVED MAY û 9 2011 KCC WICHITA shall be set for to plugging; VS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN 33,891-C, which applies to the KCC District 3 area, alter	RECEIVED MAY û 9 2011 KCC WICHITA shall be set for to plugging; VS of spud date. mate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In all cases surface pipe underlying formation. In all cases surface pipe underlying formation. In the complete of production casing is cemented in; In all cases, NOTIFY district office prior to a surface of the cases, NOTIFY district office prior to a surface.	RECEIVED MAY û 9 2011 KCC WICHITA shall be set for to plugging; VS of spud date. mate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In all cases surface pipe underlying formation. In all cases surface pipe underlying formation. In the complete of production casing is cemented in; In all cases, NOTIFY district office prior to a surface of the cases, NOTIFY district office prior to a surface.	RECEIVED MAY û 9 2011 KCC WICHITA shall be set for to plugging; VS of spud date. mate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my	IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary project or production casing is cemented in; from below any usable water to surface within 120 DAVISA,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a knowledge and belief.	RECEIVED MAY û 9 2011 KCC WICHITA e shall be set for to plugging; VS of spud date. mate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a life the production of the statements made herein are true and to the best of my	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In all cases surface pipe underlying formation. In all cases surface pipe underlying formation. In the complete of production casing is cemented in; In all cases, NOTIFY district office prior to a surface of the cases, NOTIFY district office prior to a surface.	RECEIVED MAY û 9 2011 KCC WICHITA e shall be set for to plugging; VS of spud date. mate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the complete of the statements made herein are true and to the best of my Date: Signature of Operator or Agent:	IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary project or production casing is cemented in; from below any usable water to surface within 120 DAVISA,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a knowledge and belief.	RECEIVED MAY û 9 2011 KCC WICHITA e shall be set for to plugging; VS of spud date. mate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the completed within 30 days of the spud date or the well shall be a like the statements made herein are true and to the best of my Date: Signature of Operator or Agent:	IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN B3,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a syknowledge and belief. Title: Remember to:	RECEIVED MAY û 9 2011 KCC WICHITA e shall be set for to plugging; VS of spud date. mate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the surface district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a like the complete of the statements made herein are true and to the best of my Date: Signature of Operator or Agent:	drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a knowledge and belief. Title: Remember to: - File Certification of Compliance with the Kansas Surface	RECEIVED MAY û 9 2011 KCC WICHITA e shall be set for to plugging; VS of spud date. mate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a completed within 30 days of the spud date or the well shall be a complete or the statements made herein are true and to the best of my complete or the statements made herein are true and to the best of my complete or the statements made herein are true and to the best of my complete or the statements made herein are true and to the best of my complete or the statements made herein are true and to the best of my complete or the statements made herein are true and to the best of my complete or the statements made herein are true and to the best of my complete or the statements made herein are true and to the best of my complete or the statements made herein are true and to the best of my complete or the statements made herein are true and to the best of my complete or the statements my complete	IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN B3,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a syknowledge and belief. Title: Remember to:	RECEIVED MAY û 9 2011 KCC WICHITA e shall be set for to plugging; VS of spud date. mate II cementing any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the proportiate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2794/ ODD Conductor pipe required	IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN B3,891-C, which applies to the KCC District 3 area, alterplugged. In all cases, NOTIFY district office prior to a knowledge and belief. Title: Remeraber to: - File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill;	RECEIVED MAY û 9 2011 KCC WICHITA e shall be set for to plugging; VS of spud date. mate II cementing any cementing. Personal Commenting. Personal Commenting.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27941 - OD Conductor pipe required	IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a knowledge and belief. Title: Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill	RECEIVED MAY û 9 2011 KCC WICHITA e shall be set for to plugging; VS of spud date. mate II cementing any cementing. e Owner Notification is ate;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set b through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a light that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2794/1000 Conductor pipe required feet Minimum surface pipe required feet per ALT. It III	drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN 33,891-C, which applies to the KCC District 3 area, alterplugged. In all cases, NOTIFY district office prior to a knowledge and belief. Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill in File Completion Form ACO-1 within 120 days of spud described.	RECEIVED MAY û 9 2011 KCC WICHITA e shall be set for to plugging; VS of spud date. mate II cementing any cementing. e Owner Notification is ate; orders;
The undersigned hereby affirms that the drifting, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2794/ One feet per ALT. It III Approved by: Minimum surface pipe required feet per ALT. It III	drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a knowledge and belief. File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill. File Completion Form ACO-1 within 120 days of spud described acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker.	RECEIVED MAY û 9 2011 KCC WICHITA e shall be set for to plugging; VS of spud date. mate II cementing any cementing. e Owner Notification ate; orders; ver or re-entry; and (within 50 days):
The undersigned hereby affirms that the drifting, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the strong of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge of the analytem of the properties of the spuddate or the well shall be or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spuddate or the well shall be inhereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27941 ODO Conductor pipe required	IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN 33,891-C, which applies to the KCC District 3 area, alterplugged. In all cases, NOTIFY district office prior to a knowledge and belief. Title: Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud descreage attribution plat according to field proration	RECEIVED MAY û 9 2011 KCC WICHITA e shall be set for to plugging; VS of spud date. mate II cementing any cementing. e Owner Notification ate; orders; ver or re-entry; ed (within 60 days); 16
The undersigned hereby affirms that the drifting, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2794/ One feet per ALT. It III Approved by: Minimum surface pipe required feet per ALT. It III	drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a knowledge and belief. File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill. File Completion Form ACO-1 within 120 days of spud described according to field proration. Notify appropriate district office 48 hours prior to worker.	RECEIVED MAY û 9 2011 KCC WICHITA shall be set for to plugging; VS of spud date. mate II cementing any cementing. e Owner Notification ate; orders; ver or re-entry; ed (within 60 days); It water. ordered expiration date)
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2794/ OD Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a knowledge and belief. File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill. File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is complet.	RECEIVED MAY û 9 2011 KCC WICHITA shall be set for to plugging; VS of spud date. mate II cementing any cementing. e Owner Notification ate; orders; ver or re-entry; ed (within 60 days); It water. ordered expiration date)
The undersigned hereby affirms that the drifting, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the strong of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge of the analytem of the properties of the spuddate or the well shall be or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spuddate or the well shall be inhereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27941 ODO Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a knowledge and belief. Title: Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sail. If well will not be drilled or permit has expired (See: auth please check the box below and return to the address to	RECEIVED MAY û 9 2011 KCC WICHITA shall be set for to plugging; VS of spud date. mate II cementing any cementing. e Owner Notification ate; orders; ver or re-entry; ed (within 60 days); It water. orized expiration date) pelow.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and to the best of my Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 2794/ OD Conductor pipe required	IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe underlying formation. ict office on plug length and placement is necessary proceed or production casing is cemented in; from below any usable water to surface within 120 DAN 33,891-C, which applies to the KCC District 3 area, alter plugged. In all cases, NOTIFY district office prior to a knowledge and belief. Title: Remember to: File Certification of Compliance with the Kansas Surface Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill. File Completion Form ACO-1 within 120 days of spud described in the second of the plugging is completed. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sale. If well will not be drilled or permit has expired (See: author).	RECEIVED MAY û 9 2011 KCC WICHITA shall be set for to plugging; VS of spud date. mate II cementing any cementing. e Owner Notification ate; orders; ver or re-entry; ed (within 60 days); It water. orized expiration date) pelow.

For KCC Use ONLY
API # 15 - 205-27941-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

in all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: AX&P, Inc	Location of Well: County: Wilsion		
Lease: Unit 1 - Wolfe West	2,280 feet from N / N S Line of Section		
Well Number: WW 29 C	856 feet from E / X W Line of Section		
Field: Neodesha	Sec. 29 Twp. 30 S. R. 16 X E W		
Number of Acres attributable to well: 2.5 QTR/QTR/QTRQTR of acreage:	Is Section: Regular or Irregular		
anvanian or adeage.	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		
lease roads, tank batteries, pipelines and electrical lines, as requ	AT case or unit boundary line. Show the predicted locations of uired by the Kansas Surface Owner Notice Act (House Bill 2032). parate plat if desired.		
	LEGEND		
	O Well Location Tank Battery Location		
	Pipeline Location Electric Line Location Lease Road Location		
29	EXAMPLE		
25/L 0			

NOTE: In all cases locate the spot of the proposed drilling locaton.

MAY 0 9 2011

RECEIVED

SEWARD CO. 3390' FEL

1980' FSL

In plotting the proposed location of the well, you must show:

KCC WICHITA

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two

15-20527941-00-00

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced frem

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

網施,15~,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Society.	Location of Welt Courts
_sase:	feet from TN / TS Sine of Section
Jase: Neil Number: Field:	Sec. TWC. S. R. DE W Line of Section
Number of Acres attributable to well: CTP/GTP/GTP/GTP of acreage:	te Section: Regular or Integuar
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SV

PLAT
Show location of the well and shade attributable acreage for prorates or spaced wells.

'Show footage to the nearest lease or unit boundary line.



in plotting the proposed location of the well, you must show.

2280-

- 1. The marmer in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 3 surrounding sections. 4 sections, etc.
- 2. The distance of the proposed driffing location from the south inorth and east / west outside section lines.

ate the spot of the proposed drilling locaton.

- The distance to the nearest lease or unit bouncary line (in footage).
- A. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached (CO-7 for or wells).
 CO-8 for gas wells).

RECEIVED MAY 0 9 2011

KCC WICHITA

15-205-27941-00-00 KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Name: AX&P, Inc Address 1: 20147 200 Road Address 2: J J H ANKE City: Neodesha State: KS Zip: 66757 + Contact Person: J J H ANKE Phone: (620) 3255212 Fax: () Email Address: C G E TERRA WORLD. NET Surface Owner Information: Name: J A CK A , T U CK ER Address 1: 3 1 4 1 CH ELTEN H AM WAY Address 2: City: MED FORD State: CR Zip: 97504	County: Wilsion Lease Name: Unit 1 - Wolfe West Well #: WW 29 C If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
State: KS Zip: 66757 + Contact Person: J J HANKE Phone: (620) 3255212 Fax: () Email Address: C.G.E. TERRA WORLD. NET Surface Owner Information:	Lease Name: Unit 1 - Wolfe West Well #: WW 29 C If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
State: KS Zip: 66757 + Contact Person: J J HANKE Phone: (620) 3255212 Fax: () Email Address: C.G.E. TERRA WORLD. NET Surface Owner Information:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below: When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Email Address: C.C.E. E. TERRA WORLD. NET Surface Owner Information:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Email Address: C.C.E. E. TERRA WORLD. NET Surface Owner Information:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Email Address: C.C.E. E. TERRA WORLD. NET Surface Owner Information:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Surface Owner Information: Name: JACK A, TUCKER Address 1: 3 141 CHELTEN HAM WAY Address 2: Sity: MEDFORD State: CR Zip: 97504	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Name: JACK A, TUCKER Address 1: 3141 CHELTENHAM WAY Address 2: Sity: MEDFORD State: OR Zip: 97504	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 1: 3141 CHELTENHAM WAY Address 2: CR Zip: 97504	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	
City: MEDFORD State: OR Zip: 97504	
Select one of the following:	the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this d email address.
I have not provided this information to the surface owner(s). I ac KCC will be required to send this information to the surface own task, I acknowledge that I am being charged a \$30.00 handling to	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this ee, payable to the KCC, which is enclosed with this form.
f choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	ee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
hereby certify that the statements made herein are true and correct to t	the best of my knowledge and belief. RECEIVED
Date: 5/3/11 Signature of Operator or Agent:	With the
Oate: Signature of Operator or Agent:	Title: MAY 0 9 2011
• / /	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: AX&P, Inc		License Number: 3830					
Operator Address: 20147 200 Road		Neode	sha	KS	66757		
Contact Person: J J Hanke		Phone Number: 620-325-5212					
Lease Name & Well No.: Unit 1 - Wolfe West WW 29 C		Pit Location (QQQQ):					
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	Proposed	Existing	Sec. 29 Twp. 30 R. 16 X East West				
Settling Pit X Drilling Pit	If Existing, date co	nstructed:	2280 Feet from North / X South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	THE STATE OF THE S	856 Feet from East / X West Line of Section				
	100	(bbls)	Wilsion County				
Is the pit located in a Sensitive Ground Water A	rea? X Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
ls the bottom below ground level? ☑ Yes ☐ No	Artificial Liner?	No	How is the pit lined if a plastic li	ner is not used	?		
Pit dimensions (all but working pits):	2¢ Length (fe	et)1O	Width (feet)	N/A:	Steel F	Pits	
Depth fro	om ground level to dea	epest point:	(feet)	No F	Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance ar	nd determining			
Distance to nearest water well within one-mile of pit: Depth to shallow Source of inform			feet.		:		
	<u>30</u> feet	measured	well owner ele	ectric log	א אט	WR	
Emergency, Settling and Burn Pits ONLY: Drilling, Workover an			over and Haul-Off Pits ONLY:			.	
		al utilized in drilling/workover: FRESH WATER					
		procedure: BAChEILL W. FOPSOIL					
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Abandonment procedure: B A C k to 12 c W. 1 C t' S to 1 Drill pits must be closed within 365 days of spud date.							
RECEIVED					∃D		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. MAY 0 9 2011							
5/3/11		hiz	en facis			1	
Date Signature of Applicant or Agent KCC WICHITA							
KCC OFFICE USE ONLY Liner Steel Pit							
Date Received: 5 -9 -1 Permit Number: Permit Date: 5 -10 - 1 Lease Inspection: Yes No							

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd, Commissioner

Corporation Commission

Sam Brownback, Governor

May 10, 2011

AX & P Inc. 20147 200 Road Neodesha, KS 66757

RE:

Drilling Pit Application

Unit 1 - Wolfe West Lease Well No. WW 29C

SW/4 Sec. 29-30S-16E Wilson County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File