For KCC Use: Effective Date: District # SGA? Yes XINo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed

	a /5) dave prior to commonoine well
Form KSONA-1, Certification of Compliance with the Kansas	e (5) days prior to commencing well Surface Owner Notification Act, MUST be submitted with this form.
Expected Spud Date: May 16, 2011	Spot Description: 65' 8 of
month day year	SE - NE - NW - NW Sec. 1 Twp. 14 S. R. 32 FE
OPERATOR: License# 5046	(Q/Q/Q/Q) 550 feet from N / S Line of Section
Name: Kaymond Oil Gomany, Inc	1,169 feet from E / X W Line of Section
Address 1: PO BOY 48 788	Is SECTION: Regular Irregular?
Address 2:	— • — •
City: Wichita State: KS Zip: 67201	(Note: Locate well on the Section Plat on reverse side) County: LOGAN
Contact Person: Ted McHenry	· · · · · · · · · · · · · · · · · · ·
Phone:	Lease Name: STECKEL/DARNEY Well #: 3 Field Name: TBO Warrice Northest
CONTRACTOR: License# Must be licensed by KCC	Is this a Prorated / Spaced Field?
Name: Advise on A CO-1	Target Formation(s): LKC
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 550
	Ground Surface Elevation: 2861 feet MSL
XOil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150
Other:	Depth to bottom of usable water: 1400 / 300
_	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 225
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 4650
Original Completion Date: Original Total Depth:	Formation at Total Depth: MISS
Directional Deviated or Harizantal wellhous?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth:	Well Farm Pond Other: HAULED
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR
	Will Cores be taken? Yes No
	• •
	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 et. seq.
- · · · · · · · · · · · · · · · · · · ·	Fat 10 ZUII
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 	n drilling rig:
3. The minimum amount of surface pipe as specified below shall be set	
	by circulating cement to the top; in all cases surface pipe shall be seen to
and a second and a second a se	by circulating cement to the top; in all cases surface pipe shall be shall be underlying formation.
4. If the well is dry hole, an agreement between the operator and the dis	by circulating cement to the top; in all cases surface pipe shall be shall
 If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug 	e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	by circulating cement to the top; in all cases surface pipe shall be shall
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of I	by circulating cement to the top; in all cases surface pipe shall be shall
 If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either pluge If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be shall
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugi 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of Date: Signature of Operator or Agent:	by circulating cement to the top; in all cases surface pipe shall be shall
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of I Date: Signature of Operator or Agent: For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe shall be shall be shall be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Trice Ice 10915 The Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of I Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 21003 -0000	by circulating cement to the top; in all cases surface pipe shall be shall be shall be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Tree legist Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of I Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 21003 - OOOO Conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be shall be shall be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Trice In all cases of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 21003 - OOOO Conductor pipe required 1000 feet Minimum surface pipe required 1000 feet per ALT.	by circulating cement to the top; in all cases surface pipe shall be shall be shall be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Tree legist Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of I Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 21003 - 0000 Conductor pipe required None feet Minimum surface pipe required feet per ALT. I The Approved by: Approved b	by circulating cement to the top; in all cases surface pipe shall be shall be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Greologist Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 21003 - OOOO Conductor pipe required 1000 feet Minimum surface pipe required 1000 feet per ALT.	by circulating cement to the top; in all cases surface pipe shall be suffice underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of I Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 21003 - OOOO Conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be sufficient office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Tritle: Trit
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of I Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 21003 - 0000 Conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be shall be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate It cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of I Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 21003 - 0000 Conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be shall be shall be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of I Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 21003 - 0000 Conductor pipe required	by circulating cement to the top; in all cases surface pipe shall be shall be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)

For KCC Line ONLY API # 15-/09-2/003-00-00


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

in all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator	Location of Welt: County: LOS	SAN
Lease: STECKEL/DARNEY	550	_feet from 🔀 N / 🗌 S Line of Section
Well Number: 3	1,168	feet from E / X W Line of Section
Flekt: TBD	Sec. 1 Twp. 14	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _ RE NE _ NW NW	is Section: X Regular or	[Irregular
	If Section is irregular, locate Section corner used: NE	well from nearest corner boundary. NW SE SW

PI AT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Motice Act (House Bill 2032). You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

MAY 1 0 2011

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections.

 CC WICHITA
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CD-7 for oil wells; CG-8 for gas wells). RECEIVED
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

MAY 1 0 2011

15-109-21003-00-00

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License # 5046 Name: Raymond Oil Company, Inc. Address 1: PO Box 48788	Well Location: SE_NE_NW_NW_Sec. 1 Twp. 14 S. R. 32 Eas Eas Wes	
Name: Raymond Oil Company, Inc.		
Address 1: PO Box 48788	County: Logan Lease Name: Steckel/Darney Well #: 3	
Address 2:	Lease Name: Steckel/Darney Well #: 3	
City: Wichita State: Ks Zip: 67201 +	If filing a Form T-1 for multiple wells on a lease, enter the legal description o the lease below:	
Contact Person: Ted McHenry		
Phone: (316) 267-4214 Fax: (316) 267-42181		
City: Wichita State: Ks Zip: 67201 + Contact Person: Ted McHenry Phone: (316) 267-4214 Fax: (316) 267-42181 Email Address: ted@raymondoil.com		
Surface Owner Information:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1: 3318 Gauld Rd, N	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: Jackson State: OH Zip: 44451 +		
the KCC with a plat showing the predicted locations of lease roads, tail	nodic Protection Borehole Intent), you must supply the surface owners and nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I	acknowledge that, because I have not provided this information, the	
task, I acknowledge that I am being charged a \$30.00 handlin		
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.	
I hereby certify that the statements made herein are true and correct	to the best of my knowledge and belief. MAY 1 0 2011	
Date: 5/9/2011 Signature of Operator or Agent:	Milliary Title: Geologist CC WICHITA	

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate Raymond Oil Co License Number: 5046 Operator Name: Operator Address: POBOX 48788 Wichita KS 67201 Contact Person: Ted McHenry Phone Number: Lease Name & Well No.: STECKEL/DARNEY 3 Pit Location (QQQQ): SE NE NW NW Type of Pit: Pit is: Sec. 1 Twp. 14 R. 32 East X West X Proposed Existing Emergency Pit Burn Pit X Drilling Pit Settling Pit If Existing, date constructed: Feet from X North / South Line of Section Workover Pit Haul-Off Pit 1,169 _Feet from East / X West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) 1,000 **LOGAN** (bbls) County Is the pit located in a Sensitive Ground Water Area? Yes X No Chloride concentration:_ mg/l (For Emergency Pits and Settling Pits only) **Artificial Liner?** How is the pit lined if a plastic liner is not used? Is the bottom below ground level? BENTONITE MUD Yes No X Yes No 80 80 Width (feet) N/A: Steel Pits Length (feet) Pit dimensions (all but working pits): Depth from ground level to deepest point: (feet) No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water___ feet. Source of information: X KDWR measured well owner electric log Depth of water well _____ Drilling, Workover and Haul-Off Pits ONLY: Emergency, Settling and Burn Pits ONLY: FRESH MUD Type of material utilized in drilling/workover: Producing Formation: _ 3 Number of producing wells on lease: Number of working pits to be utilized: **EVAPORATE AND BACKFILL** Barrels of fluid produced daily: ___ Abandonment procedure: ___ Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED 5-9-11 Signature of Applicant or Agent KCC OFFICE USE ONLY Liner Steel Pit RFAC Permit Date: 5-11-1 Lease Inspection: Yes 🔀 No Date Received: 5- //- // Permit Number: _