KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280	/	API No. 15 - 031-22764-00-00
Name: Birk Petroleum		Spot Description:
Address 1: 874 12th Rd SW		NW_SW_NW_NW Sec. 29 Twp. 22 S. R. 17 F East West
Address 2:		4,455 Feet from North / South Line of Section
City: Burlington State: Ks Zip: 668		
Contact Person: Brian L Birk		Footages Calculated from Nearest Outside Section Corner:
620 264 1211		□ NE □ NW ☑ SE □ SW
		County: Coffey
Name: Birk Petroleum		Lease Name: Tastove Well #: 15
Wellsite Geologist: None		Field Name: Parmely
<u> </u>		
Purchaser: Coffeyville Resources		Producing Formation: Squirrel Elevation: Ground: 1049 est. Kelly Bushing:
Designate Type of Completion:		Total Depth: 994 Plug Back Total Depth: 994
	orkover 	Amount of Surface Pipe Set and Cemented at: 40 Feet
☑ oil ☐ wsw ☐ swd	SIOW	
☐ Gas ☐ D&A ☐ ENHR	∐ SIGW	Multiple Stage Cementing Collar Used? Yes No
☐ OG ☐ GSW	Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)		If Alternate II completion, cement circulated from: 970
Cathodic Other (Core, Expl., etc.):		feet depth to: surface w/ 120 sx cmt.
If Workover/Re-entry: Old Well Info as follows:		
Operator:		Drilling Fluid Management Plan
Well Name:		(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total De	pth:	Chloride content:ppm Fluid volume:bbls
Deepening Re-perf. Conv. to ENHR	Conv. to SWD	Dewatering method used:
Conv. to GSW		
Plug Back: Plug Back	-	Location of fluid disposal if hauled offsite:
Commingled Permit #:		Operator Name:
Dual Completion Permit #:	·	Lease Name: License #:
SWD Permit #:		Quarter Sec TwpS. R
☐ ENHR Permit #:	· • •	County: Permit #:
•	28/2011	
	pletion Date or	
Recompletion Date Reco	mpletion Date	
Kansas 67202, within 120 days of the spud date, record of side two of this form will be held confidential for a pe	npletion, workover or co riod of 12 months if req e logs and geologist we	the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information quested in writing and submitted with the form (see rule 82-3-107 for confidenell report shall be attached with this form. ALL CEMENTING TICKETS MUST orm with all temporarily abandoned wells.
AFFIDAVIT		KCC Office Use ONLY
I am the affiant and I hereby certify that all requirements of	the statutes, rules and r	rodu
lations promulgated to regulate the oil and gas industry ha		
and the statements herein are complete and correct to the	ie pest of my knowledg	Ge. Confidential Release Date: APR 1 2 2011
JAPIAN (WILLATT		Wireline Log Received
Signature:		Geologist Report Received UIC Distribution GEOLOGIST Report Received
Title: Agent Date:	04/11/2011	UIC Distribution ALT TIME THE Approved by: DIC Date: 4/1////

Side Two

Operator Name: Birk	Petroleum			Lease	Name: _	Tastove		Well #:15		
Sec. 29 Twp.22	s. R. <u>17</u>	✓ East	West		: Coffe					
INSTRUCTIONS: Sho time tool open and clo recovery, and flow rate ine Logs surveyed. A	sed, flowing and shu s if gas to surface te	t-in pressu st, along v	res, whether sl rith final chart(s	hut-in pres	sure rea	ched static level	hydrostatic p	ressures, bottom h	nole tempe	erature, fluid
Drill Stem Tests Taken		☐ Ye	s 📝 No	······································		og Formatio	n (Top), Depti	and Datum	√ s	ample
(Attach Additional Sheets) Samples Sent to Geological Survey			s 🗸 No		Name			Top Datum		atum
Cores Taken	ogical ourvey	 □ Y €			Squim	Squirrel Sand		974		
Electric Log Run		<u></u> Y€	s 🗹 No							
Electric Log Submitted (If no, Submit Copy)		<u> </u>	s 🗸 No			i.				
List All E. Logs Run:	المراقع المنظمة والكروان المساحدة	-		· Sagarage Same	of the second second	· 1 · ·				
					<u></u>		···			
		Repo		RECORD conductor, s	Ne urface, inte	rw	tion, etc.			
Purpose of String	Size Hole Drilled	Siz	e Casing (In O.D.)	We Lbs.	ight	Setting Depth	Type of Cement	# Sacks Used		nd Percent Iditives
Surface Casing	9 7/8"	7"		17#		40'	Portland	15	Calcium	
Long string	6 1/8"	2 7/8"		6.5#		970'	Portland	120		
			ADDITIONAL	CEMENT	ING / SQL	JEEZE RECORD) 			
Purpose: Perforate	Depth Top Bottom	Type of Cement		# Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD										
Plug Off Zone										
Shots Per Foot	PERFORATION RECORD - Bridge Plugs S Specify Footage of Each Interval Perfora				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)				Depth	
None	Open hole compl	etion 970	-994							
,					A	.=1	,		1.5	
								· · · · · · · · · · · · · · · · · · ·		
	***************************************						**************************************			
TUBING RECORD:	Size:	Set At:	······	Packer /	At:	Liner Run:		_	1	
Date of First Beauty	Production SMD or F	JHR	Producing Met	hod:		<u> </u>	Yes] No		
Date of First, Resumed pending	FIGUUCION, SYND OF EF	NI HA.	Flowing	Pumpi	ng [Gas Lift	Other (Explain)		REC	EN/En
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wa	ter I	Bbls.	Gas-Oil Ratio	APR	1 2 2011
Dienoerri	ON OF CAS:	T		METHOD O	F COMPI	ETION:		PRODUCT		Ala
DISPOSITION OF GAS: Vented			-	METHOD OF COMPLETION: Perf. Dually Comp. Commingled					nul V	VICHITA
	bmit ACO-18.)	_	Other (Specify)		(Submit	ACO-5) (Su	bmit ACO-4)			

Phone: (620) 365-5588



& BIEDORERATIVE VENTURES V BURLINGTON KET

E. & D.COOP. VENTURES/ FIRE DIL SB. W TO WAYSIDE RD W 1 MI: TO STITE RD W 1 MI W 1

	The second of th	
FORMULA LOAD SIZE	A SYARDS ORDERED SELECTION OF THE STATE OF T	DRIVER/TRUCK PLANT/TRANSACTION #
04:29:17p. WELL 6.00 yd	12.00 yd _0.00	35 / 0.700
DATE LOAD #	APPLYARDS DEL. BATCH# ""	SLUMP STICKET NUMBER
01-28-11 oday 2	12.00 yd 3 15644	4.00 in 28474

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLEONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Photonged. Contact With Skin in Case of
Contact With Skin or Eyes, Flush, Thoroughly With Water III, Irritation Persists, Get Medical)

CONCRETE is a PERISHABLE COMMODITY and BECOMES in a PROPERTY of the PURCHASER UPON LEAVING: the PLANT, ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The underlighted profiles to pay all costs, including reasonable attorneys less, incurred in collecting sums, over 1.

All accounts not pad within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Réactive Aggrégate or Color Quality. No Claim Allowed Unless Madé at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

UNIT PRICE EXTENDED PRICE!

OUANTITY CODE - DESCRIPTION

RETURNED TO PLANT FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 456,00 t lefordi 6. TRUCK BROKE DOWN 28.73 1. JOB NOT READY Tax % 6.300 2 SLOW POUR OR PUMP 3 TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 7. ACCIDENT 8. CITATION 9. OTHER ital \$ 484.73 START UNLOADING 1102.33 ADDITIONAL CHARGE TOTAL ROUND TRIP TOTAL AT JOB -UNLOADING TIME ADDITIONAL CHARGE 2

> RECEIVED APR 1 2 2011 KCC WICHITA

456.00

BURLSINGTON PE

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

SOLD TO



SHIP TO B & B COOP. VENTURES/BIRK OIL SE W TO WAYSIDE RD N 1 MILTO STH-RD-W'1 MI N 1/ MIETT WELL B'TASTOVE WIF 15 LECTOY: NO EERS 7 LEVEL BY

the state of the s	<u> </u>		A 12 / 12 / 12 / 12 / 12 / 12 / 12 / 12		了。	AND AND STATE OF THE SECOND	一个"特别"。"特别"的"特别"。
TIME	FORMULA	to Cload Size	, YARDS ORDERED	14 AP 25 15 15	* DRIVER/TRÚCK	75 T. B. C. S. W.	PLANT/TRANSACTION #
04:14:440		15.000 yas	Tank Jan	P. CHC	化 经 经	* *****	The second second
	VCL_L	13. Min 740	12.00 yd	/ .0. 00	35, 38	10,700	
DATE 1.7 💫		LOAD#	YARDS'DEL:	A BATCH#(%)	WATER TRIM	SLOMP.	TICKET NUMBER
	u ilate		294.00 yd				ATTICLE PROPERTY
01-28-11	oday	16.	6.00 yd -	761-615643	3.	4,00 in	28473
2.44	The Mark South		Mer. Grandsta	7/3	A PORT OF THE PROPERTY OF THE		
	-WARNING	Land to the second	PROPERTY DAI	AAGE RELEAGE	Excessive water	is Detrimental to Concre	ete Performance

FOR COOPERATIVE VENTURES

poors : Hourthat.

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement: Wear Rubber Bools and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Pfotonged Confact With Skin. In Case of
Conject Win. Skin of Eyes Plush Thoroughhy. With Water, I firriting Paristis, Get Medica
Attention, KEEP CHILDREN AWA).

CONCRETE IS A PERISHABLE COMMODITY and BECOMES IN PROPERTY IS THE PURCHASER UPON LEAVING THE PLANT ANY CHANGES OR CANCELLATION OF ORIGINAL TASTRUCTIONS MUST be TELEPHONED IS IN OFFICE BEFORE LOADING STARTS!

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made Material is Delivered.

H₂0 Added By Request/Authorized By

QUANTITY EXTENDED PRICE 74:00 6.00 6.00 456.00 2.50 50,00 125.00 RETURNED TO PLANT FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN bTotal \$ 6: TRUCK BROKE DOWN 1x 4 6.300 36. ED

JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN 617:60 tal \$ START UNLOADING 617. EØ der \$ ADDITIONAL CHARGE TOTAL ROUND TRIP UNLOADING TIME ADDITIONAL CHARGE GRAND TOTAL

> RECEIVED APR 1 2 2011 KCC WICHITA