Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4 March 2009 Type or Print on this Form Form must be Signed All blanks must be Filled

API No. 15 - 203-20156-00-00 OPERATOR: License #: 33554 Name: K. & B. Norton Oil & Investments, L.L.C. Spot Description: SE_SW_NW_SE_Sec.21_Two.16_S, R. 35 East West Address 1: 1209 W. Park Grove Dr. 1,570 Feet from North / South Line of Section Address 2: ____ City: Manhattan State: KS Zip: 66503 + 2469 __ 2,220 Feet from Fast / West Line of Section Contact Person: Ken Norton Footages Calculated from Nearest Outside Section Corner: Phone: (785_) 320-2545 NE NW ✓ SE SW Type of Well: (Check one) Oil Well Gas Well OG J D&A Cathodic County: Wichita Water Supply Well Other: SWD Permit #: Lease Name: Harp Well #: 1 ENHR Permit #: Gas Storage Permit #: _ Date Well Completed: ___ Is ACO-1 filed? Yes No If not, is well log attached? Yes No The plugging proposal was approved on: 11/15/10 by: Mike Maier Producing Formation(s): List All (If needed attach another sheet) ___ (KCC District Agent's Name) _____ Depth to Top: _____ Plugging Commenced: __11/14/10 ____ T.D. __ _ Depth to Top: __ Bottom: ___ 11/14/10 Plugging Completed: ___ T.D. ____ Depth to Top: ___ Bottom: ___ Show depth and thickness of all water, oil and gas formations. Oil, Gas or Water Records Casing Record (Surface, Conductor & Production) Formation Content Casing Size Setting Depth Pulled Out 8 5/8" Surface 287.7' Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set. 1st Plug @ 2550' w/50 sks.; 2nd Plug @ 1550' w/80 sks.; 3rd Plug @ 750' w/40 sks.; 4th Plug @ 300' w/50 sks.; 5th Plug @ 60' w/30 sks.; 6th Plug @ Mousehole w/20 sks. & 7th Plug @ Rathole w/30 sks. RECEIVED Total 300 sks. 60/40 Pozmix, 4% Gel. 1/4# Floseal FEB 1 1 2011 KCC WICHITA Plugging Contractor License #: 33793 Name: H2 Drilling, L.L.C. Address 1: 10500 E. Berkeley Square Parkway Address 2: Suite 100 Zip: 67206 + 6816 City: Wichita State: KS Phone: (316) 636-2090 Name of Party Responsible for Plugging Fees: K. & B. Norton Oil & Investments, L.L.C. State of Kansas ____ County, Riley Kenneth A. Norton Employee of Operator or Operator on above-described well, (Print Name) being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



PO BOX 31 Russell, KS 67665

INVOICE

Invoice Number: 125330

Invoice Date: Nov 14, 2010

Page:

1

Voice: (785) 483-3887 Fax: (785) 483-5566

Bill To:

K & B Norton Oil & Inv. LLC 1209 W. Park Grove Dr. Manhattan, KS 66503-2469

Customer ID	, Well Name/# or Customer P.O.	Paymen	t Terms
Norton	Harp #1	Net 30	Days
Job Location	Camp Location	Service Date	Due Date
KS1-03	Oakley	Nov 14, 2010	12/14/10

wit Quantity 🕵	: Litem	Description	Unit Price	Amount 🚜 🕏
180.00	MAT	Class A Common	15.45	2,781.00
120.00	MAT	Pozmix	8.00	960.00
. 10.00	MAT	Gel	20.80	208.00
75.00	i e	Flo Seal	2.50	187.50
313.00		handling	2.40	751.20
50.00		Mileage 313 sx @.10 per sk per mi	31.30	1,565.00
	SER	Abandoned Well Plug	1,185.00	1,185.00
50.00	SER	Pump Truck Mileage	7.00	350.00
	i			
	ľ			
-			M	*** *** *** **************************
			RECE	VED
			FEB 1	1, 2011
			KCC WI	CHITA
	NADENET DAVA	Subtotal	1100 AAI	7,987.70

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 11/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF



ONLY IF PAID ON OR BEFORE
Dec 9; 2010;

	NCC 1	WICHIA
7	Subtotal	7,987.70
	Sales Tax	662.98
	Total Invoice Amount	8,650.68
	Payment/Credit Applied	,
	TOTAL	8,650.68

ALLIED CEMENTING CO., LLC. 040838

DATE ! -/9 ~/6	SEC.	TWP	RANGE	- C/	ALLED OUT	ON ^T LOC	ATION :	JOB START	JOB FINISH
Harp	WELL#	1/65	LOCATION	penc	e	3/13		COUNTY TO	STATE
LD OR NEW C		31 4 6 4 st	Vac	A / . ' n	10	<u> </u>	<u> </u>	e de financia de la composición dela composición de la composición dela composición dela composición dela composición de la composición dela composición de la composición de la composición dela composici	
		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	100	2		this constant			Same Line
CONTRACTOR .	H2)	Drilling	rg Kiĝ	<u> </u>	OWNER	Sam	<u>e</u>	2-11-1-1	<u> </u>
TYPE OF JOB THOLE SIZE	2111	TD	4900		CEMENT	o in 144 orden in 1500. Nadag¶artaka, orden	i Militar Kasalina. Hati pinang lian	where the state of	and residence of the
CASING SIZE		DEP		enti esclui l	AMQUNT (_	5K5 69	140
TUBING SIZE	Tailing.		TH	1.	4%96	3 37.4F	Klo S	eaL i	Other Programs
ORILL-PIPE	4/2		TH 255	0			ئت حجود		,:
TOOL			TH		**			100	1 1 1 1 1 1 1 1
PRES. MAX				Fairl Miscolator	COMMON				52781,0
MEAS. LINE			E JOINT	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	120 SK			960,0
CEMENT LEFT I	N CSG.	3 * ** · .	10.5 m 2 m 2 m 2 m 2 m 2 m 2 m 2 m 2 m 2 m	. AMMARIA SOLI	GEL	1055			208.0
PERFS.		15 1 1 1 1 1 1 1	Control of the Land	and Colombia and	CHLORIDE			@	** * * * * * * * * * * * * * * * * * *
DISPLACEMENT			100 P. S. C.		_k asc			@ @	
No.	EQU	JIPMENT	- Etwines - 19	- Consignation	Title.			@ @	· (
76.3			- <u>درانهٔ او ۱۲۰۰ م</u>	<u> </u>	Elness	201 >	-H	@ 2150	187,50
PUMP TRUCK,	CEMENT	ER _	drew		pw	10 10 10 10 10 10 10 10 10 10 10 10 10 1	· 1. ''		CEIVED
423-281	HELPER	Lo	sene	4 4:15	r 1 / 			@	•\
BULK, TRUCK	1.00		•		Section of the office	11/16	2 (*)	[©] LEB	1 1 2011
# <i>323</i>	DRIVER	· lar		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ह यह एक	ale glasse etc.	-;	@	(ii) - 99 65
BULK TRUCK	DDIVED							@ NCC	WICHITA
<u> </u>	DRIVER				HANDLING		<u>ت</u> ک	@ <u>2,40</u>	251,20
•			* * *	\$, `B* + # .	MILEAGE	10955	/m /C	ب ب	1565,6
9.58	RE	MARKS:			47.3 	e in exercise in a		TOTAL	6452,
50 SKS @	2550		rusarus Turko yaka governi	er reinin	THE PROPERTY OF	H Cal		r Jert Mills	
&Disks@	1550	A section	ي علم الكنيم ريسه	ر. نام في المنظمة المارية	ورواه دو مسلمها	Commencial district	SERVIC	E,	Control of the Control
		7			AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.		~ -		and the second s
405K5 @	750	France Mr. Co.	Literation 1905		1/11				
40 sks @	750 300	Same to de				the state of the state of		- Laitinghiu d	
40 sks @ 50 sks @ 30 sks @	300	<u>11 - 412</u>	er ittelleren	e still over 111 of ce	1165	JOB 25	30'	S. Handbard	1185
	300	e hol	<u>8</u>	este amilitzia ette z	DEPTH OF PUMP TRU EXTRA FO	JOB	E	/45 post 51 2	the state
30 sks @	300	<u>11 - 412</u>	<u> </u>	erg y t	DEPTH OF PUMP TRU EXTRA FO MILEAGE	JOB 25 CK CHARG OTAGE	500' E''''''''''''''''''''''''''''''''''	(4) (5) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	350100
30 sks @	300 100 12048	e hol	<u> </u>	erg y t	DEPTH OF PUMP TRU EXTRA FO	JOB 25 CK CHARG OTAGE	57) E	(4) (1) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	350100
30 sks@	300 100 12048	e hol	<u> </u>	erg y t	DEPTH OF PUMP TRU EXTRA FO MILEAGE MANIFOL	JOB	Zes	(4) (0) (4) (4) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6	350100
30 SKS @ 20 SKS 30 SKS	300 Mous Rot	e hol hole The	66 100 100 100 100 100 100 100 100 100 1	Company of the second of the s	DEPTH OF PUMP TRU EXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE	E Cert	@ 2/00 @ 2/00 @ 4	350/00 350/00 348/
30 sks @ 20 sks 30 sks	300 Mous Rot	e hol hole The	66 100 100 100 100 100 100 100 100 100 1	Company of the second of the s	DEPTH OF PUMP TRU EXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE	E L.A.		350100
CHARGE TO:	300 Mous Rot JB M	e hole hole The lorton	e ank d	Company of the second of the s	DEPTH OF PUMP TRUEXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE	E L.A.		350/00 350/00 348/
CHARGE TO:	300 Mous Rot JB M	e hole hole The lorton	e ans g	Control of the Contro	DEPTH OF PUMP TRU EXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE	E L.A.		350100
CHARGE TO:	300 Mous Rot JB M	e hole hole The lorton	e ans d	Control of the Contro	DEPTH OF PUMP TRU EXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE	E CA	@ Z/OD @ Z/OD @ Z/OTAI	350100 153570
CHARGE TO:	300 Mous Rot JB M	e hole hole The lorton	e ans g	Control of the Contro	DEPTH OF PUMP TRU EXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE	E CA	@ 2/60 @	350100 153570
CHARGE TO:	300 Mous Rot JB M	e hole hole The lorton	e ans g	Company of the Compan	DEPTH OF PUMP TRUEXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE	E	@ Zi OCO @ TOTA!	350100 (5-3570
CHARGE TO:	300 Mous Rot JB M	e hole hole The lorton	e ans g	Company of the Compan	DEPTH OF PUMP TRU EXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE	E	@ Z/ ÓO @ Z/ ÓO @ TOTA! EQUIPME!	350100 25-35-0
CHARGE TO: A	300 Mous Rot JB M	e hole hole The lorton	e ans g	Company of the Compan	DEPTH OF PUMP TRUEXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE	ELOAT	@ Z/OO @ TOTAI EQUIPME!	350100 353570
CHARGE TO: A	300 Mot Rot Statements	e hole hove The lorton	Bank of the second	Company of the compan	DEPTH OF PUMP TRUEXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE	E COAT	@ Z ZZ @ @ TOTAI EQUIPMEI	350100 350100
CHARGE TO: A	300 Pous Raf Someting Co., requested	LLC.	ZIP_	oment.	DEPTH OF PUMP TRUEXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE PLUG &	ELOAT	@	350100
CHARGE TO: A	300 Rof Soft Soft And	LLC. to rent centhelper(s).te	ZIP_	oment er, or	DEPTH OF PUMP TRUEXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE PLUG &	FLOAT	@ Z ZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZZ	350100 350100
To Allied Cemery and furnish cem contractor to do	Sonting Co., requested enter and work as i	LLC. to rent centhelper(s) to slisted. The	ZIP	oment er, or rk was	DEPTH OF PUMP TRUEXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE PLUG &	FLOAT	@ Z/OZO @ TOTAI EQUIPME!	350100 350100
CHARGE TO: A To Allied Cemer You are hereby and furnish cemer contractor to do done to satisfact	JON MANUELLA	LLC. to rent cent helper(s) to represent the solution of the s	ZIP zip zip assist owner age	oment er or	DEPTH OF PUMP TRUEXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE PLUG &	FLOAT	@ ZOTAI TOTAI EQUIPME @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ @	350100 55-35-70
CHARGE TO: A To Allied Cemer You are hereby and furnish cemer contractor to do done to satisfact contractor. I have	THE METERS IN THE STATE OF THE	LLC. to rent cent helper(s) to slisted. The pervision dunderstandars and the standars are the standard are t	ZIP	oment er or rk was ent or	DEPTH OF PUMP TRUEXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE	FLOAT	@ ZOTAI TOTAI COTAI	350100
To Allied Cemery and furnish cem contractor to do done to satisfact contractor. I have	THE METERS IN THE STATE OF THE	LLC. to rent cent helper(s) to slisted. The pervision dunderstandars and the standars are the standard are t	ZIP	oment er or rk was ent or	DEPTH OF PUMP TRUEXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE PLUG &	FLOAT	@ Z ZZ @ @ TOTAI	350100 350100 350100
CHARGE TO: A STREET CITY To Allied Cemer You are hereby and furnish cem contractor to do done to satisfact contractor. I have TERMS AND C	The state of the s	LLC. to rent cent helper(s) to s listed. The pervision d understand DNS" listed.	ZIPZIP	oment er or ik was ent or ERAL rse side.	DEPTH OF PUMP TRU EXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE PLUG & X (If Any) ARGES	FLOAT	@ ZOTAI TOTAI TOTAI	350102 (5-35-70)
CHARGE TO: A STREET CITY To Allied Cemer You are hereby and furnish cem contractor to do done to satisfact contractor. I have TERMS AND C	The state of the s	LLC. to rent cent helper(s) to s listed. The pervision d understand DNS" listed.	ZIPZIP	oment er, or ik was ent or; ERAL rse side.	DEPTH OF PUMP TRU EXTRA FO MILEAGE MANIFOL	PLUG & X (If Any) ARGES	FLOAT	@ ZOTAI TOTAI TOTAI TOTAI	350/02 350/02 100 134 100 1
To Allied Cemery and furnish cem contractor to do done to satisfact contractor. I have	The state of the s	LLC. to rent cent helper(s) to s listed. The pervision d understand DNS" listed.	ZIPZIP	oment er.or rk was ent or; ERAL rse side.	DEPTH OF PUMP TRU EXTRA FO MILEAGE MANIFOL	JOB 25 CK CHARG OTAGE PLUG & X (If Any) ARGES	FLOAT	@ TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL TOTAL	SSOLOZ NT

महारोग समार का लिए होता है। स्वर्णकार के स्वर्णकार के सहस्था के साथ है। स्वर्णकार को स्वर्णकार होता है। स्वर्ण

February 10, 2011

Kansas Corporation Commission Conservation Division 130 S. Market, Room #2078 Wichita, KS 67202-3802

Mr. Jenkins:

Enclosed please find an original, signed CP-4 "Well Plugging Record" form for the Harp #1 located in the SE/SW/NW/SE of Section 21-16S-35W (further described as being 1570' FSL and 2220' FEL), Wichita County, Kansas (API#15*203*20156*00*00). In addition to the CP-4, I have also attached a copy of the Cementing Plugging Ticket (2 Pages), dated November 14, 2010; from Allied Cementing Company, L.L.C.; Russell, Kansas 67665.

I realize that I am sending this in beyond the 60 day time frame required by the KCC, but I did not realize until just this week that H2 Drilling, L.L.C. may not have sent it in previously. I couldn't seem to find anyone from H2 who knew whether they filed it with the KCC or not. This was the first time I've used H2 Drilling for a well, in the past I've used Southwind, W.W. Drilling and L.D. Drilling (which covers a time span of over 3 years and at least my last 10 wells); each and every time these companies turned in the information for me and generally sent me a copy with the drilling information and billing. I did not get a copy of a CP-4 with the billing and when I did additional research it became apparent to me it may not have been filed. If it has been filed I apologize for the duplication, but I felt it was better to be safe than sorry. I believe this is all the information you should need regarding this matter; but if you have any questions or need additional information please feel free to contact me. Thank you for your time and understanding.

A TORING TO THE STATE OF THE PROPERTY OF SERVICES. THE PROPERTY OF

Sincerely,

Kenneth A. Norton

President, K. & B. Norton Oil & Investments, L.L.C.

The state of the property of

1209 W. Park Grove Dr.

Manhattan, KS 66503-2469

785-320-2545

RECEIVED

14-Bob said this masn't one of his 'PA' eff: 11/14/10 * P withered CP 7/3 11/22

Such the Control of the Audition of the Control of the party of the party of the Control of the