# For KCC Use: 6-6-2011 District #

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

•	urface Owner Notification Act, MUST be submitted with this t	rorm.
Expected Spud Date: June 15th 2011	Spot Description: 140' North and 170' West	
month day year	SE _ SW _ SE _ Sec29	14 □F⊠w
5145	(Q/Q/Q/Q) 470 feet from N /	
OPERATOR: License#	1,820 feet from X E /	
Name: Dreiling Oil, Inc.		VV Line or Section
Address 1: P.O. Box 550	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on revers	se side)
City: Hays State: Ks. Zip: 67601 +	County: Russell	
Contact Person: Terry W. Piesker Phone: 785-625-8327	Lease Name: Becker	Well #: 4
111010.	Field Name: Strecker	
CONTRACTOR: License# 31548	Is this a Prorated / Spaced Field?	Yes XNo
Name: Discovery Drilling Co., Inc	Target Formation(s): Arbuckle and Lansing/Kansas City	<u> </u>
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 470'	
	Ground Surface Elevation: Est. 1900'	feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	Yes X No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes X No
Disposal Wildcat Cable	Depth to bottom of fresh water: 120'	
Seismic ; # of HolesOther	Depth to bottom of usable water: 380'	
Other:		
of OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200' +	ECEIVED
_		A1 0 4 004
Operator:	Projected Total Depth: 3450'	N 0 1 2011
Well Name:	Formation at Total Depth: Arbuckle	
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:	WICHITA
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:	MICHIA
If Yes, true vertical depth:		······································
Bottom Hole Location:	DWR Permit #: (Note: Apply for Permit with DWR	
KCC DKT #	Will Cores be taken?	Yes No
	If Yes, proposed zone:	
AFF	IDAVIT	
AFF The undersigned hereby affirms that the drilling, completion and eventual plug		
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:		
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	gging of this well will comply with K.S.A. 55 et. seq.	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by	gging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  by circulating cement to the top; in all cases surface pipe <b>sha</b>	all be set
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the	gging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  by circulating cement to the top; in all cases surface pipe sha underlying formation.	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be</i> set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions of the surface of the	gging of this well will comply with K.S.A. 55 et. seq.  drilling rig;  by circulating cement to the top; in all cases surface pipe sha underlying formation.  lict office on plug length and placement is necessary prior to	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger.	drilling rig; by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in;	o plugging;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of	o <i>plugging;</i> f spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  5. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate	o plugging; f spud date. e II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be</i> set be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe sha underlying formation.  ict office on plug length and placement is necessary prior to de or production casing is cemented in;  from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any control of the second control of th	o plugging; f spud date. e II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the statements m	drilling rig: by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of	o plugging;  f spud date.  e II cementing ementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the best of minimum or the statements made herein are true and to the statements m	drilling rig: by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of	o plugging;  f spud date.  e II cementing ementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be</i> set be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig: by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of y knowledge and belief.  Title: Explor. and	o plugging;  f spud date.  e II cementing ementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of medical places. Signature of Operator or Agent:    Date: 5-27-11	drilling rig; by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of y knowledge and belief.  Title: Explor. and Remember to:	o plugging; If spud date. It cementing sementing.  d Prod. Super.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be  I hereby certify that the statements made herein are true and to the best of metallic than the statements made herein are true and to the best of metallic than the statements made herein are true and to the best of metallic than the statements made herein are true and to the best of metallic than the statements made herein are true and to the best of metallic than the statements made herein are true and to the best of metallic than the statements made herein are true and to the best of metallic than the statements made herein are true and to the best of metallic than the statements made herein are true and to the best of metallic than the statements made herein are true and to the best of metallic than the statements made herein are true and to the best of metallic than the statements made herein are true and to the best of metallic than the statements metallic than the statements metallic than the statements metallic than the statements will be metallic than the statement of the statements will be metallic than the statement of the statements will be metallic than	drilling rig: by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; Ifrom below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of y knowledge and belief.  Title: Explor. and Remember to:  File Certification of Compliance with the Kansas Surface Ow	o plugging; If spud date. It cementing sementing.  d Prod. Super.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date:  5-27-11  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - // 2 3 72 4 - 00000	drilling rig: by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of y knowledge and belief.  Title: Explor. and Remember to:  File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill;	o plugging; If spud date. It cementing sementing.  d Prod. Super.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date:  5-27-11  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 107-23 724-00-00  Conductor pipe required  One feet	drilling rig; by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any or y knowledge and belief.  Title: Explor. and Remember to:  File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;	o plugging; If spud date. It cementing sementing. It depends Super.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be</i> set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and to the best of my.  Date: 5-27-11  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 107-23 72 9-00-00  Conductor pipe required 1000 feet per ALT. 11 11 11 11 11 11 11 11 11 11 11 11 11	drilling rig: by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any of y knowledge and belief.  Title: Explor. and Remember to:  File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill;	o plugging; If spud date. It cementing sementing. It Prod. Super.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be</i> set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and to the best of my.  Date: 5-27-11  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 107-23 72 9-00-00  Conductor pipe required 1000 feet per ALT. 11 11 11 11 11 11 11 11 11 11 11 11 11	drilling rig; by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any or y knowledge and belief.  Title: Explor. and Remember to:  File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	o plugging; If spud date. If spud date. If cementing. If spud date. If s
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugges of the appropriate district office will be notified before well is either plugges of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of modular to the statements made herein are true and to the best of modular to the statements of Operator or Agent:    For KCC Use ONLY	drilling rig; by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any or y knowledge and belief.  Title: Explor. and Remember to:  File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orde	o plugging;  If spud date.  If cementing sementing.  If spud date.  If spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be</i> set to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugged.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be.  I hereby certify that the statements made herein are true and to the best of my.  Date: 5-27-11  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 107-23 72 9-00-00  Conductor pipe required 1000 feet per ALT. 11 11 11 11 11 11 11 11 11 11 11 11 11	drilling rig; by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any or y knowledge and belief.  Title: Explor. and Remember to:  File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orde Notify appropriate district office 48 hours prior to workover o Submit plugging report (CP-4) after plugging is completed (v Obtain written approval before disposing or injecting salt wat	o plugging;  If spud date. If cementing sementing.  If Prod. Super.  If spud date. If
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of modulate:  5-27-11  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - / (27 - 23 72 9 - 00 - 00)  For KCC Use ONLY  API # 15 - / (27 - 23 72 9 - 00 - 00 - 00)  For KCC Use ONLY  Approved by:	drilling rig; by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any or y knowledge and belief.  File Certification of Compliance with the Kansas Surface Ow. Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orde Notify appropriate district office 48 hours prior to workover o Submit plugging report (CP-4) after plugging is completed (v Obtain written approval before disposing or injecting salt wat If well will not be drilled or permit has expired (See: authorize	o plugging;  If spud date. If cementing sementing.  If Prod. Super.  If Pr
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of modulate:  5-27-11  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - / (27 - 23 72 9 - 00 - 00)  For KCC Use ONLY  API # 15 - / (27 - 23 72 9 - 00 - 00 - 00)  For KCC Use ONLY  Approved by:	drilling rig; by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any or y knowledge and belief.  Title: Explor. and Remember to:  File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orde Notify appropriate district office 48 hours prior to workover o Submit plugging report (CP-4) after plugging is completed (v Obtain written approval before disposing or injecting salt wat	o plugging;  f spud date. a II cementing cementing.  d Prod. Super.  oner Notification  rs; or re-entry; within 60 days); ter. d expiration date)
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of my Date: 5-27-11  Signature of Operator or Agent: Director of Agent: Dire	drilling rig; by circulating cement to the top; in all cases surface pipe sha underlying formation. ict office on plug length and placement is necessary prior to ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of 33,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any or y knowledge and belief.  File Certification of Compliance with the Kansas Surface Ow. Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orde Notify appropriate district office 48 hours prior to workover o Submit plugging report (CP-4) after plugging is completed (v Obtain written approval before disposing or injecting salt wat If well will not be drilled or permit has expired (See: authorize	o plugging;  f spud date. e II cementing cementing.  d Prod. Super.  oner Notification  rs; or re-entry; within 60 days); ter. d expiration date)

For KCC Use ONLY API#15 - 147-23724-00-00


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Dreiling Oil, Inc.	Location of Well: County: Russell	
Lease: Becker	470 feet from N / X S Line of Section	
Well Number: 4	feet from N / X S Line of Section  1,820 feet from E / W Line of Section	
Field: Strecker	Sec. 29 Twp. 15 S. R. 14 E X W	
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage:  SE _ SW _ SE	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	


#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



#### **LEGEND**

Well Location Tank Battery Location Pipeline Location -- Electric Line Location Lease Road Location



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KCC WICHITA

### 15-167-23724-00-00

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # 5145  Name: Dreiling Oil, Inc.	Well Location:SE_SW. SE_Sec. 29 Twp. 15_S. R. 14 Eas West
Address 1: P.O. Box 550	County: Russell
Address 2:	Lease Name: Becker Well #: 4
City Hays State Ks. 7in: 67601	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person. Terry W. Piesker	the lease below:
Phone: ( 785 ) 625-8327 Fav: ( 785 ) 625-8378	
Contact Person: Terry W. Piesker  Phone: ( 785 ) 625-8327 Fax: ( 785 ) 625-8378  Email Address: tpiesker@eaglecom.net	
Surface Owner Information:  Name: Elaine Becker  Address 1: 18213 Michaelis Road  Address 2:  City: Russell State: Ks. Zip: 67665 +	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be le	pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this
	icknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
I hereby certify that the statements made herein are true and correct to	
Date: 5-27-11 Signature of Operator or Agent:	Title: Explor. and Prod. Super.
13 12	•

RECEIVED

JUN A 1 2011

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Dreiling Oil, Inc.		License Number: 5145			
Operator Address: P.O. Box 550			Hays Ks. 67601		
Contact Person: Terry W. Piesker	· · · · · · · · · · · · · · · · · · ·		Phone Number: 785-625-8327		
Lease Name & Well No.: Becker	4		Pit Location (QQQQ):		
Type of Pit:	Pit is:		170' SE SW SE		
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 29 Twp. 15 R 14 East X West		
Settling Pit	If Existing, date constructed: 3000  Pit capacity:		470 Feet from North / X South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			1,820 Feet from East / West Line of Section		
		(bbls)	Russell County		
Is the pit located in a Sensitive Ground Water A	vrea? ☐ Yes 🔀	´No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	M-	How is the pit lined if a plastic liner is not used?		
Yes No	Yes X		NATIUE CLAY		
Pit dimensions (all but working pits):	50 Length (fe	•	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to de	epest point:	6 No Pit		
Distance to nearest water well within one-mile of	_	Depth to shallor Source of inforr	west fresh water <del>12</del> 0 <del>2</del> 8 feet. nation:		
feet Depth of water well	45 50 feet	measured	🗶 well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	Drilling, Workover and Haui-Off Pits ONLY:		
Producing Formation: Type of materia		Type of materia	al utilized in drilling/workover:		
Number of producing wells on lease: Number of wo		Number of work	rking pits to be utilized:		
Barrels of fluid produced daily: Abandonme		Abandonment p	procedure: Evaporation and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits m		Drill pits must b	e closed within 365 days of spud date.		
I hereby certify that the above statem	ents are true and cor	rect to the best of a			
5-27-11 Series Signature of Applicant or Agent KCC WICHITA					
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS					
Date Received: 6-1-11 Permit Numb	per:	Permit	Date:Yes No		