For KCC Use:	12-6-2011
Effective Date:	9 62011
District #	4
9042 V	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

	re (5) days prior to commencing well	
_	s Surface Owner Notification Act, MUST be submitted with this	form.
Expected Spud Date: 6 18 2011 month day year	Spot Description: Approx SE SW SW SE SW SW SE SW SW Sec. 27 Twp. 8 S. F	2.13 □E W
OPERATOR: License# 33599	(9/9/9/9)	S Line of Section
Name: Barline Oil, LLC		W Line of Section
Address 1: 7804 Funston, Suite 216 Address 2: 2103 Dalton	Is SECTION: X Regular Trregular?	
City: Wichita State: \(\script{S}\) Zio: \(\frac{57207}{\}\)	(Note: Locate well on the Section Plat on reven	se side)
Phone: 316-425-6990, cell 316-833-3556	Lease Name: <u>Becker "A"</u> Field Name: <u>Weston Stockade</u>	Well #: 3
Name: Mallard JV, Inc.	Is this a Prorated / Spaced Field? Target Formation(s): Arbuckle	Yes X No
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330 *	- Vohs
XOII Enh Rec X Infield X Mud Rotary	Ground Surface Elevation: 1684 est.	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	X Yes No
Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water: 180	Yes K No
Seismic ; # of HolesOther	Depth to bottom of fresh water:	
Other;	Surface Pipe by Alternate: XII	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:2251	
Operator; N/A	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 3750	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Rother: Covert C1	2001
If Yes, true vertical depth:	DWR Permit #: Applied	CCN
Bottom Hole Location:	(Note: Apply for Permit with DWRY V)	
KCC DKT #:	Will Cores be taken?	Yes No
	If Yes, proposed zone:	
AF	FIDAVIT	RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.	14615 O. 7 O. 644
to be a second of the data of the first of the contract of the		
It is agreed that the following minimum requirements will be met:		MAY 2 7 2011
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall</i> be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the set into the set of the se	t by circulating cement to the top; in all cases surface pipe sha ne underlying formation. strict office on plug length and placement is necessary prior to ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate	KCC WICHITA plugging; spud date. Il cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be the production of the statements made herein are true and to the best of the statements made herein are true and to the best of the statements. 	t by circulating cement to the top; in all cases surface pipe sha ne underlying formation. strict office on plug length and placement is necessary prior to ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate e plugged. In all cases, NOTIFY district office prior to any c	KCC WICHITA plugging; spud date. Il cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be 	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief. Title: Manager	KCC WICHITA plugging; spud date. Il cementing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the surface and the district office will be notified before well is either plug of the surface casing order that the statements "B" - Eastern Kansas surface casing order that the completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and to the best of the plug of the surface	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief. Title: Manager Remember to:	KCC WICHITA plugging; spud date. Il cementing ementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the disc. 5. The appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of Date: 5/26/11 Signature of Operator or Agent: BILLL For KCC Use ONLY API # 15 - 441 - 20429	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief. Title: Manager	KCC WICHITA plugging; spud date. Il cementing ementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the surface casing order from the most of the surface casing order from the surface casi	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief. Title: Manager Remember to: - File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	KCC WICHITA plugging; spud date. Il cementing ementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief. Title: Manager Remember to: - File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;	KCC WICHITA plugging; spud date. Il cementing ementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of t	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief. Title: Manager Remember to: - File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	KCC WICHITA plugging; spud date. Il cementing ementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the disconsistent of the well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order with must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 5/26/11 Signature of Operator or Agent: BILL For KCC Use ONLY API # 15 - 404 - 204 - 400 - 40	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief. Title: Manager Remember to: File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order. Notify appropriate district office 48 hours prior to workover or Submit plugging report (CP-4) after plugging is completed (w	KCC WICHITA plugging; spud date. Il cementing ementing. ner Notification s; re-entry; ithin 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet per ALT. I	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief. Title: Manager Remember to: File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order. Notify appropriate district office 48 hours prior to workover or Submit plugging report (CP-4) after plugging is completed (w. Obtain written approval before disposing or injecting salt wat	KCC WICHITA polugging; spud date. Il cementing ementing. ner Notification s; re-entry; ithin 60 days); er.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set int	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief. Title: Manager Remember to: File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order. Notify appropriate district office 48 hours prior to workover or Submit plugging report (CP-4) after plugging is completed (w	KCC WICHITA plugging; spud date. Il cementing ementing. ner Notification s; re-entry; ithin 60 days); er. d expiration date)
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the second through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order with must be completed within 30 days of the spud date or the well shall be inhered that the statements made herein are true and to the best of Date: 5/26/11	t by circulating cement to the top; in all cases surface pipe shape underlying formation. Strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of 133,891-C, which applies to the KCC District 3 area, alternate a plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief. Title: Manager Remember to: File Certification of Compliance with the Kansas Surface Ow Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order. Notify appropriate district office 48 hours prior to workover or Submit plugging report (CP-4) after plugging is completed (w. Obtain written approval before disposing or injecting salt wat. If well will not be drilled or permit has expired (See: authorized)	KCC WICHITA plugging; spud date. Il cementing ementing. ner Notification s; re-entry; ithin 60 days); er. d expiration date)

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichlta, Kansas 67202

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Barline Oil, LLC Lease: Becker "A" Well Number: #3 Field: Weston Stockade	Location of Well: County: Osborne 330 feet from Feet fr
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: :	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

Sec. 34

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-141-20429-00-00

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form KSONA-1 Juty 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # 33599 Name: Barline Oil, LLC Address 1: 7804 E. Funston, Suite 216 Address 2: 2103 Dalton City: Wichita State: KS Zip: 67207 + Contact Person: Bill Ree Phone: (316) 833-3556 Fax: (316-)927-2672 Email Address: mah8042@aol.com	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Surface Owner Information: Name: Art & Wilma Becker Address 1: 3936 SW Lincolnshire Rd. Address 2: None City: Topeka State: KS Zip: 66610	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, to are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,	I acknowledge that, because I have not provided this information, the
task, I acknowledge that I am being charged a \$30.00 handlii	ng fee with this form. If the fee is not received with this form, the KSONA-1
I hereby certify that the statements made herein are true and correct Date: 5/26/11 Signature of Operator or Agent: BILL RI	

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Barline Oil, LLC		License Number:		
Operator Address: 7804 E. Funst	ton, Suite	216, Wic	hita, KS 67207	
Contact Person: Bill Ree		Phone Number: Cell 316-833-3556		
Lease Name & Well No.: Becker "A", No. 3		Pit Location (QQQQ):		
Type of Pit:	Pit is:		_SE SW SW	
Emergency Pit Burn Pit	X Proposed Existing		Sec. 27 Twp. 8S R. 13 East X West	
X Settling Pit Drilling Pit	If Existing, date constructed:		330 Feet from North / South Line of Section	·
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	·	1100 Feet from East / West Line of Section	.
	3,000	(bbls)	Osborne County	
Is the pit located in a Sensitive Ground Water Area? Yes X No		Chloride concentration: N/A mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	10	How is the pit lined if a plastic liner is not used? Clay type soil	
Pit dimensions (all but working pits): 70	Length (fee	_{et)} 70	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	4 (feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		edures for periodic maintenance and determining ncluding any special monitoring.	
N/A		N/A		
				k
Distance to nearest water well within one-mile of	of pit	Don'th to shallo	owest fresh water 80 feet.	
Distance to hearest water well within one-fine t	or pic.	Source of infor	mation:	-
_1540feetDepth of water well _80=100feet		measured	X well owner electric log KDWR	_
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY: Drilling Mud	
Producing Formation:	Δ	''	ar utilized in drilling/workover	-
····································			king pits to be utilized:3 procedure: Fluid evaporate & backfi	- 11
Barrels of fluid produced daily: Abar Does the slope from the tank battery allow all spilled fluids to		Abandonment	procedure. 1 man a vivago a vi	
l · · _ · ·		Drill pits must b	be closed within 365 days of spud date.	
I hereby certify that the above statem	nents are true and cor	rect to the best of	my knowledge and belief. RECEIVED	
5/26/11	Bul	l Fee	MAY 2.7 2011	
Date	BIL:	•	gnature of Applicant or Agent KCC WICHITA	A
Manager KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: 5 - 3/ - // Permit Num	ber:	Perm	it Date: 6-1-1 Lease Inspection: Yes No	