For KCC Use: 6-2011 Effective Date: 6-2011 District # X No.

130 S. Market - Room 2078, Wichita, Kansas 67202

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Stud Date: June 15th 2011	Spot Description: 100' West
Expected Spud Date: June 15th 2011 month day year	
5145	- <u>NE</u> - <u>NE</u> - <u>SW</u> Sec. <u>16</u> Twp. <u>15</u> S. R. <u>18</u> <u>E</u> W
OPERATOR: License#	2,310 feet from N / X S Line of Section
Name: Dreiling Oil, Inc.	leet from LE / NV Line of Section
Address 1: P.O. Box 550	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Hays State: Ks. Zip: 67601 +	County: Ellis
Contact Person: Terry W. Piesker	Lease Name: Grabbe "A" Well #: 2
Phone:	Field Name: Schoechen
CONTRACTOR: License# 31548	Is this a Prorated / Spaced Field?
Name: Discovery Drilling Co., Inc	Target Formation(s): Arbuckle and Lansing/Kansas City
	Nearest Lease or unit boundary line (in footage). 330'
Well Drilled For: Well Class: Type Equipment:	Nearest Lease of unit boundary line (III lootage).
⊠Oil ☐Enh Rec ☑Infield ☑Mud Rotary	Ground Surface Elevation: Est. 2065' feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 160'
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I III
tf OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 3700'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:
If Yes, true vertical depth:	DWR Permit#:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	• •
	DAVIT RECEIVED RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with KSA 55 et seg
	ging of this weil will comply with N.O.A. 55 ct. 3cq.
It is agreed that the following minimum requirements will be met:	JUN A 1 2011
*	JUN 8 1 2011
 Notify the appropriate district office prior to spudding of well; 	JUN 8 1 2011
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of The minimum amount of surface pipe as specified below <i>shall be set</i> by 	JUN 8 1 2011 drilling rig; y circulating cement to the top; in all cases surface pipe shares a company of the
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 	JUN 8 1 2011 drilling rig; y circulating cement to the top; in all cases surface pipe share Call CHITA underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. 	JUN 8 1 2011 drilling rig; y circulating cement to the top; in all cases surface pipe share CaWICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 	JUN 8 1 2011 drilling rig; y circulating cement to the top; in all cases surface pipe share CaWICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of the	drilling rig; y circulating cement to the top; in all cases surface pipe share CAVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and to the best of my 	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. et office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be published. 	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. et office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the state of the	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Title: Explor. and Prod. Super.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5-27-11	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Explor. and Prod. Super. Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5-27-11	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Explor. and Prod. Super. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the spud date or the well shall be placed by the spud date or the well shall be placed. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 26/14 9-OOOO	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Explor. and Prod. Super. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5-27-11	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Explor. and Prod. Super. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5-27-11 Signature of Operator or Agent: For KCC Use ONLY API #15 - OSI - 26/14 9-OOOO	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Explor. and Prod. Super. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5-27-11	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Explor. and Prod. Super. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5-27-11	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Title: Explor. and Prod. Super. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit blugging report (CP 4) offer plugging is completed (within 60 days).
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5-27-11. Signature of Operator or Agent: For KCC Use ONLY API # 15 - Signature of Operator or Agent: For KCC Use ONLY API # 15 - Signature of Operator or Agent: This authorization expires: Signature of Operator or Agent: This authorization expires: Signature of Operator or Agent: This authorization expires: Signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Ag	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Explor. and Prod. Super. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5-27-11	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. If knowledge and belief. Title: Explor. and Prod. Super. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5-27-11	drilling rig; y circulating cement to the top; in all cases surface pipe share Call CHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Explor. and Prod. Super. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5-27-11. Signature of Operator or Agent: For KCC Use ONLY API # 15 - Signature of Operator or Agent: For KCC Use ONLY API # 15 - Signature of Operator or Agent: This authorization expires: Signature of Operator or Agent: This authorization expires: Signature of Operator or Agent: This authorization expires: Signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Ag	drilling rig; y circulating cement to the top; in all cases surface pipe share CaVICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Explor. and Prod. Super. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5-27-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 -	drilling rig; y circulating cement to the top; in all cases surface pipe share Call CHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Explor. and Prod. Super. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

For KCC Use ONLY API#15-051-26 149-000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	perator: Dreiling Oil, Inc. ease: Grabbe "A"							Location of Well: County: Ellis 2,310				
							_					
Well Number: 2						2,210 feet from E / W Line of Section						
Field: Street	ield: Strecker					.,	_ Se	Sec. 16 Twp. 15 S. R. 18 E 🔀 W				
Number of	Acree attr	ihutahle to	ı well:				_	🔽				
QTR/QTR/				- NE	. NE	- SW	- Is	Section: X	Regular or Irregular			
QIIVQIIV	Q 11 (/ Q 11 (or adreag	·				-					
								-	gular, locate well from nearest corner boundary. sed: NENNSESSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS			
							Se	ction corner us	sedNENVVSE_Z_SVV			
							PLAT					
	SI	now locatio	on of the w	ell. Show	footage to	the neare	st lease or	unit boundary	line. Show the predicted locations of			
	lease roa	ds, tank b	atteries, pi	pelines and	d electrica	l lines, as	required b	y the Kansas S	Surface Owner Notice Act (House Bill 2032).			
								plat if desired.				
		•		•		:	:					
	1	:	;	:		:	:		LEGEND			
	1	:	:	:		:	:	:	CLOCIND			
		;	:	:		:	:	:	O Well Location			
		:	:	:			:		Tank Battery Location			
			:	:			:		Pipeline Location			
		:	: `	:		: '	:	:	Electric Line Location			
				:			:	: 1	Lease Road Location			
		:		:		:	÷	:				
		:	:	:		:	<u>:</u>	:				
	1			:		:	:	:	EVANDUE			
		:	-	:	6	:	:	:	EXAMPLE			
		:	:	-	<i>&</i>	:	:	:				
				+-/	}	:	:	:				
			:	· Y			:					
		:	:	: ``\```		:	:	:				
		:					:					
		:	: /	<u></u>		·\			:::			
		:	:	:		;	:		1980' FSL			
	ļ	:	:	:		:	:					
		:	:	:		:	:	:				
			:				:					
		:	:	:		:	:					
		:	:	:		;	:	:	SEWARD CO. 3390' FEL RECEIVED			

In plotting the proposed location of the well, you must show:


1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, KCC WICHITA 4 sections, etc. 4 sections, etc.

JUN 8 1 2011

2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # 5145 Dreiling Oil. Inc.	
Name: Dreiling Oil, Inc.	Sec. Twp. 5. R. Last west
Address 1: P.O. Box 550	County: Ellis Lease Name: Grabbe "A" Well #: 1
Address 2: Ke 67601	Lease Name: Well #:
City: Hays State: Ks. Zip: 67601	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person: Terry W. Piesker Phone: (785) 625-8327 Fax: (785) 625-8378 Email Address: tpiesker@eaglecom.net	ino rouse coloni
Phone: (163) 625-6321 Fax: (163) 625-6378	
Email Address: tpiesker@eaglecom.net	
Surface Owner Information: Name: Mike Grabbe	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface
Address 1: 436 240th Avenue	owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: Hays State: Ks. Zip: 67601 +	
 are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form 	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this
form; and 3) my operator name, address, phone number, fax,	and email address.
I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface c task, I acknowledge that I am being charged a \$30.00 handling.	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ng fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
I hereby certify that the statements made herein are true and correct	to the best of my knowledge and belief.
Signature of Charatar or Again & DDC)	Title: Explor. and Prod. Super.
Signature of Operator of Agents-1.220.25	Title: Explor. and Prod. Super. RECEIVED

KCC WICHITA

JUN 0 1 2011

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Dreiling Oil, Inc.		License Number: 5145		
Operator Address: P.O. Box 550			Hays Ks. 676	01
Contact Person: Terry W. Piesker		Phone Number: 785-625-8327		
Lease Name & Well No.: Grabbe "A"	2		Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit X Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A Is the bottom below ground level? Yes No Pit dimensions (all but working pits):	Pit is: X Proposed If Existing, date cor 3000 Pit capacity: rea? Yes X Artificial Liner? Yes X Length (feeting ground level to deeting seed to be	No (bbls) No 250 epest point: Describe proce	100W NE NE SW	n ′
Distance to nearest water well within one-mile of the state of the sta	45 feet	Source of inform measured Drilling, Worke Type of materia Number of wor	well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: king pits to be utilized:	
Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? I hereby certify that the above statem 5-27-11 Date	pilled fluids to	rect to the best of	pe closed within 365 days of spud date. RECEIVED	11
	KCC	OFFICE USE O		