RECEIVED

For KCC	10-154011	
Effective District #	Date: 2	
SGA?	XYes □No	

KANSAS CORPORATION COMMISSION MAY 2 4 2011 OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed

NOTICE OF INTENT TO DRILLKCC WICHITA

Form must be Signed All blanks must be Filled

xpected Spud Date: May 30 2011	Spot Description:
month day year	NW - NW - NW - Sec. 22 Twp. 19 S. R. 9 EXW
32924	(Q/Q/Q/Q) 340 feet from N / S Line of Section
PERATOR: License#	655 feet from E / W Line of Section
ame: Gilbert-Stewart Operating LLC	Is SECTION: Regular Irregular?
ddress 1: Suite 450	- Is SECTION. MINOSOMI - Integral
ddress 2: 1801 Broadway	(Note: Locate well on the Section Plat on reverse side)
ity: Denver State: CO Zip: 80202 +	ooding.
Contact Person: Kent Gilbert	Lease Name: Lincoln Well #: 15
hone: 303-534-1686	Field Name: Chase Silica
CONTRACTOR: License# 33350	Is this a Prorated / Spaced Field?
lame: Southwind Drilling	Target Formation(s): Arbuckle
	Negrost Lease or unit boundary line (in footage): 340'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1687 feet MSL
Xoil	
Gas Storage Pool Ext. Air Rotary	vvater well within one-quarter fille.
Disposal X Wildcat Cable	Public water supply well within one mile: Yes XNo
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150
Other:	Depth to bottom of usable water: 240
	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 260-300'
Operator:	Largeth of Conductor Ding (if only): N/A
	Projected Total Depth: 3400'
Well Name:	Formation at Total Depth: Arbuckle
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	
 -	
f Yes, true vertical depth:	DWR Permit #:
KCC DKT #:	───── Will Cores be taken?Yes XNo
'	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and e	
-	
The undersigned hereby affirms that the drilling, completion and entries agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well	ventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel	ventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i>	ventual plugging of this well will comply with K.S.A. 55 et. seq. I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f	ventual plugging of this well will comply with K.S.A. 55 et. seq. I; ed on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a	ventual plugging of this well will comply with K.S.A. 55 et. seq. I; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e	ventual plugging of this well will comply with K.S.A. 55 et. seq. I; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be	ventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; vali be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; veither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin	ventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; nall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; wither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of wel A copy of the approved notice of intent to drill <i>shall be</i> posts The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f If the well is dry hole, an agreement between the operator a The appropriate district office will be notified before well is e If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the w 	li; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing rell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of wel A copy of the approved notice of intent to drill <i>shall be</i> posts The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f If the well is dry hole, an agreement between the operator a The appropriate district office will be notified before well is e If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the w 	li; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing rell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of wel A copy of the approved notice of intent to drill <i>shall be</i> posts The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f If the well is dry hole, an agreement between the operator a The appropriate district office will be notified before well is e If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w 	l; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing riell shall be plugged. In all cases, NOTIFY district office prior to any cementing. The best of my knowledge and belief
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin	li; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing rell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of wel A copy of the approved notice of intent to drill <i>shall</i> be poste The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f If the well is dry hole, an agreement between the operator a The appropriate district office will be notified before well is e If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w I hereby certify that the statements made herein are true and to the 	It; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing real shall be plugged. In all cases, NOTIFY district office prior to any cementing. The best of my knowledge and belief
1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the wall hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent:	It; ed on each drilling rig; half be set by circulating cement to the top; in all cases surface pipe shalf be set feet into the underlying formation. Inditing the district office on plug length and placement is necessary prior to plugging; whither plugged or production casing is cemented in; we cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shalf be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to:
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w Thereby certify that the statements made herein are true and to the Date: 5-23-11 Signature of Operator or Agent:	l; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the way thereby certify that the statements made herein are true and to the control of the	l; ed on each drilling rig; half be set by circulating cement to the top; in all cases surface pipe shalf be set feet into the underlying formation. Inditing the district office on plug length and placement is necessary prior to plugging; hither plugged or production casing is cemented in; he cemented from below any usable water to surface within 120 DAYS of spud date. high order #133,891-C, which applies to the KCC District 3 area, alternate II cementing held shalf be plugged. In all cases, NOTIFY district office prior to any cementing. He best of my knowledge and belief Title: Manager Manag
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste: 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f. 4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is e. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the walkereby certify that the statements made herein are true and to the control of th	li; ed on each drilling rig; eal to set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. Inditing the district office on plug length and placement is necessary prior to plugging; wither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date, and order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Mana
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the w hereby certify that the statements made herein are true and to th Date: 5-23-11 Signature of Operator or Agent: For KCC Use ONLY API # 15	li; ed on each drilling rig; eal be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. Indit he district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date, no order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the way thereby certify that the statements made herein are true and to the specific conductor pipe required For KCC Use ONLY API # 15 - Signature of Operator or Agent: Conductor pipe required feet per ALT.	li; ed on each drilling rig; eal be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. Indit he district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date, neg order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of wel 2. A copy of the approved notice of intent to drill shall be poste 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the whereby certify that the statements made herein are true and to the Date: 5-23-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - Signature of Operator or Agent: Gonductor pipe required feet Minimum surface pipe required feet per ALT. Approved by: Mark 6-2-20-11	l; ed on each drilling rig; eal be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. Indit he district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Manager
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall</i> be poste 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the way thereby certify that the statements made herein are true and to the Date: 5-23-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - SP - 22649 - OOO feet per ALT. Approved by: Sumb 6-2-2011 This authorization expires: 6-2-2012	rentual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; itall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; wither plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the wall hereby certify that the statements made herein are true and to the Date: Signature of Operator or Agent: Conductor pipe required	It is ed on each drilling rig; It is each to the top; It is each to the underlying cement to the top; It is each to the underlying formation. It is each to the underlying formation
1. Notify the appropriate district office prior to spudding of wel 2. A copy of the approved notice of intent to drill shall be poste 3. The minimum amount of surface pipe as specified below shall through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well hereby certify that the statements made herein are true and to the surface conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - Signature of Operator or Agent: For Minimum surface pipe required feet Approved by: Minimum surface pipe required feet per ALT. This authorization expires: (This authorization void if drilling not started within 12 months of approval	l; ed on each drilling rig; eall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. Indi the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. Ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing real shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wel 2. A copy of the approved notice of intent to drill <i>shall be</i> posts 3. The minimum amount of surface pipe as specified below <i>sh</i> through all unconsolidated materials plus a minimum of 20 f 4. If the well is dry hole, an agreement between the operator a 5. The appropriate district office will be notified before well is e 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casir must be completed within 30 days of the spud date or the whereby certify that the statements made herein are true and to the Date: 5-23-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - / SP - 2 2 4 49 - OOO Conductor pipe required	ventual plugging of this well will comply with K.S.A. 55 et. seq. II; ed on each drilling rig; fall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; in the plugged or production casing is cemented in; e cemented from below any usable water to surface within 120 DAYS of spud date. In go order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Manager Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If well will not be drilled or permit has expired (See: authorized expiration date)

KCC WICHITA

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Gilbert-Stewart Operating LLC Lease: Lincoln	Location of Well: County: Rice 340 Feet from N / S Line of Section		
Well Number: 15 Field: Chase Silica			
Number of Acres attributable to well:	ls Section: 🔀 Regular or 🔲 Irregular		
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		
Show location of the well. Show footage to the nearest lease roads, tank batteries, pipelines and electrical lines, as re	PLAT I lease or unit boundary line. Show the predicted locations of equired by the Kansas Surface Owner Notice Act (House Bill 2032). Separate plat if desired.		
7	LECEND		
65.5	LEGEND O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location		
22	EXAMPLE		
	1980' FSL		

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).

In plotting the proposed location of the well, you must show:

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.


GILBERT-STEWART OPERATING, LLC


LINCOLN LEASE

/5-159-22649-00-00 NW. 1/4. SECTION 22. T195. R9W

RICE COUNTY, KANSAS

RECEIVED
MAY 2 4 2011
KCC WICHITA





Controlling data is based upon the best maps and photographs available to us and upon a requi> section of land containing 30 occas.

Elevations derived from Not and Goodstie Varticus Satur.

May 20, 2011

[•] Appriariel's Section (These wise distriminant using the number of sendered at come or official surveyor's proceduring in the State of Consos. The section of the attention the precise section (Consos and the account of the attention to the attention of the attention to the attention of the attention to the attention of the

15-159-22649-00-00 Kansas Corporation Commission

OIL & GAS CONSERVATION DIVISION

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed Alblanks must be Filled RECEIVED

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); This form must be submitted with all Forms C-1 (Notice of Interior County), C-1 (Well Plugging Application)
T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application)
T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application)
T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application) Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License # 32924 Name: Gilbert-Stewart Operating LLC Address 1: Suite 450 Address 2: 1801 Broadway	Well Location: NW_NW_NWSec. 22 Twp. 19 S. R. 9 Eas West				
Name: Suite 450	·				
Address 1:	County: Rice Lease Name: Lincoln Well #: 15				
City: Denver State: CO Zip: 80202 +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:				
Contact Person: Kent Gilbert					
303 534-1686					
Phone: (303) 534-1686 Fax: ()					
Surface Owner Information: Name: Dwight Patton Address 1: 2411 N. Vinegate Ct. Address 2:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.				
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be let CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a	ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this				
I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface owner(s). I acknowledge that I am being charged a \$30.00 handling	ncknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gree, payable to the KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1-1 will be returned.				
I hereby certify that the statements made herein are true and correct to	the best of my knowledge and belief.				
I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 5-23-11 Signature of Operator or Agent: Signature of Ope					

RECEIVED

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

MAY 2 4 2011

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT KCC WICHITA

Submit in Duplicate

Operator Name: Gilbert-Stewart Operating LLC			License Number: 32924		
Operator Address: Suite 450 1801			Broadway Denver CO 80202		
Contact Person: Kent Gilbert			Phone Number: 303-534-1686		
Lease Name & Well No.: Lincoln	15	1 0.000	Pit Location (QQQQ):		
Type of Pit:	Type of Pit: Pit is:		<u>NW NW NW</u>		
Emergency Pit Burn Pit	X Proposed Existing		Sec22Twp19 East 🔀 West		
Settling Pit X Drilling Pit	Orilling Pit If Existing, date constructed:				
Workover Pit Haul-Off Pit	Pit capacity:		655 Feet from East / X West Line of Section		
(If WP Supply API No. or Year Drilled)	- Capacity.	(bbls)	Rice County		
Is the pit located in a Sensitive Ground Water Area? X Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Artificial Liner? Yes No		1 0	How is the pit lined if a plastic liner is not used? Bentonite from the Drilling Mud will coat the sides and bottom of the pit		
Pit dimensions (all but working pits):	DO Length (fee	et)80	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dea	epest point:	4 (feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
Bentonite from the drilling mud v sides and bottom	vill coat the	Bentonite from the drilling mud will stay in place until the pit is squeezed and closed			
Distance to nearest water well within one-mile	of pit:	1 '	west fresh water 10 23 feet.		
		Source of information: measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Works	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:Fresh Water and Bentonite		
Number of producing wells on lease:		Number of work	king pits to be utilized:		
Barrels of fluid produced daily: Abando			procedure: Haul off fluids after salts. Allow the pits to dry. Squeeze and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
V. X / 600					
			gnature of Applicant or Agent		
KCC OFFICE USE ONLY					
Liner Steel Pit K RFAC X RFAS					
Date Received: 5 24-// Permit Number: Permit Date: 6-2-11 Lease Inspection: X Yes No					

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 2, 2011

Gilbert-Stewart Operating LLC 1801 Broadway Ste 450 Denver, CO 80202

Re: Drilling Pit Application

Lincoln Lease Well No. 15 NW/4 Sec. 22-19S-09W Rice County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: File