# For KCC Use: 673-2011 District #

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date: June 5th, 2011	Spot Description: N. 38.56688 W. 95.12442	
month day year	SW _ NW _ SE _ SE Sec. 18 Twp. 17 S. 1	R <u>21</u>
33973	(0/0/0/0) 866 feet from N /	
OPERATOR: License#	963 feet from X E /	W Line of Section
Address 1: 1526 S. Willow	Is SECTION: Regular X irregular?	
Address 2:	(Note: Locate well on the Section Plat on reve	rse side)
Contact Person: Tim Guinotte	County: Franklin	
	Lease Name: Blunk	Well #: 25
	Field Name: Paola/Rantoul	
CONTRACTOR: License#_ 34223	Is this a Prorated / Spaced Field?	☐Yes XN
Name: Utah Oil LLC	Target Formation(s): Squirrel	<b>-</b>
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): _866 /	
	Ground Surface Elevation: 875	feet MS
XOil LEnh Rec XInfield LMud Rotary	Water well within one-quarter mile:	Yes XN
Gas Storage Pool Ext. XAir Rotary	Public water supply well within one mile:	Yes XN
DisposalWildcatCable	Depth to bottom of fresh water: 25 /00	L.™ (△)"
Seismic ; # of Holes Other	Departe College Control Contro	
Other:		
The country, and well information on fellows.	Surface Pipe by Alternate: XIII	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 30 5	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth: 510	
Original Completion Date: Original Total Depth:	Formation at Total Depth: 508 5901114	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
f Yes, true vertical depth:	DWR Permit #:	/
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes □N
	If Yes, proposed zone: Squirrel	الله ۱۰۰۰ کی
	, , , , , , , , , , , , , , , , , , , ,	
	DAVIT	Dro-
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.	TECE
the management of the state of	• • • • • • • • • • • • • • • • • • • •	
		11.11.
It is agreed that the following minimum requirements will be met:		JUN 0
It is agreed that the following minimum requirements will be met:		RECE JUN 0 2
It is agreed that the following minimum requirements will be met:		JUN 0
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation.	rall <b>KEC</b> WIC
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction.	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary <i>prior</i>	rall <b>KEC</b> WIC
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugges.	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in;	to plugging;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the int	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS of	nall <b>KEC</b> WIC to plugging; of spud date.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternate	to plugging; of spud date. te II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided.	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatiolugged. In all cases, NOTIFY district office prior to any	to plugging; of spud date. te II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the intention of 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided.	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatiolugged. In all cases, NOTIFY district office prior to any	to plugging; of spud date. te II cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugged thereby certify that the statements made herein are true and to the best of my	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatiolugged. In all cases, NOTIFY district office prior to any knowledge and belief.	to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plugged thereby certify that the statements made herein are true and to the best of my	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatiolugged. In all cases, NOTIFY district office prior to any	to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date:  5/24/11 Signature of Operator or Agent:	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatiolugged. In all cases, NOTIFY district office prior to any knowledge and belief.	to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be uncertainty the operator and the districty. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be perfectly that the statements made herein are true and to the best of my Date:  5/24/11  Signature of Operator or Agent:	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatiologged. In all cases, NOTIFY district office prior to any knowledge and belief.	to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the state of the state of the state of the specific office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and to the best of my Date:    Signature of Operator or Agent:   Signature of	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternational plugged. In all cases, NOTIFY district office prior to any knowledge and belief.  Title:  **Comparison of the top; in all cases surface prior to any knowledge and belief.**  Title:  **Comparison of the top; in all cases surface pipe should be surfaced in; from the top; in all cases, NOTIFY district office prior to any knowledge and belief.  **Title:**  **Comparison of the top; in all cases surface pipe should be surfaced in; from the top; in all cases surface pipe should be surfaced in; from the top; in all cases surface pipe should be surfaced in; from the top; in all cases surface pipe should be surfaced in; from the top; in all cases surface pipe should be surfaced in; from the top; in all cases surface pipe should be surfaced in; from the top; in all cases surface pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cases surfaced pipe should be surfaced in; from the top; in all cas	to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be uncertainty the operator and the districty. The appropriate districty office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by the statements made herein are true and to the best of my Date:    Signature of Operator or Agent:   For KCC Use ONLY   API #15 - OS9 - 25650000	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any knowledge and belief.  Title:  Remember to:  - File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will set the operator and the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and to the best of my Date: 5/24/11  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - OS9 - 25 6500000  Conductor pipe required NONE feet	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any knowledge and belief.  Title:  Remember to:  - File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date	to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and to the best of my.  Date: 5/24/11  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - OS9 - 25 (500000)  Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatiolugged. In all cases, NOTIFY district office prior to any knowledge and belief.  Title:  Remember to:  - File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date - File acreage attribution plat according to field proration ord	to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will set the operator and the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and to the best of my Date: 5/24/11  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - OS9 - 25 6500000  Conductor pipe required NONE feet	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternate plugged. In all cases, NOTIFY district office prior to any knowledge and belief.  Title:  Remember to:  - File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date	to plugging; of spud date. te II cementing cementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved and the state of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5/24/11  Signature of Operator or Agent:  For KCC Use ONLY  API #15 - OS9 - 25 (SSOCOOOO)  Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatiolugged. In all cases, NOTIFY district office prior to any knowledge and belief.  Title:  Remember to:  - File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration ord Notify appropriate district office 48 hours prior to workover - Submit plugging report (CP-4) after plugging is completed	to plugging; of spud date. te II cementing cementing.  where Notification  where Notification  cers; or re-entry; (within 60 days);
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5/24/11  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - O 59 - 2 5 ( 50 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatiolugged. In all cases, NOTIFY district office prior to any knowledge and belief.  Title:  Remember to:  - File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration ord Notify appropriate district office 48 hours prior to workover - Submit plugging report (CP-4) after plugging is completed - Obtain written approval before disposing or injecting salt we	to plugging; of spud date. te II cementing cementing.  where Notification  where Notification  cers; or re-entry; (within 60 days); ater.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by that the statements made herein are true and to the best of my Date: 5/24/11  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OS9 - 25 (SSO - O)  Conductor pipe required	drilling rig; y circulating cement to the top; in all cases surface pipe shounderlying formation. ct office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAY's office of the surface within 120 DAY's office of the surface within 120 DAY's office prior to any office office prior to any office and belief.  Title:  **Remember to:*  - File Certification of Compliance with the Kansas Surface Office of the Konsey of the Kansas Surface Office of the Completion form CDP-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File acreage attribution plat according to field proration ord:  - Notify appropriate district office 48 hours prior to workover:  - Submit plugging report (CP-4) after plugging is completed:  - Obtain written approval before disposing or injecting salt were if well will not be drilled or permit has expired (See: authorized).	to plugging; of spud date. te II cementing cementing.  where Notification  where Notification  cers; or re-entry; (within 60 days); ater.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the office will be notified before well is either plugged. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the statements made herein are true and to the best of my Date: 5/24/11  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OS9 - 25 (SSO-OOO)  Conductor pipe required  Approved by: Must - 7 - 20   1  This authorization expires: 6 - 7 - 20   2	drilling rig; y circulating cement to the top; in all cases surface pipe sh underlying formation. ct office on plug length and placement is necessary prior d or production casing is cemented in; from below any usable water to surface within 120 DAYS of 3,891-C, which applies to the KCC District 3 area, alternatiolugged. In all cases, NOTIFY district office prior to any knowledge and belief.  Title:  Remember to:  - File Certification of Compliance with the Kansas Surface O Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration ord Notify appropriate district office 48 hours prior to workover - Submit plugging report (CP-4) after plugging is completed - Obtain written approval before disposing or injecting salt we	to plugging; of spud date. te II cementing cementing.  where Notification  where Notification  ceres; or re-entry; (within 60 days); ater. and expiration date)

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 For KCC Use ONLY
API # 15 - OSP 25 6500000

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Lease: Blunk Well Number: 25 Field: Paola/Rantoul	Location of Well: County: Franklin  866	
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: SW - NW - SE - SE	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	
lease roads, tank batteries, pipelines and electrical lines, a	PLAT rest lease or unit boundary line. Show the predicted locations of s required by the Kansas Surface Owner Notice Act (House Bill 2032). n a separate plat if desired.	
	LEGEND	
	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location	
	EXAMPLE JUN 0 2 201  KCC WICHITA	
	QL3	
	SEWARD CO. 3390' FEL	

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

# 15-059-256500000

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 33973	_ Well Location:	
Name: Guinotte Company LLC	SW NW SE SE Sec. 18 Twp.	17 <sub>S. R.</sub> 21 X Eas West
Address 1: 1526 S. Willow	County: Franklin	
Address 2:	Lease Name: Blunk	Well #: 25
city: Ottawa State: Ks Zip: 66067 +		
Contact Person: Tim Guinotte	the lease below:	,
Phone: ( 785 ) 229-2653 Fax: ( )	_	
Email Address:	_	
Surface Owner Information:		
lame: Bill McNish	When filing a Form T-1 involving multiple	
ddress 1: 3147 Nevada Terr	sheet listing all of the information to the owner information can be found in the re	eleft for each surface owner. Surface ecords of the register of deeds for the
ddress 2:	county, and in the real estate property ta	
Sity: Ottawa State: KS Zip: 66067 +		
		st supply the surface own FCF
f this form is being submitted with a Form C-1 (Intent) or CB-1 (Cat he KCC with a plat showing the predicted locations of lease roads, to are preliminary non-binding estimates. The locations may be entered	thodic Protection Borehole Intent), you mu ank batteries, pipelines, and electrical lines	. The locations shown on the plat a separate plat may be subhite?
f this form is being submitted with a Form C-1 (Intent) or CB-1 (Cat he KCC with a plat showing the predicted locations of lease roads, to are preliminary non-binding estimates. The locations may be entered Select one of the following:	thodic Protection Borehole Intent), you mu ank batteries, pipelines, and electrical lines d on the Form C-1 plat, Form CB-1 plat, or a	The locations shown on the plat a separate plat may be submitted. KCC WIC
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, to are preliminary non-binding estimates. The locations may be entered Select one of the following:	thodic Protection Borehole Intent), you must ank batteries, pipelines, and electrical lines d on the Form C-1 plat, Form CB-1 plat, or a e Act (House Bill 2032), I have provided to the located: 1) a copy of the Form C-1, Form m being filed is a Form C-1 or Form CB-1,	The locations shown on the plat a separate plat may be submitted. KCC WIC the following to the surface on CB-1, Form T-1, or Form
f this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, to the preliminary non-binding estimates. The locations may be entered select one of the following:	thodic Protection Borehole Intent), you mutank batteries, pipelines, and electrical lines of on the Form C-1 plat, Form CB-1 plat, or a electrical electrical lines of the Form C-1 plat, Form CB-1 plat, or a electrical electrical lines of the Form C-1, Form being filed is a Form C-1 or Form CB-1, and email address.  I acknowledge that, because I have not prowner(s). To mitigate the additional cost of the same of the same of the same electrical lines.	The locations shown on the place as eparate plat may be submitted.  KCC WICE The following to the surface in CB-1, Form T-1, or Form the plat(s) required by this epoided this information, the post the KCC performing this
f this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, the preliminary non-binding estimates. The locations may be entered select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filling in connection with this form; 2) if the form; and 3) my operator name, address, phone number, fax.  I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface.	thodic Protection Borehole Intent), you mustank batteries, pipelines, and electrical lines don the Form C-1 plat, Form CB-1 plat, or a see Act (House Bill 2032), I have provided the located: 1) a copy of the Form C-1, Form m being filed is a Form C-1 or Form CB-1, and email address.  I acknowledge that, because I have not provided to the KCC, which is enclosing fee, payable to the KCC, which is enclosing fee with this form. If the fee is not receiving fee with this form.	The locations shown on the place a separate plat may be submitted.  KCC WICE the following to the surface on CB-1, Form T-1, or Form the plat(s) required by this  beyided this information, the post the KCC performing this posed with this form.
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathe KCC with a plat showing the predicted locations of lease roads, to the preliminary non-binding estimates. The locations may be entered select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filling in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax.  I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 handliff choosing the second option, submit payment of the \$30.00 handliff.	thodic Protection Borehole Intent), you mustank batteries, pipelines, and electrical lines of on the Form C-1 plat, Form CB-1 plat, or a see Act (House Bill 2032), I have provided the located: 1) a copy of the Form C-1, Form means filed is a Form C-1 or Form CB-1, and email address.  I acknowledge that, because I have not provided the additional cost of ing fee, payable to the KCC, which is enclosing fee with this form. If the fee is not received.	The locations shown on the place separate plat may be submitted to the following to the surface in CB-1, Form T-1, or Form the plat(s) required by this povided this information, the of the KCC performing this posed with this form.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Guinotte Company LLC		License Number: 33973		
Operator Address: 1526 S. Willow			Ottawa Ks 66067	
Contact Person: Tim Guinotte		Phone Number: 785-229-2653		
Lease Name & Well No.: Blunk	25		Pit Location (QQQQ):	
Type of Pit:    Emergency Pit   Burn Pit	Pit is:	Existing	SW _ NW _ SE _ SE _ SE _ Sec18 _ Twp17 _ R21 _ X East _ West	
Settling Pit	If Existing, date cor	•	866 Feet from North / South Line of Section  963 Feet from East / West Line of Section	
(II VVF Supply AFT No. of Teal Dillion)	100	(bbis)	Franklin County	
Is the pit located in a Sensitive Ground Water	Area? VÝes 🗶	No-	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
is the bottom below ground level? Yes No	Artificial Liner?	10	How is the pit lined if a plastic liner is not used? Native Clay	
Pit dimensions (all but working pits):  Depth (	Length (fee	•	Width (feet) N/A: Steel Pits No Pit No Pit	
Distance to nearest water well within one-mile	of pit:	Depth to shallo	RECEN  west fresh water 30 7.2 feet. mation:  well owner electric log	
2762 feet Depth of water well 60 feet		Source of information:    X   measured		
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No		Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  Number of working pits to be utilized:  Abandonment procedure:  Air dry and fill with dirt.  Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ments are true and con	rect to the best of	my knowledge and belief.	
5-24-1/ Date	<u></u>	The Si	M gnature of Applicant or Agent	
	KCC	OFFICE USE O	NLY Steel Pit KRFAC RFAS	
Date Received: 6-2-11 Permit Nu	mber:	Perm	it Date: 6-2-1\ Lease Inspection: X Yes No	

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 2, 2011

Guinotte Company LLC 1526 S. Willow Ottawa, KS 66067

RE:

Drilling Pit Application Blunk Lease Well No. 25 SE/4 Sec. 18-17S-21E Franklin County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: File