For KCC Use:	10-12-2011
Effective Date:	2 2 2 2 2 1 1
District #	2
SGA2 1/Vec	No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010
Form must be Typed Form must be Signed

### NOTICE OF INTENT TO DOLL

Expected Spud Date: June 3rd, 2011	Spot Description: N 38.56281 W. 95.11949
month day year	SE _ NW - NW - NW Sec. 20 Twp. 17 S. R. 21 XE
OPERATOR: License# 34223	(0/0/0/0) 4,686 feet from N / X S Line of Section
Name: Utah Oil LLC	4,861 Feet from X E / W Line of Section
Address 1: 2394 Utah Rd	Is SECTION: Regular Mirregular2
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Rentoul State: KS Zip: 66079 +	County: Franklin
Contact Person: Bradley Leach	Lease Name: Hobbs Well #: W-2
Phone: 785-214-9472	Field Name: Paola/Rantoul
CONTRACTOR: License# Utah Oll LLC	─ Is this a Prorated / Spaced Field?
Name: 34223	Target Formation(s): Squirrel
Well Drilled For: / Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 446
	Ground Surface Elevation: 962 feet MS
Oil X Enh Rec X Infield Mud Rotary  Gas Storage Pool Ext. X Air Rotary	Water well within one-quarter mile:
Disposal Mildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 120
Other:	Depth to bottom of usable water: 200
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20 V
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 610
Original Completion Date: Original Total Depth:	
Discopional Designation and the formation with a 100 miles and 100 miles	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
KCC DKT #.	(Note: Apply for Permit with DWR
NOO DKI #.	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	I plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e</li> </ol>	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> s</li> </ol>	set by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into</li> </ol>	set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> s through all unconsolidated materials plus a minimum of 20 feet into</li> </ol>	set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation.  district office on plug length and placement is necessary prior to plugging;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall</i> be posted on e</li> <li>The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the office that the operator is either plus of the properties of the properties of the plus of the properties of the plus of the properties of the properties of the plus of the properties of the plus of t</li></ol>	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall</i> be posted on e</li> <li>The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either pl</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall</i> be posted on e</li> <li>The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plical from ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing.
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall</i> be posted on e</li> <li>The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the c</li> <li>The appropriate district office will be notified before well is either plo</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either place. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specific production.	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specific production.	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the certify that the statements made herein are true and to the best of the control of the	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the complete of the statements made herein are true and to the best of the complete of	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:  Flemember to:  File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. 6. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing. Title:  Tit
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. 6. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If be plugged. In all cases, NOTIFY district office prior to any cementing. Title:  Title:  Title:  Title:  Title:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the composition of the specified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the com	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constitution of the state of the specified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the constant of the plus of the spud date or the well shall be provided by the specific of the specific of the spud date or the well shall be provided by the specific of the spud date or the well shall be provided by the specific of the spud date or the well shall be provided by the specific of the spud date or the well shall be provided by the specific of the spud date or the well shall be provided by the specific of	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on e 3. The minimum amount of surface pipe as specified below <i>shall</i> be a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constitution of the state of the specified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the constitution.  Signature of Operator or Agent:  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - USS 9 - 25 6 46 - 00 - 00 - 00 - 00 - 00 - 00 - 00	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:    File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;   File Drill Pit Application (form CDP-1) with Intent to Drill;   File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the constitution of the state of the specified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the constant of the plus of the spud date or the well shall be provided by the specific of the specific of the spud date or the well shall be provided by the specific of the spud date or the well shall be provided by the specific of the spud date or the well shall be provided by the specific of the spud date or the well shall be provided by the specific of the spud date or the well shall be provided by the specific of	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged is and belief.  Title:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus of the specified before wel	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged is an all cases in the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date)
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the e 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the complet	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. It is a sternate if cementing and is the plugged. In all cases, NOTIFY district 3 area, alternate if cementing if be plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Title:  Title:  Title:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the e 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the complete of the end of the desired plane.  For KCC Use ONLY  API # 15 - Signature of Operator or Agent:  Signature of Operator or Agent:  Minimum surface pipe required feet per ALT.  This authorization expires:  (This authorization void if drilling not started within 12 months of approval date.)	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged. In all cases, NOTIFY district office prior to any cementing. If the plugged is an all cases in the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If well will not be drilled or permit has expired (See: authorized expiration date)

130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY API#15-059-25646-0000

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Utah Oil LLC	Location of Well: County: Franklin
Lease: Hobbs	4,686 feet from N / X S Line of Section
Weil Number: W-2	4,861 feet from X E / W Line of Section
Field: Paola/Rantoul	Sec. 20 Twp. 17 S. R. 21 X E W
Number of Acres attributable to well:  QTR/QTR/QTRQTR of acreage: SE - NW - NW - NW	Is Section: Regular or Imregular
	If Section is Irregular, locate well from nearest comer boundary.  Section corner used: NE NW SE SW
PL	AT
Show location of the well. Show footage to the nearest lease roads, tank batteries, pipelines and electrical lines, as requ	ired by the Kansas Surface Owner Notice Act (House Bill 2032).
FNL You may attach a sep	parate plat if desired.
<b>b</b>	

	+	$N \cup$			 	
FWL	446	6100	 	,,,,,,,,,	 	
			 		 ••••	

# Lease Road Location **EXAMPLE** 1980' FSL SEWARD CO. 3390' FEL

**LEGEND** Well Location Tank Battery Location Pipeline Location ----- Electric Line Location

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- In plotting the proposed location of the wen, you must ensure the first three manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, KCC WICHTA
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

### 15-059-25646-0000

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 34223	Well Location:
Name: Utah Oil LLC Address 1: 2394 Utah Rd	SE NW NW NW Sec. 20 Twp. 17 S. R. 21 X Eas West
Address 1: 2394 Utah Rd	County: Franklin
Address 2:	
City: Rantoul State: KS Zip: 66079 +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person: Phone: ( 785 ) 214-9472 Fax: ( ) Email Address: bleach@yahoo.com	the lease below:
Phone: ( 785 ) 214-94/2 Fax: ( )	
mail Address: bleach@yanoo.com	***************************************
Surface Owner Information:	
Name: Ron and Lisa Valdiviez Address 1: 2455 Utah Rd	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1: 2455 Utah Rd	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	
City: Rantoul State: KS Zip: 66079 +	
	Cathodic Protection Borehole Intent), you must supply the surface owners and the control of the
are preliminary non-binding estimates. The locations may be enter	, tank batteries, pipelines, and electrical lines. The locations shown on the plat
Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notowner(s) of the land upon which the subject well is or will	it, tank batteries, pipelines, and electrical lines. The locations shown on the plat ared on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  ice Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form form being filed is a Form C-1 or Form CB-1, the plat(s) required by this
Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or will CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, form; and I have not provided this information to the surface owner(s KCC will be required to send this information to the surface.	it, tank batteries, pipelines, and electrical lines. The locations shown on the plat ared on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  ice Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form form being filed is a Form C-1 or Form CB-1, the plat(s) required by this
Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or will CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, form; and provided this information to the surface owner(s KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hard forms the second option, submit payment of the \$30.00 hard.	ice Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form T-1, or Form form being filted is a Form C-1 or Form CB-1, the plat(s) required by this fax, and email address.  1) I acknowledge that, because I have not provided this information, the ce owner(s). To mitigate the additional cost of the KCC performing this idding fee, payable to the KCC, which is enclosed with this form, the KSONA-1 dling fee with this form.
Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or will CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, form; and the required to send this information to the surface owner(s KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hard form and the associated Form C-1, Form CB-1, Form T-1, or Form form and the associated Form C-1, Form CB-1, Form T-1, or Form form and the associated Form C-1, Form CB-1, Form T-1, or Form form and the associated Form C-1, Form CB-1, Form T-1, or Form form and the associated Form C-1, Form CB-1, Form T-1, or Form form and the associated Form C-1, Form CB-1, Form T-1, or Form form and the associated Form C-1, Form CB-1, Form T-1, or Form form and the associated Form C-1, Form CB-1, Form T-1, or Form CB-1, For	ice Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form T-1, or Form form being filed is a Form C-1 or Form CB-1, the plat(s) required by this fax, and email address.  1) I acknowledge that, because I have not provided this information, the ce owner(s). To mitigate the additional cost of the KCC performing this idling fee, payable to the KCC, which is enclosed with this form.  2) I acknowledge that, because I have not provided this information, the ce owner(s). To mitigate the additional cost of the KCC performing this idling fee, payable to the KCC, which is enclosed with this form.  3) I acknowledge that, because I have not provided this information, the ce owner(s). To mitigate the additional cost of the KCC performing this idling fee, payable to the KCC, which is enclosed with this form.  3) I acknowledge that, because I have not provided this information, the CCC performing this idling fee, payable to the KCC, which is enclosed with this form.
Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or will CP-1 that I am filing in connection with this form; 2) if the form; and 3) my operator name, address, phone number, form; and the provided this information to the surface owner(see KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 hards.	ice Act (House Bill 2032), I have provided the following to the surface be located: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form T-1, or Form form being filed is a Form C-1 or Form CB-1, the plat(s) required by this fax, and email address.  1) I acknowledge that, because I have not provided this information, the ce owner(s). To mitigate the additional cost of the KCC performing this idling fee, payable to the KCC, which is enclosed with this form.  2) I acknowledge that, because I have not provided this information, the ce owner(s). To mitigate the additional cost of the KCC performing this idling fee, payable to the KCC, which is enclosed with this form.  3) I acknowledge that, because I have not provided this information, the ce owner(s). To mitigate the additional cost of the KCC performing this idling fee, payable to the KCC, which is enclosed with this form.  3) I acknowledge that, because I have not provided this information, the CCC performing this idling fee, payable to the KCC, which is enclosed with this form.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Utah Oil LLC Operator Address: 2394 Utah Rd			License Number: 34223
			Rantoul KS 66079
Contact Person: Bradley Leach			Phone Number: 785-214-9472
Lease Name & Well No.: Hobbs	W-2		Pit Location (QQQQ):
Type of Pit:	Pit is:		SE NW NW NW
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 20 Twp. 17 R. 21 X East West
Settling Pit X Drilling Pit	If Existing, date const	tructed:	4,686 Feet from North / X South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	4,861 Feet from X East / West Line of Section Franklin County
Is the pit located in a Sensitive Ground Water A	Area? U-Yes 🗶 No	•	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
is the bottom below ground level?  X Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? Native Clay
Pit dimensions (all but working pits):	Length (feet)	8	Width (feet) N/A: Steel Pits
Depth fr	om ground level to deepe	est point:	5 (feet) No Pit
Distance to nearest water well within one-mile	of nit		8
		Source of infor	west fresh water 20 /2 feet.
47/9 feet Depth of water well		•	west fresh water 20 /2 feet. mation:  X well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:	GO feet	Source of infor measured	west fresh water 20 /2 feet. mation:    X   well owner   electric log   KDWR
	LO feet	Source of infor measured  Drilling, Worke Type of materia	west fresh water 20 /2 feet. mation:  X well owner electric log KDWR  over and Haul-Off Pits ONLY:  Fresh Water  1
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	LO feet	Source of infor measured  Drilling, Worke Type of materia Number of wor	west fresh water
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:	LO feet	Source of infor measured  Drilling, Worke Type of materia	mation:    X   well owner
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	GO feet	Source of infor measured  Drilling, Worke Type of materia Number of wor Abandonment	west fresh water 20 /2 feet. mation:    X   well owner
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all sflow into the pit?  Yes No  I hereby certify that the above stater	feet feet	Source of informeasured  Drilling, Worker Type of materia Number of wor Abandonment Drill pits must be control to the best of	De closed within 365 days of spud date.  my knowledge and belief.  SCC WICH
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all story into the pit?  I hereby certify that the above stater	feet feet	Source of informeasured  Drilling, Worker Type of materia Number of wor Abandonment Drill pits must be control to the best of	RECEIVE OPE closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all sflow into the pit?  Yes No  I hereby certify that the above stater	spilled fluids to	Source of informeasured  Drilling, Worker Type of materia Number of wor Abandonment Drill pits must be control to the best of	my knowledge and belief.  SCC WICH  gnature of Applicant or Agen

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 2, 2011

Utah Oil LLC 2394 Utah Rd Rantoul, KS 66079

RE:

Drilling Pit Application Hobbs Lease Well No. W-2 NW/4 Sec. 20-17S-21E Franklin County, Kansas

#### Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit immediately after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Kata tegen

**Environmental Protection and Remediation Department** 

cc: File

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



phone: 316-337-6200 fax: 316-337-6211 http://kcc.ks.gov/

Thomas E. Wright, Chairman Ward Loyd, Commissioner

Corporation Commission

Sam Brownback, Governor

#### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.