For KCC Use: Effective Date: District # SGA? Yes XNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date: June 19, 2011 month day year	Spot Description:
man and a second a	SE - SW - NW - SE Sec. 6 Twp. 15 S. R. 18 TEXW
33457	(argrara) 1,507 feet from N / X S Line of Section
PERATOR: License#	2,307 feet from \times E / \times U Line of Section
	Is SECTION: Regular Irregular?
Address 1: 503 West 30th	is Section. Mikegular Millegular?
\(\text{\text{Address 2:}} \) City: \(\text{Hays} \) \(\text{State:} \) \(\text{KS} \) \(\text{Zip:} \) \(\text{67601} \) \(\text{+} \) \(\text{-} \)	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Walter Dechant	County: 2115
Phone: 785-625-5281	Lease Name: Walt Dechant Well #: 2
none.	Field Name: Dechant
CONTRACTOR: License# 5264 5184	— Is this a Prorated / Spaced Field?
Name: Shields Drilling Company, Inc. Shields Dil Producers, Inc	Target Formation(s): Kansas City - Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 333 ft.
_ /	Ground Surface Elevation: n/a Est 20/2 feet MSL
XOil Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Mildcat Cable	Depth to bottom of fresh water: 150
Seismic ;# of HolesOther	Depth to bottom of usable water: 250 430
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 900 ft.
-	Laurette of Orand, also Discott San A
Operator:	
Well Name:	Projected Total Depth: 3630 ft.
Original Completion Date: Original Total Depth:	Formation at Total Depth: Kansas City - Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	No Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note : Apply for Permit with DWR)
(CC DKT #:	── Will Cores be taken?
	If Yes, proposed zone: RFCFIVED
	AEEIDAVIT
•	AFFIDAVIT
The undersigned bareby offices that the drilling completion and eventual	d physician of this woll will as make with MCA EE at any JUIT 1 3 4VII
•	Il plugging of this well will comply with K.S.A. 55 et. seq.
•	il plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	KCC WICHITA
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e	RCC WICHITA
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> :	RCC WICHITA each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either process.	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either piece. If an ALTERNATE II COMPLETION, production pipe shall be ceme	seach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on e. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing orde 	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pi 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; surged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pi 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; surged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE If COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; surged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 A copy of the approved notice of intent to drill shall be posted on e The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either pi If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde 	Each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pi 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: June 14, 2011 Signature of Operator or Agent:	Each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the formal to the specified before well is either p. 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE If COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: June 14, 2011 Signature of Operator or Agent:	Each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best pate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O SI - 26 / SY - ODDOO	Each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be reby certify that the statements made herein are true and to the best plate: Signature of Operator or Agent: For KCC Use ONLY API # 15 - O SI - 26 / SY - OCCOO	Each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the spud an intention of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the spud all unconsolidated materials plus a minimum of 20 feet into the spud all unconsolidated materials plus a minimum of 20 feet into the spud before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best contact. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 2015 4-000000000000000000000000000000000000	Each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pi 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: June 14, 2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 26/54-0000 Conductor pipe required	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; CC WICHITA KCC WICHITA KCC WICHITA KCC WICHITA CO Days of spud be set on the underlying set of the set
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the properties of the specified properties and the computer of the specified properties of the specified pro	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; surged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing till be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pi 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: June 14, 2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 26/54-0000 Conductor pipe required	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is necessary prior to workover or re-entry; Seach drilling rig; KCC WICHTA **COMPITA** **COMPIT
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE If COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: June 14, 2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - 26 / SY - OSI Conductor pipe required feet Minimum surface pipe required feet per ALT. Minimum surface pipe required feet per ALT.	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the forematical transpropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: June 14, 2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - ZUIS 4-0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. Approved by: Minimum surface pipe required feet per ALT. This authorization expires: [g-14-2012]	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Othain written approval before disposing or injecting salt water. It well will not be drilled or permit has expired (See: authorized expiration date)
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the forematical transpropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: June 14, 2011 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OSI - ZUIS 4-0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. Approved by: Minimum surface pipe required feet per ALT. This authorization expires: [g-14-2012]	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; dugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: Agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.

For KCC Use ONLY
API # 15 - 051-26154-0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Walter Dechant dba Dechant Oli Company Lease: Walt Dechant	Location of Well: County: Ellis 1,507 feet from N / X S Line of Section
	2,307 feet from \times E / \times W Line of Section
Well Number: 2	Sec. 6 Twp. 15 S. R. 18 E W
Field: Dechant	Sec IWP S. R Z. R Z. R
Number of Acres attributable to well:	Is Section: 🔀 Regular or 🔲 Irregular
QTR/QTR/QTR/QTR of acreage: SE _ SW _ NW _ SE	
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT
lease roads, tank batteries, pipelines and electrical lines,	arest lease or unit boundary line. Show the predicted locations of as required by the Kansas Surface Owner Notice Act (House Bill 2032). ch a separate plat if desired.
	LECEND
	LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location
L	EXAMPLE
	`
	1507\$
	··· ······· I

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-051-26154-0000

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 33457 Name: Walter Dechant dba Dechant Oil Company	Well Location: SE_SW_NW_SE_Sec. 6 Twp. 15 S. R. 18 Eas West	
Address 1: 503 West 30th	County: Ellis Lease Name: Walt Dechant Well #: 2 If filing a Form T.1 for multiple wells on a lease enter the legal description of	
Address 2		
Contact Person: Walter Dechant Phone: (785) 625-5281 Fax: ()		
	the lease below:	
Phone: (785) 625-5281 Fav: ()	RECEIVED	
Email Address:		
	KCC WICHITA	
Surface Owner Information: Walter Dechant		
Name: Walter Dechant	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface	
Address 1: 503 West 30th	owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City.		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road	(Cathodic Protection Borehole Intent), you must supply the surface owners and dis, tank batteries, pipelines, and electrical lines. The locations shown on the plat ered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road	(Cathodic Protection Borehole Intent), you must supply the surface owners and ds, tank batteries, pipelines, and electrical lines. The locations shown on the plat	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road are preliminary non-binding estimates. The locations may be entered to be select one of the following:	(Cathodic Protection Borehole Intent), you must supply the surface owners and ds, tank batteries, pipelines, and electrical lines. The locations shown on the plat ered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. otice Act (House Bill 2032), I have provided the following to the surface fill be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road are preliminary non-binding estimates. The locations may be enterested one of the following: Certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or well of the common of the form; and 3) my operator name, address, phone number, the common of the surface owner will be required to send this information to the surface owner will be required to send this information to the surface.	(Cathodic Protection Borehole Intent), you must supply the surface owners and ds, tank batteries, pipelines, and electrical lines. The locations shown on the plat ered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. otice Act (House Bill 2032), I have provided the following to the surface fill be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road are preliminary non-binding estimates. The locations may be entered to select one of the following: Certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or with CP-1 that I am filling in connection with this form; 2) if the form; and 3) my operator name, address, phone number, I have not provided this information to the surface owner KCC will be required to send this information to the surface owner task, I acknowledge that I am being charged a \$30.00 has	(Cathodic Protection Borehole Intent), you must supply the surface owners and ds, tank batteries, pipelines, and electrical lines. The locations shown on the plat ered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Totice Act (House Bill 2032), I have provided the following to the surface fill be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form a form being filed is a Form C-1 or Form CB-1, the plat(s) required by this, fax, and email address. (s). I acknowledge that, because I have not provided this information, the face owner(s). To mitigate the additional cost of the KCC performing this andling fee, payable to the KCC, which is enclosed with this form.	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (the KCC with a plat showing the predicted locations of lease road are preliminary non-binding estimates. The locations may be entered to select one of the following: Certify that, pursuant to the Kansas Surface Owner Not owner(s) of the land upon which the subject well is or well owner(s) of the land upon which the subject well is or well certify that I am filling in connection with this form; 2) if the form; and 3) my operator name, address, phone number, the land upon which the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to the surface owner (kCC will be required to send this information to	(Cathodic Protection Borehole Intent), you must supply the surface owners and ds, tank batteries, pipelines, and electrical lines. The locations shown on the plat ered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Totice Act (House Bill 2032), I have provided the following to the surface fill be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this fax, and email address. (s). I acknowledge that, because I have not provided this information, the face owner(s). To mitigate the additional cost of the KCC performing this andling fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 and CP-1 will be returned.	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Walter Dechant dba Dechant Oil Company		License Number: 33457		
Operator Address: 503 West 30th		Hays KS 67601		
Contact Person: Walter Dechant		Phone Number: 785-625-5281		
Lease Name & Well No.: Walt Dechant 2		Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: X Proposed	(bbls)	SE SW NW SE Sec. 6 Twp. 15 R. 18 East West 1,507 Feet from North / South Line of Section 2,307 Feet from East / West Line of Section Ellis County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? X Yes No	Artificial Liner? Yes X No		How is the pit lined if a plastic liner is not used? plastic liner	
Pit dimensions (all but working pits):				
Source of inform		west fresh water 40 / 6 feet.		
n/a 3682 feet Depth of water well 40 feet measured		well owner electric log X KDWR		
Producing Formation: Type of r Number of producing wells on lease: Number Barrels of fluid produced daily: Abandor Does the slope from the tank battery allow all spilled fluids to		Type of material Number of work	over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drilling Fluids king pits to be utilized: procedure: Pit contents will be allowed to evaporate and backfill be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. June 14, 2011 Date Date June 14, 2011 Signature of Applicant or Agent				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS Date Received: 4-14-11 Permit Number: Permit Date: 4-14-11 Lease Inspection: Yes No				