For KCC Use: 6-27-2011 District # 4 SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	7-7-11		Spot Description:	
	month a	day year	c _ ne _ nw _ nw Sec. 33 Twp. 9	_S. R. <u>25</u>
	34392		(On Onl)	N / S Line of Section
OPERATOR: License#			leet nom 🔼	E / X W Line of Section
Name: TexKan Exploration				E / X w Line of Section
Address 1: P.O. Box 1916	643		Is SECTION: Regular Irregular?	
Address 2:		-: 75040	(Note: Locate well on the Section Plat of	n reverse side)
City: Dallas Contact Person: Bill Robi		Zip: <u>75219</u> +	County: Ordination	
705 000 1010	IIISOII		Lease Name: Pfeifer	Well #: 1
THORE.			Field Name: Bollig	
CONTRACTOR: Licensel	# 33350 -		Is this a Prorated / Spaced Field?	Yes No
Name: Southwind Drilling			Target Formation(s): Lansing/Kansas City	
Well Drilled For:	Well Class: 🔎	Type Equipment:	Nearest Lease or unit boundary line (in footage); 33	0
			Ground Surface Elevation: Est 2591	feet MSL
X Oil Enh	 -	Mud Rotary	Water well within one-quarter mile:	Yes XNo
Gas Stora		Air Rotary	Public water supply well within one mile:	Yes X No
Disp	—	Cable	Depth to bottom of fresh water: 186755	<u></u>
Seismic ;# Other:#	or notes Dotner		Depth to bottom of usable water: 1360	
oulei.			Surface Pipe by Alternate:	
If OWWO: old well	Il information as follows:		Length of Surface Pipe Planned to be set: 210	-
			Length of Conductor Pipe (if any): na	•
			Projected Total Depth: 4200	
Well Name:	Origi	inal Total Donth:	Formation at Total Depth: Lansing/Kansas City	
Original Completion D	DateOngi	inal Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or He	orizontal wellbore?	Yes X	No Well Farm Pond Cher: truck	
If Yes, true vertical depth:		EIVED		
Bottom Hole Location	KANSAS CORPORA	ATION COMMISSION	DWR Permit #:(Note: Apply for Permit with DW	- 9
KCC DKT #:			(Note. Apply for Perfill with DVV	
			MAII Caron ha takan?	I IVaa IVIIIa
The undersigned hereby	CONSERVA affirms that the defiles	Completion and eventu	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq.	Yes No
The undersigned hereby It is agreed that the follor 1. Notify the appropr 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Approve the suppropriate description.	consense a affirms that the difficient of the district office prior roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notified in COMPLETION, product "B" - Eastern Kard within 30 days of the	prompletion and eventuments will be met: To spudding of well; of crill shall be posted on specified below shall be a minimum of 20 feet in ween the operator and the fied before well is either duction pipe shall be cen ansas surface casing orcespud date or the well shall be well shall be contacted.	AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. le district office on plug length and placement is necessary plugged or production casing is cemented in; mented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, alt half be plugged. In all cases, NOTIFY district office prior to	oe shall be set prior to plugging; AYS of spud date. ernate It cementing
The undersigned hereby It is agreed that the follows: 1. Notify the appropriate of the a	consense a affirms that the difficient of the district office prior roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notified in COMPLETION, product "B" - Eastern Kard within 30 days of the	prompletion and eventuments will be met: To spudding of well; of crill shall be posted on specified below shall be a minimum of 20 feet in ween the operator and the fied before well is either duction pipe shall be cen ansas surface casing orcespud date or the well shall be well shall be contacted.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. le district office on plug length and placement is necessary plugged or production casing is cemented in; nented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, alt half be plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief.	oe shall be set prior to plugging; AYS of spud date. ernate If cementing any cementing.
The undersigned hereby It is agreed that the follor 1. Notify the appropr 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Approve the completer I hereby certify that the s	consense a affirms that the difficient of the district office prior roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betwistrict office will be notified in COMPLETION, product "B" - Eastern Kard within 30 days of the	prompletion and eventuments will be met: to spudding of well; of crill shall be posted on specified below shall be a minimum of 20 feet in veen the operator and the fied before well is either duction pipe shall be cen ansas surface casing or spud date or the well shall are true and to the besent the shall be centary and the shall be shall be centary and the shall be centary and the shall be shall be centary and the shall be called the shall be centary and the shall be centary and the shall be centary and the shall be called the shall be contary and the shall be called	AFFIDAVIT ual plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. le district office on plug length and placement is necessary plugged or production casing is cemented in; mented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, alt half be plugged. In all cases, NOTIFY district office prior to	oe shall be set prior to plugging; AYS of spud date. ernate II cementing any cementing.
The undersigned hereby It is agreed that the follor 1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Appropriate of the Appropriate of the pursuant to Appropriate of the Appro	CONSERVA y affirms that the diffiguring minimum requirent riate district office prior roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement between district office will be notified. If COMPLETION, produpendix "B" - Eastern Kand within 30 days of the statements made hereing	prompletion and eventuments will be met: to spudding of well; of crill shall be posted on specified below shall be a minimum of 20 feet in veen the operator and the fied before well is either duction pipe shall be cen ansas surface casing or spud date or the well shall are true and to the besent the shall be centary and the shall be shall be centary and the shall be centary and the shall be shall be centary and the shall be called the shall be centary and the shall be centary and the shall be centary and the shall be called the shall be contary and the shall be called	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. le district office on plug length and placement is necessary plugged or production casing is cemented in; nented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, alt half be plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief.	oe shall be set prior to plugging; AYS of spud date. ernate If cementing any cementing.
The undersigned hereby It is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Appropriate to the completer I hereby certify that the second	consense a affirms that the difficulty of affirms that the difficulty of the count of surface pipe as solidated materials plus ole, an agreement between the completion of the count of the completion of the completion of the count of	ments will be met: rto spudding of well; o drill shall be posted on specified below shall be sa minimum of 20 feet ir veen the operator and th fied before well is either duction pipe shall be cen ansas surface casing or spud date or the well sh n are true and to the bes	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. be district office on plug length and placement is necessary plugged or production casing is cemented in; nented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, alt half be plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: agent	oe shall be set prior to plugging; AYS of spud date. ernate II cementing any cementing.
The undersigned hereby It is agreed that the follow 1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Appropriate to a complete I hereby certify that the second	consense affirms that the difficulty of affirms that the difficulty of a firm of the count of surface pipe as solidated materials plus solidated materials plus solidated materials plus ole, an agreement between the count of surface will be notified if I COMPLETION, produpendix "B" - Eastern Kand within 30 days of the statements made herein Signature of Open 23 751-00	ments will be met: rto spudding of well; o drill shall be posted on specified below shall be sa minimum of 20 feet ir veen the operator and th fied before well is either duction pipe shall be cen ansas surface casing or spud date or the well sh n are true and to the bes	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. be district office on plug length and placement is necessary plugged or production casing is cemented in; nented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, alt half be plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: agent Remember to: - File Certification of Compliance with the Kansas Surface (KSONA-1) with Intent to Drill;	ore shall be set prior to plugging; AYS of spud date. ernate II cementing any cementing.
The undersigned hereby It is agreed that the follows: 1. Notify the appropriate in the follows: 2. A copy of the appropriate in the well is dry here. 5. The appropriate in the follows: 6. If an ALTERNATE or pursuant to Appropriate in the complete. I hereby certify that the second in the follows: 6-21-11 For KCC Use ONLY	consense of affirms that the difficient of the difficient of the difficient of the difficient of the district office prior oved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement betwinstrict office will be notified to COMPLETION, produpendix "B" - Eastern Kand within 30 days of the statements made herein Signature of Open Company of the Statements of Open Company of the Statements of Open Company of the Statements of Open Company of the Company of the Statements of Open Company of the Comp	ments will be met: rto spudding of well; o drill shall be posted on specified below shall be sa minimum of 20 feet ir veen the operator and th fied before well is either duction pipe shall be cen ansas surface casing or spud date or the well sh n are true and to the bes	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. be district office on plug length and placement is necessary a plugged or production casing is cemented in; nented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, alt half be plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: agent Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill	oe shall be set prior to plugging; AYS of spud date. ernate If cementing any cementing.
The undersigned hereby It is agreed that the follor 1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Appropriate t	consense affirms that the difficulty of affirms that the difficulty wing minimum requirent riate district office prior roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement between the district office will be notified in COMPLETION, produpendix "B" - Eastern Kard within 30 days of the statements made herein Signature of Open Company of the Statements made herein Signature of Open Company of the Statements made herein Company of the Statements made herein Signature of Open Company of the Statements made herein Company of the Statement Company of the	prompletion and eventuments will be met: To spudding of well; To spudding of well; To specified below shall be so a minimum of 20 feet in ween the operator and the field before well is either duction pipe shall be caused ansas surface casing ord spud date or the well shall are true and to the best perator or Agent:	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. be district office on plug length and placement is necessary a plugged or production casing is cemented in; nented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, all half be plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill - File Completion Form ACO-1 within 120 days of spud	oe shall be set prior to plugging; AYS of spud date. ernate If cementing any cementing. ace Owner Notification
The undersigned hereby It is agreed that the follor 1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Appropriate to appropriate to appropriate to the second to the second to the second to the second the second to the second that the second to the se	consense affirms that the difficulty of affirms that the difficulty wing minimum requirent riate district office prior roved notice of intent to ount of surface pipe as solidated materials plus ole, an agreement between the complex of the statements of the statements made herein Signature of Open Carolina (Consense) Signature of Open	ments will be met: rto spudding of well; of drill shall be posted on specified below shall be s a minimum of 20 feet ir even the operator and th fied before well is either duction pipe shall be cen ansas surface casing or spud date or the well sh n are true and to the bes perator or Agent:	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. be district office on plug length and placement is necessary a plugged or production casing is cemented in; nented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, all half be plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: agent Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill - File Completion Form ACO-1 within 120 days of spud - File acreage attribution plat according to field proratio	pe shall be set prior to plugging; AYS of spud date. ernate If cementing any cementing. ace Owner Notification ill; date; n orders;
The undersigned hereby It is agreed that the follor 1. Notify the appropr 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Apmust be complete I hereby certify that the s Date: 6-21-11 For KCC Use ONLY API # 15 - COS Conductor pipe required Minimum surface pipe re Approved by: WM-V	consense a affirms that the difficulty of affirms that the difficulty of a affirms that the difficulty of a series of intent to ount of surface pipe as solidated materials plus ole, an agreement between the construction of the	reconstruction and eventuments will be met: rto spudding of well; o drill shall be posted on specified below shall be a minimum of 20 feet in ween the operator and lise either duction pipe shall be centansas surface casing order spuddate or the well shan are true and to the best perator or Agent: feet feet per ALT.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. n each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. be district office on plug length and placement is necessary a plugged or production casing is cemented in; nented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, alt half be plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: agent Remember to: - File Certification of Compliance with the Kansas Surfact (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud - File acreage attribution plat according to field proratio - Notify appropriate district office 48 hours prior to work	pe shall be set prior to plugging; AYS of spud date. ernate If cementing any cementing. ace Owner Notification iil; date; n orders; over or re-entry;
The undersigned hereby It is agreed that the follows: 1. Notify the appropriate of the appropriate of the well is dry hereby certify that the second of the	consense de difference de la consense de la consens	respective shows the property of the property	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. a each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. be district office on plug length and placement is necessary plugged or production casing is cemented in; nented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, alt half be plugged. In all cases, NOTIFY district office prior to set of my knowledge and belief. Title: Remember to: - File Certification of Compliance with the Kansas Surface (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud - File acreage attribution plat according to field proratio - Notify appropriate district office 48 hours prior to work - Submit plugging report (CP-4) after plugging is completed.	pe shall be set prior to plugging; AYS of spud date. ernate If cementing any cementing. ace Owner Notification ill; date; n orders; over or re-entry; eted (within 60 days);
The undersigned hereby It is agreed that the follor 1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Ap must be completed I hereby certify that the s Date: 6-21-11 For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by: WWW- This authorization expire	consense de difference de la consense de la consens	reconstruction and eventuments will be met: rto spudding of well; o drill shall be posted on specified below shall be a minimum of 20 feet in ween the operator and lise either duction pipe shall be centansas surface casing order spuddate or the well shan are true and to the best perator or Agent: feet feet per ALT.	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. a each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. be district office on plug length and placement is necessary plugged or production casing is cemented in; nented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, alt half be plugged. In all cases, NOTIFY district office prior to set of my knowledge and belief. Title: Remember to: - File Certification of Compliance with the Kansas Surface (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud - File acreage attribution plat according to field proratio - Notify appropriate district office 48 hours prior to work - Submit plugging report (CP-4) after plugging is completed.	pe shall be set prior to plugging; AYS of spud date. ernate If cementing any cementing. any cementing. and ce Owner Notification iil; date; n orders; over or re-entry; eted (within 60 days); alt water.
The undersigned hereby It is agreed that the follor 1. Notify the appropr 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate d 6. If an ALTERNATE Or pursuant to Ap must be completed I hereby certify that the s Date: 6-21-11 For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by: WWW- This authorization expire	consense de difference de la consense de la consens	respective shows the property of the property	AFFIDAVIT all plugging of this well will comply with K.S.A. 55 et. seq. a each drilling rig; e set by circulating cement to the top; in all cases surface pinto the underlying formation. le district office on plug length and placement is necessary plugged or production casing is cemented in; nented from below any usable water to surface within 120 D. der #133,891-C, which applies to the KCC District 3 area, alt half be plugged. In all cases, NOTIFY district office prior to st of my knowledge and belief. Title: agent	pe shall be set prior to plugging; AYS of spud date. gernate If cementing any cementing. any cementing. ace Owner Notification ill; date; n orders; over or re-entry; eted (within 60 days); alt water. thorized expiration date)

For KCC Use ONLY API#15-065-23751-00-00

Operator: TexKan Exploration, LLC

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

in all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: Graham

Lease: Pfeifer	330 feet from N / S Line of Section
Well Number: 1	
Field: Bollig	Sec. <u>33</u> Twp. <u>9</u> S. R. <u>25</u> E 🔀 W
Number of Acres attributable to well: 160	─ Is Section: ☐ Regular or ☐ Irregular
QTR/QTR/QTR/QTB of acreage: c _ ne _ nw _ nw	Is occitor. Michael of Linegalar
CANSAS CORPORATION COMMISSION	If Section is Irregular, locate well from nearest corner boundary.
JUN 2 2 2011	Section corner used: NE NW SE SW
CONSERVATION DIVISION WICHITA, KS	PLAT
lease roads, tank batteries, pipelines and electrical lines, as	est lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032). a separate plat if desired.
990	LEGEND
	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
	· · · ·
33	EXAMPLE
	1980' FSL
	SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-065-23751-0000

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

ODEDATOD: Liconco # VIVV	Well Location:		
OPERATOR: License # 34392 Name: TexKan Exploration, LLC	c ne nw nw Sec. 33 Twp. 9 S. R. 25 Eas West		
Address 1: P.O. Box 191643	County: Graham		
Address 2:	Lease Name: Pfeifer Well #: 1		
City: Dallas State: TX Zip: 75219 +	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person: Bill Robinson	the lease below:		
Phone: (785) 688-4040 Fax: ()			
Email Address: RECEIVED KANSAS CORPORATION COMMISSION			
Surface Owner Information: JUN 2 2 2011			
Name: Allen Pfeifer	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1: 2514 Marjorie CONSERVATA MICHITA III	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:			
the KCC with a plat showing the predicted locations of lease roads, ta	nodic Protection Borehole Intent), you must supply the surface owners and the batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface.	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this		
owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 handling.	elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form in being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ing fee, payable to the KCC, which is enclosed with this form.		
owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 handling the second option, submit payment of the \$30.00 handling the second option, submit payment of the \$30.00 handling the second option.	elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form in being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ing fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TexKan Exploration,	LLC	License Number: 34392				
Operator Address: P.O. Box 19164	3	Dallas TX 75219				
Contact Person: Bill Robinson		Phone Number: 785-688-4040				
Lease Name & Well No.: Pfeifer 1			Pit Location (QQQQ):			
Type of Pit:	Pit is:		cnenwnw			
Emergency Pit Burn Pit	X Proposed Existing		Sec. 33 Twp. 9 R. 25 East X West			
Settling Pit X Drilling Pit	If Existing, date constructed:		Feet from X North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		990 Feet from East / X West Line of Section			
		(bbis)	Graham County			
Is the pit located in a Sensitive Ground Water A	urea? ☐ Yes 🗶	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
X Yes No	X Ye s X ∩	No	Drlg mid			
Pit dimensions (all but working pits):	DO Length (fee	et) 100	Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point:5 (feet) No Pit						
If the pit is lined give a brief description of the material, thickness and installation or components.	ner D N COMMISSION	1	dures for periodic maintenance and determining including any special monitoring.			
JUN 22						
CONSERVATION WICHITA						
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of inforr	west fresh water 160 らつ feet. mation:			
	11 O feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: chemical mud				
Number of producing wells on lease:			king pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure: pits allowed to dry by evaporation then			
Does the slope from the tank battery allow all so flow into the pit? Yes No	pilled fluids to	Drill pits must b	backfilled be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
6-21-11 Date		B, o	mature of Applicant or Agent			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
Date Received: <u>6-22-11</u> Permit Numb	per:	Permi	t Date: 6-22-11 Lease Inspection: Yes 🗷 No			