KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

RECEIVED

JUN 2 9 2011 March 2010
Form must be Typed
Form must be Signed

	6 4 6 7 7 7 7
Expected Spud Date: July 5, 2011 month day year	Spot Description: Sec24
DPERATOR: License#6044	teet from x N / S Line of Section
ame: Stelbar Oil Corporation, Inc.	
Address 1: 1625 N. Waterfront Parkway, Suite #200	Is SECTION: x Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Wichita State; Kansas Zip: 67206 + 6602	County: Chautauqua
Contact Person: Roscoe L. Mendenhali	Lease Name: Floyd 'A' Well #: 32
Phone: 316 / 264-8378	Field Name: Landon-Floyd
CONTRACTOR: License# 32701	Is this a Prorated / Spaced Field? Yes X No
Name: C&G Drilling, Inc.	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):990'
	Ground Surface Elevation: 1114' feet MSL
X Oil Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic: # of Holes Other	Depth to bottom of fresh water: 110 Ft.
Other:	Depth to bottom of usable water: 480 Ft.
	Surface Pipe by Alternate: X II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:125 Ft
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 2100 Ft.
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
<u> </u>	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes X No	Well x Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plu	FIDAVIT agging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	addilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; yed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of materials.	addilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging ; yed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the complete of the statements of the spud date of the set of materials and the statements made herein are true and to the best of materials of the spud date of the set of materials and the statements made herein are true and to the best of materials of the spud date of the set of materials and the statements made herein are true and to the best of materials of the spud date of the set of materials and the statements made herein are true and to the best of materials and the statements and the spud date of the set of materials and the statements and the statements are statements	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the set by circulating cement to plugging; by deform to plugging; by circulating cement to plugging; by deform to plugging; by circulating cement to plugging; by deform to plugging; by circulating rig; by circulating ri
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials. Date: O6/08/2011 Signature of Operator or Agent	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the set by circulating cement to the set by circulating cement to the set by circulating cement to plugging; by deform to plugging; by deform to plugging; by circulating cement to plugging; by deform to plugging; by circulating cement to plugging; by deform to plugging; by circulating rig; by circ
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the complete of the statements of the spud date of the set of materials and the statements made herein are true and to the best of materials of the spud date of the set of materials and the statements made herein are true and to the best of materials of the spud date of the set of materials and the statements made herein are true and to the best of materials of the spud date of the set of materials and the statements made herein are true and to the best of materials and the statements and the spud date of the set of materials and the statements and the statements are statements	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases are pipe shall be set by circulating cement to plugging; by defined on plug length and placement is necessary prior to plugging; by defined on plug length and placement din; defined on plug length applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. By knowledge and belief. Roscoe L. Mendenhall Title: Vice-President / Operations Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud state of the set of materials of the spud state of the set of materials of the spud state of the set of materials of the spud state of the set of materials of the spud state of the set of materials of the spud state of the set of materials of the spud state of the set of materials of the spud state of the set of materials of the spud state of the spud state of the set of materials of the spud state of the spud state of the spud state of the set of materials of the spud state of the spud state of the set of materials of the spud state of the set of materials of the spud state of the spud state of the sum of the spud state of	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to plugging; by deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. The plugged and belief. Roscoe L. Mendenhall Title: Vice-President / Operations Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong file will be notified before well is either plugg for pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of modern and strong plus properties and surface plus propertie	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases are pipe shall be set by circulating cement to plugging; by defined on plug length and placement is necessary prior to plugging; by defined on plug length and placement din; defined on plug length applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. By knowledge and belief. Roscoe L. Mendenhall Title: Vice-President / Operations Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud date of the set of the set of materials of the spud date of the set of the spud date of the set of the spud date of the set of the set of the spud date of the set	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases and placement is necessary prior to plugging; by deform below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. 133,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. 134,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. 134,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. 135,891-C, which applies to the KCC District 3 area, alternate II cementing by plugging is cemented in; 136,891-C, which applies to the KCC District 3 area, alternate II cementing by plugging in cemental II cementing by plugging in cement II cementing by plugging in cementing by plugging in cementing by plugging in cementing by plugging in cementing by plug
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the statements of the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the statements of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud date or the well shall be cemented to the spud date or the well shall be cemented to the spud date or the well shall be cemented to the spud date or the well shall be cemented to the spud date or the date of the spud date or	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases and pipe shall be set by circulating cement to plugging; by deform below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. Rescoe L. Mendenhall Title: Vice-President / Operations Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit alteration report (CR 4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud state of the spud s	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating to plug length and placement is necessary prior to plugging; by ded or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing by languaged. In all cases, NOTIFY district office prior to any cementing. Roscoe L. Mendenhall Title: Roscoe L. Mendenhall Title: Pile Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date)
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the statements of the completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials and the statements of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of materials of the spud date or the well shall be cemented to the spud date or the well shall be cemented to the spud date or the well shall be cemented to the spud date or the well shall be cemented to the spud date or the date of the spud date or	and drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the cases surface pipe shall be set by circulating cement to plugging; get or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing by linguistic plugged. In all cases, NOTIFY district office prior to any cementing. Roscoe L. Mendenhall Title: Vice-President / Operations Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.

KCC WICHITA

For KCC Use ONLY API # 15 - 019 -2 7051-00-00


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Stelbar Oil Corporation, Inc.	Location of Well. County. Chattauqua
Lease: Floyd 'A'	
Well Number: 32	990 feet from E / x W Line of Section
Field: Landon-Floyd	Sec. 24 Twp. 32 S. R. 10 X E W
Number of Acres attributable to well: 10 QTR/QTR/QTR/QTR of acreage: SE/4 - SW/4 - NW/4 -	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
P	PLAT
	the control of the co

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-019-27051-0000

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

RECEIVED

JUN 2 9 2011

Form KSONA-1

Form Must Be Typed

CERTIFICATION OF COMPLIANCE WITH THE WICH WISH BE 19ped KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 ((Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #6044	Well Location:
Name: Stelbar Oil Corporation, Inc.	SE/4 -SW/4 - NW/4 - Sec. 24 Twp. 32 S. R. 10 X Eas West
Address 1: 1625 N. Waterfront Parkway, Suite #200	County: Chautauqua
Address 2:	Lease Name: Floyd 'A' Well #: 32
City: Wichita State: Kansas Zip: 67206 + 6602	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person: Roscoe L. Mendenhall	
Phone: (316) 264-8378 Fax: (316) 264-0592	
Email Address: roscoe@stelbar.com	
Surface Owner Information:	
Name: Linda V. Arrington	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface
Address 1: 100 W. 5th Street, Suite #1000	owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
Address 2:	county, and in the total state property tex records or the county accounts.
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be 1	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
I have not provided this information to the surface owner(s). It is KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gifee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	g fee with this form. If the fee is not received with this form, the KSONA-1 -1 will be returned.
I hereby certify that the statements made herein are true and correct to	Roscoe L. Mendenhall
Date: 06/28/2011 Signature of Operator or Agent:	Title: Vice President / Operations

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JUN 2 9 2011 Form CDP-1 May 2010 Form must be Typed

KCC WICHITA

APPLICATION FOR SURFACE PIT

Submit in Duplicate Operator Name: License Number: Stelbar Oil Corporation, Inc. 6044 Operator Address: 1625 N. Waterfront Parkway, Suite #200, Wichita, Kansas 67206-6602 Contact Person: Phone Number: Roscoe L. Mendenhall 316 / 264-8378 Lease Name & Well No .: Pit Location (QQQQ): Floyd 'A' #32 SE/4 _ SW/4 _ NW/4 . Type of Pit: Pit is: Sec. 24 Twp. 32S R. 10 x East West Emergency Pit Burn Pit x Proposed Existing Settling Pit x Drilling Pit If Existing, date constructed: _Feet from x North / South Line of Section Workover Pit Haul-Off Pit _Feet from East / x West Line of Section Pit capacity: (If WP Supply API No. or Year Drilled) 3200 (bbls) Chautauqua County Is the pit located in a Sensitive Ground Water Area? Yes x No Chloride concentration: ma/l (For Emergency Pits and Settling Pits only) is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? x Yes No Yes x No Natural Clays Pit dimensions (all but working pits): 60 ...Length (feet) 60 N/A: Steel Pits Width (feet) Depth from ground level to deepest point: . No Pit If the pit is lined give a brief description of the liner Describe procedures for periodic maintenance and determining material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water_ Source of information: measured well owner feet electric log x KDWR Depth of water well. feet Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Drilling Mud. Number of producing wells on lease: ___ Number of working pits to be utilized: __ Three (3) Abandonment procedure: Allow pits to dry and backfill with soil. Barrels of fluid produced daily:_ Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. I hereby certify that the above statements are true and correct to the best of my knowledge and belief.

STELBAR OIL CORPORATION, INC. 06/28/2011 Signature of Applicant of Agent (Roscoe L. Mendenhall, Vice-Pres. / Date Operations) KCC OFFICE USE ONLY Steel Pit REAS Date Received: 6 - 30 - U Permit Number: Permit Date: 6 - 30 - 11 __ Lease Inspection: