For KCC Use: Effective Date: District # SGA? Ves. X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year NW NE Sec. 3 Twp. 14 S. R. 20 EXW 5285 V (QUOYDO) 1,361 Feet from N / S Line of Section	Form KS	SONA-1, Certification of	of Compliance with the Kansas	9 (5) days prior to commencing well Surface Owner Notification Act, MUST be submitted	with this form.
Main	Expected Spud Date:			, ,	
PERATOR: Licenself Ji21 lest from Not S Line of Section Ji21 lest from Not W Line of Section Ji21 lest from Not W Line of Section Ji22 lest from Not W Line of Section Ji22 lest from Not W Line of Section Ji23 lest from Not W Line of Section Ji24 lest from Not W Line of Section Ji25 lest from Not W Line of Section Ji26 Section Piston State 53 Zpp 67646 County, Ells Lease Name, Divide Ji26 Moter Locate well on the Section Pist on reverse side) County, Ells Lease Name, Divide Ji27 Moter Locate well on the Section Pist on reverse side) County, Ells Lease Name, Divide Ji27 Moter Locate well on the Section Pist on reverse side) County, Ells Lease Name, Divide Ji27 Moter Locate well on the Section Pist on reverse side) County, Ells Lease Name, Divide Ji27 Moter Locate well on the Section Pist on reverse side) County, Ells Lease Name, Divide Ji27 Moter Locate well on the Section Pist on reverse side) County, Ells Lease Name, Divide Ji27 Moter Locate well on the Section Pist on reverse side) County, Ells Lease Name, Divide Ji27 Moter Locate well on the Section Pist on reverse side) County, Ells Lease Name, Divide Ji27 Moter Locate well on the Section Pist on reverse side) Incorporation of the Section Pist on the Section Pist on reverse side No. Divide Section Pist of Institute County Name Projected Total Depth, Moter On the Section Pist of Institute County Name Projected Total Depth, Moter On the Section Pist of Institute County Name Projected Total Depth, Moter On Ji27 Moter Pist on Institute County Name Projected Total Depth, Moter Name Ji27 Moter Verland Depth Name Projected Total Depth, Moter Name Ji27 Moter Verland Depth Name Ji27 Moter Verland Depth Name Ji28 Moter Name Ji28 Moter Name Ji29 Moter Name Ji29 Moter Name Ji29 Moter Name Ji29 Moter Name Ji29	,	month	day year	NW NE SW NE Sec. 3 Twp.	14 S. R. 20 EXW
Section Time Base G. Harses Flux		5285 V		(0/0/0/0) 1,361 feet from	N / S Line of Section
Section Sect	OPERATOR: License#			1,721 feet from	W Line of Section
Note: Locate well on the Section Plat or reverse side)					Mr. / Line or desire/
County_Elis	Address 1: P.O. Box 187			is SECTION: Regular Imaggian	
Contact Person. Richard L. Well gram, 9: Thome. 1958-94-16 CONTRACTOR: License# 31548 CONTRACTOR: License# 31548 CONTRACTOR: License# 31548 Contact Person. Richard L. Well Class. Type Equipment. Solid Enh Rec Shring Provided				(Note: Locate well on the Section Pl	at on reverse side)
Contract Person: - Inflanted				County: Ellis	
Field Name Discovery Driking Field Name Field Name Discovery Driking Field Name Fiel Name Field Name Field Name Field Name Field Name Fiel Name Field Name Field Name Field Name Field Name Fiel Name Field Name Field Name Field Name Field Name Fiel Name Field Name Fie	Contact Person: Richard	L. Wallgren, Sr.		Lease Name: Dinkel	Well #: 11
Section Contractor Contra	Phone: 785-689-4816			Field Name. Pleasant West	
Name Discourny Dristing Well Class: Type Equipment: Well Class: Type Equipment: Well Class: Type Equipment: Well Class: Type Equipment: Well Class: Type Equipment: Well Class:		315/19			
Nearest Lease or unit boundary line (in foolage): 1361 Section		#			☐ res ☐ No
Seismic :	Name: Discovery Drilling			Target Formation(s): Arbuckie	
Seismic :	Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):	1361
Seismic				Ground Surface Elevation: 2257.4	feet MSL
Seasimal # of Holes Other Othe		_			☐Yes ☒No
Depth to bottom of fresh water: 150 Depth to bottom of usable water 150		· .		•	Yes X No
Depth to bottom of usable water. TSO			Cable		النباء السا
Gowword of the properties Surface Pipe by Alternate Surface Pipe Planned to be set: 250	Seismic ;#	of Holes Other			
Comparator:	Other:				
Length of Conductor Pipe (if any), None Projected Total Depth:	<u> </u>	11 to 6- one - 46-		Surface Pipe by Alternate:	
Length of Conductor Pipe (if any), None Projected Total Depth:	lif OWWO: old we	en information as follows)	Length of Surface Pipe Planned to be set:	
Well Name: Original Completion Date: Origina	Operator:			Length of Conductor Pipe (if any): None	
Original Completion Date: Original Total Depth: Formation at Total Depth: Arbotokie Formation at Total Depth: Arbotokie West rule vertical depth: West rule vertical ver	•			Projected Total Depth: 4000'	
Water Source for Drilling Operations: Water Source for Drilling Operation Water Source for Drilling Operation of Operation of Operation of Operation of Operation of Operation of Operation Water Source for Drilling Operation Water Source for Print Operation Water Source for So				Formation at Total Depth: Arbuckle	
Directional, Deviated or Horizontal wellbore? Mess No	Original Completion :	Jaic Oil	giriar 10101 20prill		
If Yes, true vertical depth: DWR Permit #: (Note: Apply for Permit with DWR Yes Note	Directional Deviated or H	lorizontal wellbore?	∏yes⊠no		
Bottom Hole Location: KCC DKT #: Will Cores be taken?					
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kanasas surface casing order #133,891-C, which applied water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kanasas surface casing order #133,891-C, which applied within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. For KCC Use ONLY API # 15 - 26 / 4 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 - 20 / 3 -					04/2
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well: 2. A copy of the appropriate of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. 6. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Plate:					
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B". Eastern Kansas surface casing order #138,819-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. For KCC Use ONLY API # 15	NOC DR1#.			Will Cores be taken?	L Yes KINO
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. For KCC Use ONLY API# 15				If Yes, proposed zone:	OF OF WED
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Sestern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Date: 7-/-20// Signature of Operator or Agent: For KCC Use ONLY API #15			A E	CIDANIT	RECEIVED
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall</i> be set by circulating cement to the top; in all cases surface pipe <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases</i> , <i>NOTIFY district office</i> prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Date: 7-1-20// Signature of Operator or Agent:					
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133.891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Date: 7-1-20// Signature of Operator or Agent:				ugging of this well will comply with K.S.A. 55 et. seq	· ## 65 2011
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Date: 7-1-20/1 Signature of Operator or Agent: Remember to: For KCC Use ONLY API # 15 - 0 5 - 26 16 40000 feet per ALT. The plugging report (CP-4) with Intent to Drill; Approved by: Title 2000 feet per ALT. The plugging report (CP-4) after plugging is completed (within 60 days); Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Agent:	It is agreed that the follo	owing minimum require	ements will be met:		سخة - به الأربي الأواقي ا
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Date: 7-1-20/1 Signature of Operator or Agent: Remember to: For KCC Use ONLY API # 15 - 0 5 - 26 16 40000 feet per ALT. The plugging report (CP-4) with Intent to Drill; Approved by: Title 2000 feet per ALT. The plugging report (CP-4) after plugging is completed (within 60 days); Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Agent:	1 Notify the approp	riate district office pri	or to spudding of well:		A CANOLITA
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Date: 7-1-20// Signature of Operator or Agent: Remember to: - File Completion Form ACO-1 within the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File completion form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If well will not be drilled or permit Expired Date: - Well will not b				h drilling rig;	KCC WICHITA
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Date:	3. The minimum am	nount of surface pipe a	is specified below shall be set	t by circulating cement to the top; in all cases surfac	e pipe shall be set
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Date: 7-1-20// Signature of Operator or Agent: For KCC Use ONLY API # 15 - 0 5 - 26 64	through all uncon	isolidated materials pl	us a minimum of 20 feet into th	ne underlying formation.	
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Date: 7-1-20// Signature of Operator or Agent: Title: Titl	4. If the well is dry h	nole, an agreement be	tween the operator and the dis	trict office on plug length and placement is necessa	ry prior to plugging;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Date: 7-1-20// Signature of Operator or Agent: Walk Wall II in the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; For KCC Use ONLY API # 15 - 0 5 - 20 10 4 00 00 Conductor pipe required feet Minimum surface pipe required feet Approved by: Wall 20 1	5 The appropriate of	district office will be no	otified before well is either pluge	ged or production casing is cemented in;	
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Date: 7-1-20// Signature of Operator or Agent:	If an ALTERNATE	E II COMPLETION, pr	oduction pipe shall be cemented	ed from below any usable water to surface within 12	O DAYS of spud date.
hereby certify that the statements made herein are true and to the bast of my knowledge and belief. Date: 7-/-20// Signature of Operator or Agent:	Or pursuant to Ap	ppendix "B" - Eastern	Kansas surface casing order #	133,891-C, which applies to the KCC District 3 area	i, alternate il cementing
For KCC Use ONLY API # 15 - O 5 - 2 6 / 6 4 0000 Conductor pipe required	must be complete	ed within 30 days of th	ie spud date or the well shall be	e plugged. <i>In all cases, NOTIFY district office</i> pri	or to any cementing.
For KCC Use ONLY API # 15 - O 5 - 2 6 / 6 4 0000 Conductor pipe required	I hereby certify that the	statements made her	ein are true and to the best of	my knowledge and belief.	
For KCC Use ONLY API # 15	· ·		\sim		
For KCC Use ONLY API # 15	Date: 1-1-20	Signature of C	Operator or Agent: Charl	w J. Moyel Title: 1	ueree
For KCC Use ONLY API # 15 - OS 1-26/164-00-00 Conductor pipe required			• • • • • • • • • • • • • • • • • • • •	<i>'</i>	
API # 15 - 26 / 40000 Conductor pipe required	For KCC Use ONLY				
Conductor pipe required	70000	-26/64-0	10-CIC		Surface Owner Notification •
Conductor pipe required	API # 15 - US	A /		•	L. Daill.
Minimum surface pipe required	Conductor pipe required	d /Yone	feet	**	1
Approved by: 1-6-2011 This authorization expires: 7-6-2012 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:		201) feet per ALT [7]		spud date,
This authorization expires: 7-6-2013 (This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Spud date: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator or Agent: Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:		eduned	Rec per Act		
(This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:	Approved by:				workover or re-entry,
(This authorization void if drilling not started within 12 months of approval date.) Spud date: Agent: Bell will not be drilled or permit has expired (See: authorized expiration date) Well will not be drilled or Permit Expired Date: Signature of Operator or Agent: Signature of Operator or Agent: Signature Date: Signature of Operator or Agent: Signature of Operator or Agent: Signature Date: Signature of Operator or Agent:	This authorization expir	res: 7-6-20	//ユ	, , , , , , , , , , , , , , , , , , , ,	
Spud date: Agent: please check the box below and return to the address below			1 12 months of approval date.)		
Spud date: Agent: Well will not be drilled or Permit Expired Date: Signature of Operator or Agent:					
Signature of Operator of Agent.	Spud date:	Agent:		please check the box below and return to the add	л сээ рөгөч. П
Signature of Operator of Agent.		-		Well will not be drilled or Permit Expired	Date:
	Mail f	n: KCC - Conservati	ion Division.	Signature of Operator or Agent:	\{\bar{\xi}\}

For KCC Use ONLY

API # 15 - 051 -26/64-00-00


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: The Dane G. Hansen Trust	Location of Well: County: Ellis
Lease: Dinkel	
Well Number: 11	feet from X E / W Line of Section
Field: Pleasant West	Sec. 3 Twp. 14 S. R. 20 E 🔀 W
Number of Acres attributable to well: 10 QTR/QTR/QTR/QTR of acreage: NW - NE - SW - NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-051-26164-00-00

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 5285	Well Location:	
OPERATOR: License # 5285 Name: The Dane G. Hansen Trust	NW_NE_SW_NE_Sec. 3 Twp. 14 S. R. 20 Eas West	
Address 1: P.O. Box 187	County: Ellis	
Addroce 2	Lease Name: Dinkel Well #: 11	
Cottoot Person, Richard L. Wallgren, Sr.	If filing a Form T-1 for multiple wells on a lease, enter the legal description o the lease below:	
Contact Person: Richard L. Wallgren, Sr. Phone: (785) 689-4816 Fax: (785) 689-4833 Email Address: richtr@ruraltel.net	RECEIVED	
Email Address: richtr@ruraltel.net	JUL 0 5 2011	
Surface Owner Information: Name: Donald L. Gottschalk Address 1: 822 Golf Course Rd	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 1: 822 Golf Course Rd		
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: Hays State: KS Zip: 67601 + 9699		
the KCC with a plat showing the predicted locations of lease roads, to are preliminary non-binding estimates. The locations may be entered Select one of the following:	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form n being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.	
☐ I have not provided this information to the surface owner(s).	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ng fee, payable to the KCC, which is enclosed with this form.	
I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 handli	owner(s). To mitigate the additional cost of the KCC performing this ng fee, payable to the KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1	

THE DANE G. HANSEN TRUST

785-689-4816

June 28, 2011

Mr. Donald L. Gottschalk Trust 822 Golf Course Road Hays, Kansas 67601-9699

> Re: Dinkel #11 Well NE/4 Section 3-14s-20w Ellis County, Kansas

Dear Mr. Gottschalk:

Please be advised that we will be staking the above reference well in the near future. I will be contacting you to locate the best route for the drilling rig to move to this location. We anticipate drilling this well approximately the middle of July 2011.

I have enclosed a copy of the Notice of Intent to Drill, Location Plat, Application for Surface Pit and Certification of Compliance with the Kansas Surface Owners Notification Act, for you to review.

If you should have any questions feel free to give me a call at the following numbers: Office 785-689-4816 and or Cell #785-689-8400. Thank you in advance.

Sincerely,

THE DANE G. HANSEN TRUST

Richard L. Wallgren, Sr.

Production Superintendent

RECEIVED

JUL 95 2011

ROC WICHTA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: The Dane G. Hansen	Trust	License Number: 5285				
Operator Address: P.O. Box 187			Logan KS 67646			
Contact Person: Richard L. Wallgren, Sr.			Phone Number: 785-689-4816			
Lease Name & Well No.: Dinkel	11		Pit Location (QQQQ):			
Type of Pit: Pit is:		· · · · · · · · · · · · · · · · · · ·	NW NE SW NE			
Emergency Pit Burn Pit	▼ Proposed	Existing	Sec. 3 Twp. 14 R. 20 East X West			
Settling Pit X Drilling Pit	If Existing, date cor	nstructed:	1,361 Feet from X North / South Line of Section			
☐ Workover Pit ☐ Haul-Off Pit			1,721 Feet from X East / West Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity: 600	(bbls)	Ellis			
Is the pit located in a Sensitive Ground Water A	urea? Yes 🔀		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Artificial Liner? Yes No Yes X No		lo	How is the pit lined if a plastic liner is not used? Bentonite clay from drilling mud & native mud			
Pit dimensions (all but working pits):	DO Length (fee	et) 100	Width (feet) N/A: Steel Pits			
	om ground level to dee	epest point:	4 (feet) No Pit			
If the pit is lined give a brief description of the limaterial, thickness and installation procedure.	iner	liner integrity, in	edures for periodic maintenance and determining noticing any special monitoring. RECEIVED			
	·	Visual Insp	JUL 0.5 2011			
			30L U J 2011			
			owest fresh water 180 1/6 feet.			
Distance to nearest water well within one-mile	of pit:	Source of infor	mation:			
N/A feet Depth of water well	<u>83</u> feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of materia	al utilized in drilling/workover: Ben/chem. mud			
Number of producing wells on lease:		Number of wor	rking pits to be utilized:			
Barrels of fluid produced daily: Abandonme			procedure: Allow to dry and backfill after evaporation has occurred and level			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No			be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
7 - 7 - 2 0 1 Signettife of Applicant or Agent						
Date Signature of Applicant or Agent						
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
Date Received: 7-5-// Permit Nun	nber:	Pern	nit Date: 7-5-1/ Lease Inspection: Yes 🔀 No			