For KCC Use: 7-/8-2011 Effective Date: 4 District # SGA2 | Ves | X | No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1 Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this form

Expected Spud Date: July . 20, 2011	Spot Description:	
month day year	n/2 se ne sw Sec. 30 Twp. 9 S. R. 21 E	<u> </u>
040001/		
OPERATOR: License# 34392 V	1,765 feet from N / S Line of Se	
Name: TexKan Exploration, LLC	2,310 feet from E / W Line of Se	ection
Address 1: P.O. Box 191643	Is SECTION: Regular Irregular?	
Address 2:	(National and the Continue Plates are severe side)	
City: Dallas State: TX Zip: 75219 +	(Note: Locate well on the Section Plat on reverse side)	
	County: Graham	
Contact Person: Bill Robinson Phone: 785-688-4040	Lease Name: Smth Well #: 1	
	Field Name: <u>Нагтоіd, West</u>	
CONTRACTOR: License#33350	Is this a Prorated / Spaced Field?	No
Name: Southwind Drilling	Target Formation(s): Arbuckle	الش
	Nearest Lease or unit boundary line (in footage): 330	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in lootage).	
XOil		MSL
Gas Storage Pool Ext. Air Rotary	· · · · · · · · · · · · · · · · · · ·	K No
Disposal Wildcat Cable		ΚNο
Seismic: # of Holes Other	Depth to bottom of fresh water: 170 150	
	Depth to bottom of usable water: 1200/030	
Other:	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Disp Diagnost to be set. 200	
	Length of Surface Pipe Planned to be set: 200	
Operator:	Length of Conductor Pipe (if any): none	
Well Name:	Projected Total Depth: 3980	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: truck	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:		
NOO DICT #.	Will Cores be taken?	
	If Yes, proposed zone:RECEIVE	
		_ []
AC	FIDAVIT	:D
	FIDAVIT	:D
The undersigned hereby affirms that the drilling, completion and eventual pl	10 44	=D 2011
	ugging of this well will comply with K.S.A. 55 et. seq. JUL 1 1 2	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	ugging of this well will comply with K.S.A. 55 et. seq. JUL 1 1 2	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each	ugging of this well will comply with K.S.A. 55 et. seq. KCC WICH th drilling rig;	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each	ugging of this well will comply with K.S.A. 55 et. seq. KCC WICH th drilling rig;	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. KCC WICH the drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation.	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distance of the surface price of the surface pric	ugging of this well will comply with K.S.A. 55 et. seq. KCC WICH the drilling rig; the py circulating cement to the top; in all cases surface pipe shall be set the underlying formation. thrict office on plug length and placement is necessary prior to plugging;	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug	ugging of this well will comply with K.S.A. 55 et. seq. KCC WICH thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; typed or production casing is cemented in;	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	ugging of this well will comply with K.S.A. 55 et. seq. KCC WICH thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; the ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq. KCC WICH thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; typed or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq. KCC WICH thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; the ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	kCC WICH the drilling rig; the drilling rig; the content to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b I hereby certify that the statements made herein are true and to the best of	kCC WICH the drilling rig; the drilling rig; the underlying formation. It is comply with K.S.A. 55 et. seq. If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is concluding the surface of pipe shall be set to surface on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. The surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distance of the surface of the spropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of	kCC WICH the drilling rig; the drilling rig; the underlying formation. It is comply with K.S.A. 55 et. seq. If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is concluding the surface of pipe shall be set to surface on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. The surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b I hereby certify that the statements made herein are true and to the best of	KCC WICH h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is of from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: agent	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of th	KCC WICH h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: agent Remember to:	IIT.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set. 5. The appropriate district office will be notified before well is either plug that a surface casing order that the ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order that the completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the set of the	KCC WICH h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification	IIT.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of	kCC WICH h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on eac 3. The minimum amount of surface pipe as specified below <i>shall</i> be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 6-7-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OGS - 23 7 5 7 0000	kCC WICH h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;	ilT/
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	kCC WICH h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: agent Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;	IIT.
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the disentation of the well is dry hole, an agreement between the operator and the disentation of the well is either plug for the appropriate district office will be notified before well is either plug for the analysis of the spuddate or surface casing order the must be completed within 30 days of the spuddate or the well shall be thereby certify that the statements made herein are true and to the best of the best of the spuddate or the well shall be conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - OGS - 23 7 5 7 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I	kCC WICH h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;	ilT/
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the disentation of the well is dry hole, an agreement between the operator and the disentation of the well is either plug for the appropriate district office will be notified before well is either plug for the analysis of the spuddate or surface casing order the must be completed within 30 days of the spuddate or the well shall be thereby certify that the statements made herein are true and to the best of the best of the spuddate or the well shall be conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - OGS - 23 7 5 7 0000 Conductor pipe required feet Minimum surface pipe required feet per ALT. I	kCC WICH h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for grusuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plate: For KCC Use ONLY	kCC WICH h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and the drill shall be posted on each and the drill shall be posted on each and the drill shall be posted into the shall be posted into the drill shall be drived and the drill shall be drived and the drill shall be drived and to drived and the drill shall be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the drill shall be drived and to the drill shall be drill shall be drived and the drill shall be drill shall be drived and the drill shall be dr	kCC Wich drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);	ilT/
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: For KCC Use ONLY	kCC WICH h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: For KCC Use ONLY	kCC WICH h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. my knowledge and belief. Title: Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.	
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and the drill shall be posted on each and the drill shall be posted on each and the drill shall be posted into the shall be posted into the drill shall be drived and the drill shall be drived and the drill shall be drived and to drived and the drill shall be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the drill shall be drived and to the drill shall be drill shall be drived and the drill shall be drill shall be drived and the drill shall be dr	KCC WICH th drilling rig; the vicinal drilling rig; the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 6-7-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OGS - 23 7 5 7 0000 Conductor pipe required	KCC WICH h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or Permit Expired Date: Well will not be drilled or Permit Expired Date: Well will not be drilled or Permit Expired Well will not be drilled or Permit Expired	
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eac 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 6-7-11 Signature of Operator or Agent: For KCC Use ONLY API # 15 - OGS - 23 7 5 7 0000 Conductor pipe required	KCC WICH th drilling rig; the vicinal drilling rig; the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.	

For KCC Use ONLY
API # 15 - 23757-00-00


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: TexKan Exploration, LLC	Location of Well: County: Granam		
Lease: Smth	1,765	feet from N / S Line of Section	
Well Number: 1	2,310	feet from E / X W Line of Section	
Field: Harrold, West	Sec. <u>30</u> Twp. <u>9</u>	S. R. <u>21</u> E 🔀 W	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:n/2 se ne sw	Is Section: Regular	or Irregular	
		cate well from nearest corner boundary. NE	
F	PLAT		
Show location of the well. Show footage to the nearest	t lease or unit houndary line. Sho	ow the predicted locations of	

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15065-23757-0000

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)	CP-1 (Plugging Application)
OPERATOR: License # 34392 Name: TexKan Exploration, LLC Address 1: P.O. Box 191643	Well Location: n/2 se _ne _sw _Sec. 30 _Twp. 9 _S. F	21 For X Wort
Name: TEXNAII EXPIDITATION, EEO	•	
	County: <u>Graham</u> Lease Name: Smth	1
Address 2:		
City: Dallas State: 1A Zip: 73219 +	If filing a Form T-1 for multiple wells on a lease, e the lease below:	nter the legal description of
Contact Person: Bill Robinson Phone: (785) 688-4040 Fax: (785) 688-4060	are reaso borow.	
Phone: (785) 688-4040 Fax: (765) 666-4060		
Email Address:		
Surface Owner Information:		
Name: Alice Smith Bowans Address 1: 3543 G Rd.	When filing a Form T-1 involving multiple surface sheet listing all of the information to the left for e	
	owner information can be found in the records of	the register of deeds for the
Address 2:	county, and in the real estate property tax records	of the county treasurer.
City: Palco State: KS. Zip: 67657		
are preliminary non-binding estimates. The locations may be entered of Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be letter CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface owner(s), I acknowledge that I am being charged a \$30.00 handling	Act (House Bill 2032), I have provided the follow ocated: 1) a copy of the Form C-1, Form CB-1, being filed is a Form C-1 or Form CB-1, the plat and email address. Sucknowledge that, because I have not provided the viore(s). To mitigate the additional cost of the Ko	ving to the surface Form T-1, or Form (s) required by this his information, the CC performing this
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 hereby certify that the statements made herein are true and correct to	1 will be returned.	
Date: 6-7-11 Signature of Operator or Agent: 8, v	Title: agent	JUL 1 1 2011
		RECEIVED JUL 1 1 2011 KCC WICHITA

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: TexKan Exploration, LLC		License Number: 34392				
Operator Address: P.O. Box 191643 Dallas, TX. 75219						
Contact Person: Bill Robinson		Phone Number: 785-688-4040				
Lease Name & Well No.: Smith #1		Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>n/2</u> <u>se</u> <u>ne</u> <u>sw</u>			
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 30 Twp. 9 R. 21 East			
Settling Pit X Drilling Pit	If Existing, date con	structed:	1,765 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Dit consoitu		2,310 Feet from East / X West L	ine of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity:	(hhis)	Graham	County		
	(bbls)					
Is the pit located in a Sensitive Ground Water A	.rea? ☐ Yes 🔀 1	No	Chloride concentration: (For Emergency Pits and Settling Pits	only) mg/l		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?			
⊠ Yes	☐ Yes 🔀 N	lo	Drilling mud			
Pit dimensions (all but working pits):	00 Length (fee	t)100	Width (feet) N/A: S	teel Pits		
Depth fro	om ground level to dee	pest point:	(feet) No Pit			
If the pit is lined give a brief description of the li	ner		dures for periodic maintenance and determining			
material, thickness and installation procedure.		liner integrity, ii	ncluding any special monitoring.			
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	owest fresh water <u>\$\mathcal{S}\$ 170</u> feet.			
2451_feet Depth of water well	96feet	measured	well owner X electric log	KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	kover and Haul-Off Pits ONLY:			
Producing Formation:		T. A.				
Number of producing wells on lease:			al utilized in drilling/workover:			
Barrels of fluid produced daily: Abandonment			king pits to be utilized:			
Does the slope from the tank battery allow all spilled fluids to			king pits to be utilized: procedure:pits allowed to dry by eva	poration		
Does the slope from the tank battery allow all s		Abandonment	king pits to be utilized: procedure:pits allowed to dry by eva then backfilled with d	ozer		
Does the slope from the tank battery allow all s flow into the pit? Yes No		Abandonment	rking pits to be utilized:3 procedure:pits allowed to dry by eva then backfilled with d	iporation ozer EIVED		
· <u> </u>	spilled fluids to	Abandonment Drill pits must	king pits to be utilized: procedure: pits allowed to dry by eva then backfilled with d be closed within 365 days of spud date. RECI	ozer		
flow into the pit? Yes No	spilled fluids to	Abandonment Drill pits must	king pits to be utilized: procedure:pits_allowed to dry by evarance then backfilled with does closed within 365 days of spud date. The procedure is allowed to dry by evarance the backfilled with does closed within 365 days of spud date. The procedure is allowed to dry by evarance the backfilled with does closed within 365 days of spud date. The procedure is allowed to dry by evarance the backfilled with does closed within 365 days of spud date.	ozer EIVED I 3 2011		
flow into the pit? Yes No I hereby certify that the above staten 7-11-11	spilled fluids to	Abandonment Drill pits must be rect to the best of	king pits to be utilized: procedure:pits_allowed to dry by evarance then backfilled with does closed within 365 days of spud date. The procedure is allowed to dry by evarance the backfilled with does closed within 365 days of spud date. The procedure is allowed to dry by evarance the backfilled with does closed within 365 days of spud date. The procedure is allowed to dry by evarance the backfilled with does closed within 365 days of spud date.	ozer EIVED		
flow into the pit? Yes No I hereby certify that the above staten	spilled fluids to	Abandonment Drill pits must be rect to the best of	king pits to be utilized: procedure:pits allowed to dry by eva then backfilled with d be closed within 365 days of spud date. RECI my knowledge and belief. KCC W	ozer EIVED I 3 2011		
flow into the pit? Yes No I hereby certify that the above staten 7-11-11	epilled fluids to	Abandonment Drill pits must be rect to the best of	riving pits to be utilized: procedure:pits allowed to dry by evarance then backfilled with doe closed within 365 days of spud date. The my knowledge and belief. KCC With the pits allowed to dry by evarance then backfilled with does closed within 365 days of spud date. Figure 1	ozer EIVED I 3 2011 VICHITA		
flow into the pit? Yes No I hereby certify that the above staten 7-11-11 Date	epilled fluids to	Abandonment Drill pits must lead to the best of Signature Signatu	king pits to be utilized: procedure: pits allowed to dry by evathen backfilled with doe closed within 365 days of spud date. The my knowledge and belief. KCC With the pits allowed to dry by evathen backfilled with does closed within 365 days of spud date. KCC With the pits allowed to dry by evathen backfilled with does closed within 365 days of spud date. KCC With the pits to be utilized: Separature of Applicant or Agent	ozer EIVED I 3 2011 VICHITA		