

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
120 South Market, Room 2078  
Wichita, Kansas 67202-3802

WELL PLUGGING RECORD  
K.A.R.-82-3-117

API NUMBER 15-051-24916 0000

LEASE NAME Pfeifer

TYPE OR PRINT  
NOTICE: Fill out completely  
and return to Cons. Div.  
office within 30 days.

WELL NUMBER 1

2310 Ft. from S Section Line

990 Ft. from E Section Line

LEASE OPERATOR Condor Oil Co., Inc.

SEC. 9 TWP. 13S RGE. 18 ~~18~~ (W)

ADDRESS 310 W. Central - Suite 202, Wichita, KS 67202-1004

COUNTY Ellis County, Kansas

PHONE# (316) 267-1331 OPERATORS LICENSE NO. 5347

Date Well Completed 03-19-96

Character of Well D&A

Plugging Commenced 03-19-96

(Oil, Gas, D&A, SWD, Input, Water Supply Well)

Plugging Completed 03-19-96

The plugging proposal was approved on March 18, 1996 (date)

by Marion Schmidt (KCC District Agent's Name).

Is ACO-1 filed? Yes If not, is well log attached? Yes

Producing Formation \_\_\_\_\_ Depth to Top \_\_\_\_\_ Bottom \_\_\_\_\_ T.D. 3730'

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
	Surface	0	299'	8-5/8"x28#	299'	- 0 -

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_ feet to \_\_\_ feet each set

- 1st Plug: 3654' w/25sx cement thru drill pipe
- 2nd Plug: 1420' w/25
- 3rd Plug: 750' w/100
- 4th Plug: 350' w/40
- 5th Plug: 40' w/10 Rathole w/15

Name of Plugging Contractor DUKE DRILLING CO., INC. License No. 5929

Address P.O. Box 823, Great Bend, Kansas 67530-0823

NAME OF PARTY RESPONSIBLE FOR PLUGGING FEES: CONDOR OIL COMPANY, INC.

STATE OF KANSAS COUNTY OF SEDGWICK, ss.

Ralph R. Hamilton

(Employee of Operator) or (Operator) of


above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements and matters herein contained and the log of the above described well as filed that the same are true and correct, so help me God.

(Signature) Ralph R. Hamilton  
(Address) Ralph R. Hamilton  
310 W. Central - Suite 202, Wichita, Ks. 67202-1004

SUBSCRIBED AND SWORN TO before me this 25th day of March, 19 96

Sally R. Byers  
Sally R. Byers Notary Public

Expires: December 6, 1996



RECEIVED  
KANSAS CORPORATION COMMISSION

MAY 30 1996  
5-30-96  
CONSERVATION DIVISION  
WICHITA, KS

Form CP-4  
Revised 05-88

ORIGINAL

DRILLERS WELL LOG

PFEIFER #1  
SW SE NE 8-13S-18W  
Ellis County, Kansas.

15-051-24916-00-00  
CONDOR OIL COMPANY, INC.  
COMMENCED: March 12, 1996  
COMPLETED: March 19, 1996

0' - 303' Surface Soil, Rock, Shale  
303' - 786' Clay, Shale  
786' - 1415' Sand, Shale  
1415' - 1469' Anhydrite  
1469' - 1855' Shale  
1855' - 2234' Lime, Shale  
2234' - 2735' Lime, Shale  
2735' - 3345' Shale, Lime  
3345' - 3550' Lime, Shale  
3550' - 3730' Lime, Shale  
- 3730' RTD  
- 3731' LTD  
D & A


SURFACE CASING: Set 7jts. 8-5/8"x28#  
at 299'. Cemented with 170 sacks 60/40  
Pozmix, 2% gel, 3% cc.

15-051-24916

AFFIDAVIT

STATE OF KANSAS )  
) SS:  
COUNTY OF SEDGWICK )

Ralph R. Hamilton, of lawful age, does swear and state that the facts and statements herein are true and correct to the best of his knowledge.

  
Ralph R. Hamilton

Subscribed and sworn to me this 25th day of March, 1996.

  
Sally R. Byers NOTARY PUBLIC

My Commission Expires: December 6, 1996.



RECEIVED  
KANSAS CORPORATION COMMISSION

MAY 30 1996

CONSERVATION DIVISION  
WICHITA, KS

District GREAT PLAINS Date 3-10-91 Customer Order No. \_\_\_\_\_

COMPANY NAME CONCORD OIL CO., INC.  
 ADDRESS 310 W CENTRAL SUITE 202 WICHITA KS 67202-1804  
 LEASE AND WELL NO. PFEIFER #1 COUNTY ELLIS STATE KS Sec. 9 Twp. 13S Rge. 18W  
 Mail Invoice To \_\_\_\_\_ Co. Name Pfeifer #1 Address \_\_\_\_\_ No. Copies Requested REC  
 Mail Charts To \_\_\_\_\_ Address \_\_\_\_\_ No. Copies Requested \_\_\_\_\_

**ORIGINAL**

Formation Test No. 1 Interval Tested From 3413 ft. to 3444 ft. Total Depth 3444 ft.  
 Packer Depth 3401 ft. Size 6 5/8 in. Packer Depth \_\_\_\_\_ ft. Size \_\_\_\_\_ in.  
 Packer Depth 3413 ft. Size 6 5/8 in. Packer Depth \_\_\_\_\_ ft. Size \_\_\_\_\_ in.  
 Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) 3416 ft. Recorder Number 11015 Cap. 442-131  
 Bottom Recorder Depth (Outside) 3401 ft. Recorder Number 10330 Cap. 4000-131  
 Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_

Drilling Contractor DAVE WALKER D161 Drill Collar Length 0 I. D. \_\_\_\_\_ in.  
 Mud Type CHEMICAL Viscosity 42 Weight Pipe Length 0 I. D. \_\_\_\_\_ in.  
 Weight 9.1 Water Loss 7.2 cc. Drill Pipe Length 3381 I. D. 3.0 in.  
 Chlorides 2800 P.P.M. Test Tool Length 32 ft. Tool Size 5 1/2 in.  
 Jars: Make WDT SPIN Serial Number \_\_\_\_\_ Anchor Length 31 ft. Size 5 1/2 in.  
 Did Well Flow? NO Reversed Out NO Surface Choke Size 3 1/2 in. Bottom Choke Size \_\_\_\_\_ in.  
 Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 in.

Blow: 1 T FLOW: WEAK LOW WITH IN 5 MINUTE  
LOW FLOW: NO FLOW, FLANGED TOOL OUT OF WELL

Recovered \_\_\_\_\_ ft. of DIG SPECKLE WALKER MUD  
 Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
 Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
 Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
 Recovered \_\_\_\_\_ ft. of \_\_\_\_\_  
 Chlorides \_\_\_\_\_ P.P.M. Sample Jars used \_\_\_\_\_ Remarks: \_\_\_\_\_

Time On Location 3:00 A.M. Time Pick Up Tool 5:00 P.M. Time Off Location 10:00 A.M.  
 Time Set Packer(s) 6:30 P.M. Time Started Off Bottom 7:40 A.M. Maximum Temperature 103°  
 Initial Hydrostatic Pressure \_\_\_\_\_ (A) 1636 P.S.I. 1600  
 Initial Flow Period \_\_\_\_\_ Minutes 30 (B) 32 P.S.I. to (C) 24 P.S.I.  
 Initial Closed In Period \_\_\_\_\_ Minutes 30 (D) 33 P.S.I.  
 Final Flow Period \_\_\_\_\_ Minutes 10 (E) 31 P.S.I. to (F) 36 P.S.I.  
 Final Closed In Period \_\_\_\_\_ Minutes 2 (G) \_\_\_\_\_ P.S.I.  
 Final Hydrostatic Pressure \_\_\_\_\_ (H) 1630 P.S.I. 1630

**COMPANY TERMS**

Western Testing Co., Inc. shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, of its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made.  
 All charges subject to 12% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

Test Approved By Jan Vintura  
 Signature of Customer or his authorized representative  
 Western Representative \_\_\_\_\_

RECEIVED  
 KANSAS CORPORATION COMMISSION

MAY 30 1996

CONSERVATION DIVISION  
 WICHITA, KS

**FIELD INVOICE**

Open Hole Test	\$ <u>1600</u>
Misrun	\$ _____
Straddle Test	\$ _____
Jars	\$ _____
Selective Zone	\$ _____
Safety Joint	\$ <u>125</u>
Standby	\$ _____
Evaluation	\$ _____
Extra Packer	\$ _____
Circ. Sub.	\$ _____
Mileage	\$ _____
Fluid Sampler	\$ _____
Extra Charts	\$ _____
Insurance	\$ _____
Telecopier	\$ _____
TOTAL	\$ _____

P. O. BOX 1599 PHONE (316) 262-5861  
 WICHITA, KANSAS 67201

Elevation 2141 Formation 15.051-24916-00-800 Eff. Pay      Ft.

District GREAT PLAINS Date 3-17-96 Customer Order No.     

COMPANY NAME CONROCK OIL CO., INC.

ADDRESS 310 W. CENTRAL SUITE 202 WICHITA, KS 67202-1004

LEASE AND WELL NO. PAVEAER-91 COUNTY ELLIS STATE KS Sec. 9 Twp. 13S Rge. 10W

Mail Invoice To SPM No. Copies Requested 116

Co. Name      Address      No. Copies Requested     

Mail Charts To      Address      No. Copies Requested     

Formation Test No. 2 Interval Tested From 3510 ft. to 3530 ft. Total Depth 3530 ft.

Packer Depth 3505 ft. Size 6 3/4 in. Packer Depth      ft. Size      in.

Packer Depth 3510 ft. Size 6 3/4 in. Packer Depth      ft. Size      in.

Depth of Selective Zone Set     

Top Recorder Depth (Inside) 3513 ft. Recorder Number 11010 Cap. 4425 PSI

Bottom Recorder Depth (Outside) 3527 ft. Recorder Number 10350 Cap. 4080 PSI

Below Straddle Recorder Depth      ft. Recorder Number      Cap.     

Drilling Contractor DUST DRILLING RIG 1 Drill Collar Length 0 I. D.      in.

Mud Type HEAVY OIL Viscosity 46 Weight Pipe Length 0 I. D.      in.

Weight 9.2 Water Loss 7.2 cc. Drill Pipe Length 340 I. D. 3.3 in.

Chlorides 2500 P.P.M. Test Tool Length 22 ft. Tool Size 5 1/2 in.

Jars: Make      Serial Number      Anchor Length 22 ft. Size 5 1/2 in.

Did Well Flow? NO Reversed Out NO Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.

Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 x 11 in.

Blow: 1.5 Flow: WITH FLOW DEAD IN 23 MINUTES

CONSIDERED NO FLOW

Recovered 5 ft. of OIL SAMPLED 1000

Recovered      ft. of     

Recovered      ft. of     

Recovered      ft. of     

Recovered      ft. of     

Chlorides      P.P.M. Sample Jars used      Remarks:     

Time On Location 7:00 (A.M./P.M.) Time Pick Up Tool 7:30 (A.M./P.M.) Time Off Location 12:00 (A.M./P.M.)

Time Set Packer(s) 9:00 (A.M./P.M.) Time Started Off Bottom 10:11 (A.M./P.M.) Maximum Temperature 104

Initial Hydrostatic Pressure 1735 P.S.I. (A)

Initial Flow Period 25 Minutes (B) P.S.I. to (C) 1733 P.S.I.

Initial Closed In Period 32 Minutes (D) 1703 P.S.I.

Final Flow Period 10 Minutes (E) 36 P.S.I. to (F) 36 P.S.I.

Final Closed In Period 0 Minutes (G) 1704 P.S.I.

Final Hydrostatic Pressure 1710 P.S.I. (H)

COMPANY TERMS

Western Testing Co., Inc. shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, of its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made.

All charges subject to 12% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

Test Approved By [Signature]  
 Signature of Customer or his authorized representative

Western Representative [Signature]

RECEIVED  
 KANSAS CORPORATION COMMISSION

MAY 30 1996

CONSERVATION DIVISION  
 WICHITA, KS

FIELD INVOICE

Open Hole Test \$       
 Misrun \$       
 Straddle Test \$       
 Jars \$       
 Selective Zone \$ 25  
 Safety Joint \$       
 Standby \$       
 Evaluation \$       
 Extra Packer \$       
 Circ. Sub. \$       
 Mileage \$       
 Fluid Sampler \$       
 Extra Charts \$       
 Insurance \$       
 Telecopier \$       
 TOTAL \$



P. O. BOX 1599 PHONE (316) 262-5861  
WICHITA, KANSAS 67201

TICKET NO. 15051-249160000

Elevation 2141 Formation 12 Eff. Pay 15051-249160000 Ft.

District GREEN HIND Date 3-18-96 Customer Order No. \_\_\_\_\_

COMPANY NAME CONDOR OIL CO., INC

ADDRESS 310 W CENTRAL SUITE 202 WICHITA KS 67202-1004

LEASE AND WELL NO. 11-11105 #1 COUNTY ELLIS STATE KS Sec. 9 Twp 13S Rge. 10W

Mail Invoice To \_\_\_\_\_ No. Copies Requested 126  
Co. Name frederick Address \_\_\_\_\_ No. Copies Requested \_\_\_\_\_

Mail Charts To \_\_\_\_\_ Address \_\_\_\_\_ No. Copies Requested \_\_\_\_\_

**ORIGINAL**

Formation Test No. 3 Interval Tested From 3553 ft. to 3612 ft. Total Depth 3612 ft.

Packer Depth 3548 ft. Size 2 1/2 in. Packer Depth \_\_\_\_\_ ft. Size \_\_\_\_\_ in.

Packer Depth 3553 ft. Size 2 1/2 in. Packer Depth \_\_\_\_\_ ft. Size \_\_\_\_\_ in.

Depth of Selective Zone Set \_\_\_\_\_

Top Recorder Depth (Inside) 3556 ft. Recorder Number 11018 Cap. 4923 PSI

Bottom Recorder Depth (Outside) 3612 ft. Recorder Number 10330 Cap. 4000 PSI

Below Straddle Recorder Depth \_\_\_\_\_ ft. Recorder Number \_\_\_\_\_ Cap. \_\_\_\_\_

Drilling Contractor EDGE DRILLING INC Drill Collar Length 0 I. D. \_\_\_\_\_ in.

Mud Type CREMILITE Viscosity 50 Weight Pipe Length 0 I. D. \_\_\_\_\_ in.

Weight 9.2 Water Loss 12.8 cc. Drill Pipe Length 3531 I. D. 3.8 in.

Chlorides 10.00 P.P.M. Test Tool Length 22 ft. Tool Size 5 1/2 in.

Jars: Make NOT KNOWN Serial Number \_\_\_\_\_ Anchor Length 65 ft. Size 5 1/2 in.

Did Well Flow? NO Reversed Out NO Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.

Main Hole Size 7 7/8 in. Tool Joint Size 4 1/2 in.

Blow: 1ST FLOW: STRONG BLOW E.O.B. IN 12 MINUTE AND FLOWBACK  
2ND FLOW: STRONG BLOW E.O.B. IN 4 MINUTE

Recovered 60 ft. of GAS IN PIPE

Recovered 60 ft. of GAS CUT HEAVY DRILLING MUD (OIL STEEL IN TOOL)

Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

Recovered \_\_\_\_\_ ft. of \_\_\_\_\_

Chlorides \_\_\_\_\_ P.P.M. Sample Jars used \_\_\_\_\_ Remarks INSIDE RECORDER JAMMED GOING IN HOLES. DIDN'T TURN IT IN.

Time On Location 10:00 A.M. Time Pick Up Tool 12:00 P.M. Time Off Location 7:00 A.M.

Time Set Packer(s) 1:10 A.M. Time Started Off Bottom 4:10 P.M. Maximum Temperature 107

Initial Hydrostatic Pressure \_\_\_\_\_ (A) 1721 P.S.I.

Initial Flow Period \_\_\_\_\_ Minutes 30 (B) 94 P.S.I. to (C) 56 P.S.I.

Initial Closed In Period \_\_\_\_\_ Minutes 45 (D) 114 P.S.I.

Final Flow Period \_\_\_\_\_ Minutes 45 (E) 60 P.S.I. to (F) 65 P.S.I.

Final Closed In Period \_\_\_\_\_ Minutes 60 (G) 114 P.S.I.

Final Hydrostatic Pressure \_\_\_\_\_ (H) 1753 P.S.I.

**COMPANY TERMS**

Western Testing Co., Inc. shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, of its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made.

All charges subject to 12% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

Test Approved By [Signature]  
Signature of Customer or his authorized representative

Western Representative [Signature]

RECEIVED  
KANSAS CORPORATION COMMISSION

MAY 30 1996

CONSERVATION DIVISION  
WICHITA, KS

**FIELD INVOICE**

Open Hole Test	\$ <u>1200</u>
Misrun	\$ _____
Straddle Test	\$ _____
Jars	\$ _____
Selective Zone	\$ _____
Safety Joint	\$ <u>45</u>
Standby	\$ _____
Evaluation	\$ _____
Extra Packer	\$ _____
Circ. Sub.	\$ _____
Mileage	\$ _____
Fluid Sampler	\$ _____
Extra Charts	\$ _____
Insurance	\$ _____
Telecopier	\$ _____
TOTAL	\$ _____

P. O. BOX 1599 PHONE (316) 262-5861 WICHITA, KANSAS 67201

Elevation 2141 G.L. Formation ARKANSAS Eff. Pay Ft. 15.651-24916.00.00

District GRANT FIELD Date 3-17-96 Customer Order No.

COMPANY NAME CONDUIT OIL CO, INC

ADDRESS 310 W CENTRAL SUITE 202 WICHITA KS 67202-1009

LEASE AND WELL NO. WEEFEE #1 COUNTY FULL STATE KS Sec. 9 Twp. 13S Rge. 12W

Mail Invoice To. PEEFER #1 Co. Name Address ORIGINAL No. Copies Requested 126

Mail Charts To. Address No. Copies Requested

Formation Test No. 4 Interval Tested From 3715 ft. to 3725 ft. Total Depth 3725 ft.

Packer Depth 3710 ft. Size 6 1/2 in. Packer Depth ft. Size in.

Packer Depth 3715 ft. Size 6 1/2 in. Packer Depth ft. Size in.

Depth of Selective Zone Set

Top Recorder Depth (Inside) 3712 ft. Recorder Number 11018 Cap 492-731

Bottom Recorder Depth (Outside) 3722 ft. Recorder Number 10330 Cap 4060

Below Straddle Recorder Depth ft. Recorder Number Cap

Drilling Contractor DUKE DRILLING Mud Type CHEMICAL Viscosity 50

Weight 9.4 Water Loss 7.2 cc. Drill Collar Length 0 I. D. in.

Chlorides 5,060 P.P.M. Test Tool Length 22 ft. Tool Size 5/8 in.

Jars: Make NOT RPN Serial Number Anchor Length 10 ft. Size 5/8 in.

Did Well Flow? NO Reversed Out NO Surface Choke Size 3/4 in. Bottom Choke Size 3/4 in.

Main Hole Size 7 1/2 in. Tool Joint Size 4 1/2 x 1 1/2 in.

Blow: 1ST FLOW: WORK BLOW DEAD IN 20 MINUTES. 2ND FLOW: NOT RPN

Recovered 10 ft. of SL OIL CUT MUD (MUD FREE OIL IN TOP FLUID)

Recovered ft. of

Recovered ft. of

Recovered ft. of

Recovered ft. of

Chlorides P.P.M. Sample Jars used Remarks:

Time On Location 6:00 AM P.M. Time Pick Up Tool 7:00 AM P.M. Time Off Location 12:00 AM P.M.

Time Set Packer(s) 8:20 AM P.M. Time Started Off Bottom 8:50 AM P.M. Maximum Temperature 108

Initial Hydrostatic Pressure (A) 1228 P.S.I. (B) 30 P.S.I. to (C) 32 P.S.I.

Initial Flow Period Minutes 30 (D) P.S.I.

Initial Closed In Period Minutes (E) P.S.I. to (F) P.S.I.

Final Flow Period Minutes (G) P.S.I.

Final Closed In Period Minutes (H) 1254 P.S.I. 1836

Final Hydrostatic Pressure

COMPANY TERMS

Western Testing Co., Inc. shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained directly or indirectly through the use of its equipment, of its statements or opinion concerning the results of any test. Tools lost or damaged in the hole shall be paid at cost by the party for whom the test is made. All charges subject to 12% interest after 60 days from date of invoice. Any expense incurred for collection will be added to the original amount.

Test Approved By [Signature] RECEIVED Signature of Customer or his authorized representative CONSERVATION DIVISION WICHITA, KS MAY 30 1996

Western Representative CONSERVATION DIVISION WICHITA, KS

FIELD INVOICE

Table with 2 columns: Item Name and Amount. Items include Open Hole Test, Misrun, Straddle Test, Jars, Selective Zone, Safety Joint, Standby, Evaluation, Extra Packer, Circ. Sub., Mileage, Fluid Sampler, Extra Charts, Insurance, Telecopier, and TOTAL.

# ALLIED CEMENTING CO., INC. 000640

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT:

Russell

15-051-24916-00-00

DATE 3-19-96	SEC. 9	TWP. 13	RANGE 18	CALLED OUT	ON LOCATION 8:30 AM	JOB START	JOB FINISH 2 PM
LEASE Pfeifer	WELL# 1	LOCATION Hays 3N 1/4W			COUNTY Ellis	STATE Kan	

OLD OR NEW (Circle one)

CONTRACTOR Duke H1

TYPE OF JOB Plug

HOLE SIZE 7 7/8 T.D. 3730

CASING SIZE 8 5/8 DEPTH 303

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED 215 60% 6% Gel  
1/4 #10 Seal

COMMON \_\_\_\_\_ @ \_\_\_\_\_

POZMIX \_\_\_\_\_ @ \_\_\_\_\_

GEL \_\_\_\_\_ @ \_\_\_\_\_

CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

HANDLING \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

**EQUIPMENT**

PUMP TRUCK CEMENTER McAdoo

# 153 HELPER Mark D.

BULK TRUCK

# 213 DRIVER Jason C.

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

**REMARKS:**

Mixed 25 sks at 3654

25 sks at 1420

100 sks at 750

40 sks at 350

10 sks at 40'

15 sks in Rat Hole

**SERVICE**

DEPTH OF JOB \_\_\_\_\_

PUMP TRUCK CHARGE \_\_\_\_\_

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

PLUG \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

RECEIVED  
KANSAS CORPORATION COMMISSION

CHARGE TO: Condor Oil Co., Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

MAY 30 1996

**FLOAT EQUIPMENT**

CONSERVATION DIVISION  
WICHITA, KS \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

## GENERAL TERMS AND CONDITIONS

**DEFINITIONS:** In these terms and conditions, "Allied" shall mean Allied Cementing Co., Inc., and "Customer" shall refer to the party identified by that term on the front of this contract. As applicable, "Job" relates to the services described on the front side of this contract, "merchandise" refers to the material described on the front of this contract and to any other materials, products, or supplies used, sold, or furnished under the requirements of this contract.

—**TERMS:** Unless satisfactory credit has been established, "CUSTOMER" must tender full cash payment to "ALLIED" before the job is undertaken or merchandise is delivered. If satisfactory credit has been established, the terms of payment for the job and/or merchandise, including bulk cement, are net cash, payable in 30 days from the completion of the job and/or delivery of the merchandise. For all past due invoices, "CUSTOMER" agrees to pay interest on amounts invoiced at a rate of 18 percent per annum until paid. Notwithstanding the foregoing, in no event shall this Contract provide for interest exceeding the maximum rate of interest that "CUSTOMER" may agree to pay under applicable law. If any such interest should be provided for, it shall be and hereby is deemed to be a mistake, and this contract shall be automatically reformed to lower the rate of interest to the maximum legal contract rate, any amounts previously paid as excess interest shall be deducted from the amounts owing from the "CUSTOMER" or at the option of "ALLIED," refunded directly to "CUSTOMER." For purposes of this paragraph, ALLIED and CUSTOMER agree that KANSAS law shall apply. Any discounts granted with this contract are null and void if the charges are not paid when due.

—**ATTORNEY FEES:** In any legal action or proceeding between the parties to enforce any of the terms of this Service Contract, or in any way pertaining to the terms of this Contract, the prevailing party shall be entitled to recover all expenses, including, but not limited to, a reasonable sum as and for attorney's fees.

—**PRICES AND TAXES:** All merchandise listed in "ALLIED'S" current price schedule are F.O.B. ALLIED'S local station and are subject to change without notice. All prices are exclusive of any federal, state, local, or special taxes for the sale or use of the merchandise or services listed. The amount of taxes required to be paid by ALLIED shall be added to the quoted prices charged to CUSTOMER.

—**TOWING CHARGES:** ALLIED will make a reasonable attempt to get to and from each job site using its own equipment. Should ALLIED be unable to do so because of poor or inadequate road conditions, and should it become necessary to employ a tractor or other pulling equipment to get to or from the job site, the tractor or pulling equipment will be supplied by CUSTOMER or, if furnished by ALLIED, will be charged to and paid by CUSTOMER.

—**PREPARATION CHARGES:** If a job and/or merchandise is ordered and CUSTOMER cancels the order after preparation of a chemical solution or other material, CUSTOMER will pay ALLIED for the expenses incurred by ALLIED as a result of the cancellation.

—**DEADHAUL, CHARGES:** Unless otherwise specified on the front of this Contract, a deadhaul charge as set forth in ALLIED'S current price book will be charged each way for each service unit which is ordered by CUSTOMER but not used.

—**SERVICE CONDITIONS AND LIABILITIES:** 1. ALLIED carries public liability and property damage insurance, but since there are so many uncertain and unknown conditions beyond ALLIED'S control, ALLIED shall not be liable for injuries to property or persons or for loss or damage arising from the performance of the job or delivery of the merchandise. Customer shall be responsible for and indemnify, defend, and hold harmless ALLIED, its officers, agents and employees, from and against any and all claims or suits for:

(A) Damage to property or for bodily injury, sickness, disease, or death, brought by any person, including CUSTOMER and/or the well owner; and:

(B) Oil spills, pollution, surface or sub-surface damage, injury to the well, reservoir loss, or damage arising from a well blowout arising out of or in connection with ALLIED'S performance of the job or furnishing of merchandise in accordance with this contract, unless such loss or damage is caused by the willful misconduct or gross negligence of ALLIED or its employees.

2. With respect to any of ALLIED'S tools, equipment, or instruments which are lost in the well or damaged when performing or attempting to perform the job or, in the case of marine operations, are lost or damaged at any time after delivery to the landing for CUSTOMER and before return to ALLIED at the landing, CUSTOMER shall either recover the lost item without cost to ALLIED or reimburse ALLIED the current replacement cost of the item unless the loss or damage results from the sole negligence of ALLIED or its employees.

3. ALLIED does not assume any liability or responsibility for damages or conditions resulting from chemical action in cements caused by contamination of water or other fluids.

**WARRANTIES:** 1. ALLIED warrants all merchandise manufactured or furnished by it to be free from defects in material and workmanship under normal use and service when installed, and used, and/or serviced in the manner provided and intended. ALLIED'S obligation under this warranty is expressly limited to repair, replacement, or allowance for credit, at its option, for any merchandise which is determined by ALLIED to be defective. THIS IS THE SOLE WARRANTY OF ALLIED AND NO OTHER WARRANTY IS APPLICABLE, EITHER EXPRESS OR OTHERWISE IMPLIED, IN FACT OR IN LAW, INCLUDING ANY WARRANTY AS TO MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, CUSTOMER'S sole and only remedy with regard to any defective merchandise shall be the repair or replacement thereof or allowance for credit as herein provided, and ALLIED shall not be liable for any consequential, special, incidental, or punitive damages resulting from or caused by defective materials, products or supplies.

2. More specifically:

(A) Nothing in this contract shall be construed as a warranty by ALLIED of the success or the effectiveness of the result of any work done or merchandise used, sold, or furnished under this contract.

(B) Nothing in this contract shall be construed as a warranty of the accuracy or correctness of any facts, information, or data furnished by ALLIED or any interpretation of tests, meter readings, chart information, analysis of research, or recommendations made by ALLIED, unless the inaccuracy or incorrectness is caused by the wilful misconduct or gross negligence of ALLIED or its employees in the preparation or furnishing of such facts, information or data.

(C) Work done by ALLIED shall be under the direct supervision and control of the CUSTOMER or his agent and ALLIED will accomplish the job as an independent contractor and not as an employee or agent of the CUSTOMER.



# ALLIED CEMENTING CO., INC.

SHIP TO P.O. BOX 31  
RUSSELL, KANSAS 67665

ORIGINAL

SERVICE POINT: Russell

15-051-24916-00-00

DATE <u>3-13-96</u>	SEC. <u>9</u>	TWP. <u>13</u>	RANGE <u>18</u>	CALLED OUT	ON LOCATION	JOB START	JOB FINISH <u>1 AM</u>
LEASE <u>Pfeifer</u>	WELL # <u>1</u>	LOCATION <u>Hays 4N 1/2 W</u>			COUNTY <u>Ellis</u>	STATE <u>Kan</u>	

OLD OR NEW (Circle one)

CONTRACTOR Duke #1

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 303

CASING SIZE 8 5/8 DEPTH 302

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 10'

PERFS.

OWNER S

CEMENT

AMOUNT ORDERED 170 60 30 70 11 2 70 61

COMMON 102

POZMIX 68

GEL 3

CHLORIDE 5

**EQUIPMENT**

PUMP TRUCK CEMENTER M Adao

# 153 HELPER Dave F

BULK TRUCK

# 160 DRIVER Airon

BULK TRUCK

# DRIVER

HANDLING

MILEAGE 44 / 52 /

**REMARKS:**

**SERVICE**

Cement Did Cir.

DEPTH OF JOB

PUMP TRUCK CHARGE

EXTRA FOOTAGE

MILEAGE

PLUG 85A Surf.

RECEIVED  
KANSAS CORPORATION COMMISSION

MAY 30 1996

CHARGE TO: Condor Oil Co. Inc.

STREET Box 823

CITY Great Bend STATE Kansas ZIP 67530

**FLOAT EQUI**

CONSERVATION DIVISION  
WICHITA, KS

TOTAL \_\_\_\_\_

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE [Signature]