

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
K.A.R. 82-3-117

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

OPERATOR: License #: 32924
Name: Gilbert-Stewart Operating, LLC
Address 1: 1801 Broadway
Address 2: Suite 450
City: Denver State: CO Zip: 80202 + _____
Contact Person: Kent Gilbert
Phone: (303) 534-1686
Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic
 Water Supply Well Other: _____ SWD Permit #: _____
 ENHR Permit #: _____ Gas Storage Permit #: _____
Is ACO-1 filed? Yes No If not, is well log attached? Yes No
Producing Formation(s): List All (If needed attach another sheet)

Depth to Top: _____ Bottom: _____ T.D. _____

Depth to Top: _____ Bottom: _____ T.D. _____

Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - 159-22632-00-00
Spot Description: _____
NE SE SW Sec. 6 Twp. 19 S. R. 9 East West
662 Feet from North / South Line of Section
2,843 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Rice
Lease Name: Lincoln Well #: 12
Date Well Completed: D & A
The plugging proposal was approved on: 12/15/2010 (Date)
by: Virgil Clophier (KCC District Agent's Name)
Plugging Commenced: 12/24/2010
Plugging Completed: 12/24/2010

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out
		Surface	8 5/8 new 24#	297'	0'

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plug well with 180 sacks of 60/40 Poz, 4% gel
1st plug @ 3150' with 35 sacks. 2nd plug @ 1250' with 35 sacks. 3rd plug @ 850' with 35 sacks.
4th plug @ 350' with 35 sacks. 5th plug @ 60' with 25 sacks to surface. Plug rat hole with 15 sacks. Job completed @ 4:00 a.m. on 12/24/2010 by Basic (ticket #02755)

RECEIVED
JAN 07 2011

Plugging Contractor License #: 33350 Name: Southwind Drilling, Inc.
Address 1: PO Box 276 Address 2: 8 North Main
City: Ellinwood State: Kansas Zip: 67526 + _____
Phone: (620) 564-3800
Name of Party Responsible for Plugging Fees: Gilbert-Stewart Operating, LLC
State of Kansas County, Barton, ss.
Jennifer Heape, Office Manager of Southwind Drilling, Inc. Employee of Operator or Operator on above-described well,
(Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Signature: Jennifer Heape 1/6/11
Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

SOUTHWIND DRILLING, INC.
PLUGGING ORDERS AND REPORTS

Lease: Lincoln #12

Plugging received from KCC representative:

Name: Virgil Claphier Date 12-15-10 Time 1:00 PM

1st plug @ 3150' top of Arb ft. 35 sx. Stands: 52 1/2

2nd plug @ 1250 ft. 35 sx. Stands: 20

3rd plug @ 850 ft. 35 sx. Stands: 14

4th plug @ 350' 50' below surface ft. 35 sx. Stands: 6

5th plug @ 60' to surface ft. 25 sx. Stands: 1

Mousehole sx.

Rahole 15 sx.

Total Cement used: 180 sx.

Type of cement 60/40 po's 4% Gel

Plug down @ by Basic 4:00 AM 24th

Call KCC When Completed:

Name: Kend Gilbert Date 12-30-10 Time 11:30 AM

RECEIVED
JAN 07 2011
KCC WICHITA

QUALITY OILWELL CEMENTING, INC.

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 4497

Date	12-15-200	Sec.	6	Twp.	19	Range	9	County	Rice	State	Ks	On Location		Finish	5:00 PM
Lease	Lincoln	Well No.	#12	Location		Chase, Ks - N to HPd, 3/20, N/S									
Contractor	Sutherland Rig #4	Owner		To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.											
Type Job	Surface	Hole Size	12 1/4"	T.D.	300'	Csg.	8 5/8"	Depth	297'	Charge To	Gilbert + Stewart				
Tbg. Size		Tool		Depth		Street									
Cement Left in Csg.	15'	Shoe Joint	15'	City		State									
Meas Line		Displace	17 3/4 BBS	The above was done to satisfaction and supervision of owner agent or contractor.		Cement Amount Ordered 180 sy Common 3% CC 2% Gel									

EQUIPMENT

Pumptrk	1	No.	Cementer/Helper	Mark	Common
Bulktrk	12	No.	Driver	Cory	Poz. Mix
Bulktrk	p.w.	No.	Driver	Rick	Gel.

JOB SERVICES & REMARKS

Remarks:	Cement did Circulate	Calcium
Rat Hole		Hulls
Mouse Hole		Salt
Centralizers		Flowseal
Baskets		Kol-Seal
D/V or Port Collar		Mud CLR 48
		CFL-117 or CD110 CAF 38
		Sand
		Handling
		Mileage
		Guide Shoe
		Centralizer
		Baskets
		AFU Inserts
		Float Shoe
		Latch Down
		Pumptrk Charge
		Mileage

FLOAT EQUIPMENT RECEIVED

JAN 07 2011

KCC WICHITA

Quality Oilwell Cementing

Signature	Robert Stevenson	Tax	
		Discount	
		Total Charge	

