CONFIDENTIAL

Date Commission Expires:

Kansas Corporation Commission Öll & Gas Conservation Division

ORIGINAL Form ACO-1
October 2008
Form Must Be Typed
5/18/11

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 8914	API No. 15 - 065-23629-00-00
Name: H & C Oil Operating, Inc.	Spot Description:
Address 1: P.O. Box 86	SW _NE _NW _SW Sec. 18 Twp. 8 S. R. 21 East West
Address 2:	2150 Feet from North / South Line of Section
City: Plainville State: KS Zip: 67663 +	
Contact Person: Charles R. Ramsay	Footages Calculated from Nearest Outside Section Corner:
Phone: (785) 434-7434	□NE □NW □SE □SW
CONTRACTOR: License # 33493	County: Graham
Name: American Eagle Drilling, LLC	Lease Name: Kraus Well #: 18-1
Wellsite Geologist: Marc Downing MAY 1 8 2010	Field Name:Unknown
Purchaser: CONFIDENTIAL	Producing Formation: NONE
Designate Type of Completion:	Elevation: Ground: 2045 Kelly Bushing: 2050
New Well Re-Entry Workover	Total Depth: 3662 Plug Back Total Depth:
Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at: 259 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet
✓ Dry Other(Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from:
If Workover/Re-entry: Old Well Info as follows:	feet depth to:w/sx cmt.
Operator:	Drilling Fluid Management Plan PANJ S75 16
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used:
Plug Back: Plug Back Total Depth	Dewatering method used.
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
Dual Completion	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
3/26/10 4/6/10 4/6/10	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copies of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	uested in writing and submitted with the form (see rule 82-3-107 for confiden- Il report shall be attached with this form. ALL CEMENTING TICKETS MUST
All requirements of the statutes, rules and regulations promulgated to regulate the complete and correct to the best of my knowledge.	he oil and gas industry have been fully complied with and the statements herein
Signature: Mark Kamse	V00 677 11 01117
	KCC Office Use ONLY
	Letter of Confidentiality Received
Subscribed and sworn to before me this 19th day of may	If Denied, Yes Date:
20 <u>/ 0</u> .	Wireline Log Received 2-1095
Notary Public: <u>Frene Zellhaelter</u>	Geologist Report Received RECEIVED
rolary rubile. Tem Lector	UIC Distribution



MAY 2 1 2010

KCC WICHITA

Side Two

perator Name:	Oil Operating, i	nc.				raus		_ Well #: _ 18-	1	·····	
ec. <u>18</u> Twp. <u>8</u>	S. R. <u>21</u>	East	✓ West	County	Graha	am				-	
ISTRUCTIONS: Show me tool open and close ecovery, and flow rates urveyed. Attach final g	ed, flowing and shu if gas to surface te	t-in pressi st, along v	ures, whether s	shut-in press	sure reac	hed static level	, hydrostatic pres	sures, bottom	hole temp	erature, fluid	
rill Stem Tests Taken	1	✓ Y	es 🗌 No		 ✓Lo	g Formatio	on (Top), Depth a	nd Datum		Sample	
Attach Additional Sho amples Sent to Geolog		□ Y	es 🗌 No		Name Top A	e nhydrite		Top 1575		Datum 475	
ores Taken	•	□ Y	es 📝 No	_ ' '				1607		+443	
lectric Log Run (Submit Copy)		√ Y	es No		Topek	а		3021		971	
					Heebr	ner		3234		1184	
st All E. Logs Run: Borehole comp	nensated son	ic loa	Dual indu	ction	Toron	to		3256		1206	
Microresistivity		_			LKC			3270 3471		-1220 -1421	
_xSubmit	Hed elect	nonia	allux		BKC Arbu			3471 3620		1421 1570	
		Repo	ASING ort all strings set-	RECORD conductor, su	✓ New Inface, inte		tion, etc.				
Purpose of String	Size Hole Drilled	Siz	ze Casing t (In O.D.)	Weig	ght	Setting Depth	Type of Cement	# Sacks Used		and Percent dditives	
suface	12 1/4"	8 5/8"	· (5.2.)	23#		262	60/40	180	1	2% gel	
			ADDITIONAL	CEMENTIN	NG / SQU	EEZE RECORD	<u> </u>				
Purpose: Perforate	Depth Top Bottom	Type of Cement #Sacks			Used		Type and	Percent Additives MAY			
Protect Casing Plug Back TD Plug Off Zone	•									CON	
Shots Per Foot			RD - Bridge Plug Each Interval Per				acture, Shot, Cemer mount and Kind of M		rd	Depth	
			·					RI	ECEIV	En	
	· · · · · · · · · · · · · · · · · · ·								Y 2 1		
	· · · · · · · · · · · · · · · · · · ·	,							WIC		
TUBING RECORD:	Size:	Set At:	:	Packer A	t:	Liner Run:	Yes No		VVICI	4HV	
Date of First, Resumed Pr	oduction, SWD or En	nr.	Producing Metl	-	Flowing	Pumpi	ng 🗌 Gas L	ift Oth	ner (Explain,)	
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	r E	Bbls.	Gas-Oil Ratio		Gravity	
DISPOSITION	OF GAS:			METHOD OF	COMPLE	TION:		PRODUCTI	ON INTER	VAL:	

ALLIED CEMENTING CO., LLC.

33892

AL

AIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

Russell KS

20.40	SEC.	TWP.	RANGE	CALLEI	OUT	ON LO	OCATION			JOB FINISH
DATE 3-26-10 3-21-10	18	8	21					COUN	4 5рм ТҮ	12:15am STATE
LEASE Kraus	WELL#	18-1	LOCATION Bogue	KS S	South to	PTer	r Rd	Gral		KS
OLD OR NEW (C	Circle one)		2 West Sout	h int	0.					
CONTRACTOR	America	n Eagle	£#3	OW	'NER					
TYPE OF JOB S			0101	- CE	MENT					
HOLE SIZE 12 CASING SIZE 8		1.D	. 262' PTH 262'	_ CE		DEDET	181	60/Un	3.10	c 2% Gel
TUBING SIZE 6	78		PTH	A.IVI	IO IVI OI	NDEKEL	<u> </u>	, ,,0	0 1. C	c ariger
DRILL PIPE			PTH							
TOOL			PTH							
PRES. MAX			NIMUM	_ CO	MMON_	100	£	@ _/_	7,50	1458,0
MEAS. LINE		SH	OE JOINT	_ PO2	ZMIX _	_ >2	?	@ _>	1,55	543,60
CEMENT LEFT I	IN CŚG.	15	-/	_ GEI	L _	3				60,75
PERFS.					LORIDE	6				309,00
DISPLACEMENT	Γ ,	15.7 Bb	/	_ ASG	C			@		
•	EQU	JIPMENT						@		
	_						- s		LUU	
PUMP TRUCK	CEMENT	ER John	Roberts					@ M&Y 1	8 201	10
<u># 417 </u>	HELPER	Gkenn					· ·		'	
BULK TRUCK								CCAAL	IDEN	ITIAL
# 4/0 BULK TRUCK	DRIVER	John		_				@		
#	DRIVER							@		
TT	DRIVER			- HA	NDLING _.	- 90	5	@ <u>2,</u>	25	202.50
				MII	LEAGE 🟒	10/5/	so, le			360,00
Carry of the Control	RE	MARKS:						,	ΓΟΤΑL	2933,85
C-1 0: -	+-/.						CEDY	TOP '		
Est, Circu	19trou						SERV	ICE		
Mix 18051	k Ceme	nt			PTH OF J					
					MP TRUC					99/1,00
Displace	w/ 15.	5361	Hel		TRA FOO					
	2011		1		LEAGE _				200	280,00
Cement	Via G.	rculate		– MA	NIFOLD .					
	•		Thank You!	Pro-settlements.				@		
	udn -	. '/ -		RECE	IVED-	···		@		
CHARGE TO:	HAC C)1/ Ope	rating							1 m = 1
STREET				MAY 2	1 2010				FOTAL	1271.00
CITY	ST	ATE	ZIP K	CC W	/ICHIT/	APLUG	& FLOA	T EOU	IPMEN	T
To Allied Cemer	ntina Ca	HC								
	-		nenting equipment							
	-		o assist owner or							
		•	he above work was			-		, v		
			of owner agent or						TOTAL	
			and the "GENERAL							
			d on the reverse side	SAI	LES TAX	(If Any)				
LEKIMS AND C	UNDITIO	mo nsied	a on the reverse side		TA 1 CIT :	DOES	4.1			
PRINTED NAME	3			DIS	COUNT -		k		IF PAI	D IN 30 DAY
		, .	0 1							4
SIGNATURE	I mall	with.	La Real							1
SIGNAL OKE	julitifl	nex 10	un -							Ţ

ALLIED CEMENTING CO., LLC. 041349

REMIT TO P.O. RU:	. BOX 31 SSELL, KA	NSAS 670	565	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SER'	VICE POINT:	K
	lero.	Trup	PANCE	CALLEDOUT	ON LOCATION	DOB START	10B FINISH
DATE 4-6-20,	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	DOS PM	2300 AM
LEASE RAUS	WELL#	10-1	'	201 V	16	COUNTY	STATE KANSAS
OLD OR NEW		18-1	LOCATION D	sque 2W Y	10 Ints	UNAHAM.	IVNSES
JED ON (NED)	Circle one)			V		J	
CONTRACTOR				OWNER			
TYPE OF JOB			3 (14)	CHERALERUT		, s	
HOLE SIZE 1). 36.60L	CEMENT	nnenen A 2	0 00	444
CASING SIZE TUBING SIZE	8 78 3/21		EPTH 2 EPTH	AMOUNT U	RDERED 2 30	SX 10	TOBEL
DRILL PIPE 4	L'a V-1		EPTHQ 3600		44510-5		
TOOL			РТН			-	
PRES. MAX		M	INIMUM	COMMON_	/38		1863,00
MEAS. LINE		SH	IOE JOINT	POZMIX _	92	@	694160
CEMENT LEFT	'IN CSG.			GEL	F		162,00
PERFS.	in			CHLORIDE		@	
DISPLACEMEN				ASC	ea/ 57	@ 2 ,45	129/5
,	EQ	ULPMEN	ľ	1-15 9	<u>ear</u>	@	15/163
						K(سار
PUMP TRUCK	CEMEN	TER G/	MM			@ a 0	2010
# <u>398</u>		CRAIC))			@MAY I O	2010
BULK TRUCK # 413	DRIVER	·7)		****		- PANEIF	JAITIAL .
BULK TRUCK	DRIVEN	XOY				- Oldi ir	
#	DRIVER			TIANDI ING	115	@	258,75
<u></u>				HANDLING MILEAGE _	10/6/10/1		460100
	RI	EMARKS	:	MILEAGE _	113/5/6/2010		35-78.00
35 SK	@31	600'			SERV	ICE	
45 80	@ 15	590	· · · · · · · · · · · · · · · · · · ·				
100 SK		320		DEPTH OF J			875,00
40 SK		310 40'	<u> </u>		CK CHARGE		8/3,00
30 S/		T Hol	<i>D</i>	EXTRAPOL	OTAGE		280,00
	<u> </u>	7 // (//	THUK-			@ <u>/, // </u>	400,00
				WANTOLD		@	
		0					
CHARGE TO:	H EC	()Pe	CATING INC	•			
	,					TOTAL	1155104
STREET							
CITY	S	TATE	ZIP		PLUG & FLOA	AT EALUDMEN	יוניו
				05/0-			
				876 D	Ry Hole W	iper Plug	N-C
To Allied Cen							
			ementing equipm) to assist owner o	ent ———			
		-	The above work				
			on of owner agent			TOTAL	-
			tand the "GENEI	RAL			
			ted on the reverse		K (lf Any)		
					ARGES		
DD IMPERSON	AIC.						
PRINTED NAM			.0 /	DISCOUNT		IF PA	D IN 30 DAYS
SIGNATURE	Buart	1, 2000	arhu				KECEI

RECEIVED
MAY 2 1 2010
KCC WICHITA