

KANSAS CORPORATION COMMISSION **ORIGINAL**
OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 3728
Name: Roger Kent dba R J Enterprises
Address 1: 22082 Northeast Neosho Road
Address 2: _____
City: Garnett State: KS Zip: 66032 + 1918
Contact Person: Roger Kent
Phone: (785) 448-6995 or 448-7725
CONTRACTOR: License # 3728
Name: Roger Kent dba R J Enterprises
Wellsite Geologist: n/a
Purchaser: n/a

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SLOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

<u>March 21, 2011</u>	<u>March 23, 2011</u>	<u>March 25, 2011</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 003-24957-00-00

Spot Description: _____

NE_NE_NE_NE Sec. 13 Twp. 21 S. R. 19 East West
5,158 Feet from North / South Line of Section
278 Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: Anderson

Lease Name: J.S. Johnson Unit Well #: 1-1

Field Name: Bush City Shoestring

Producing Formation: Squirrel

Elevation: Ground: 1008 est. Kelly Bushing: n/a

Total Depth: 782 ft. Plug Back Total Depth: 776.1 ft.

Amount of Surface Pipe Set and Cemented at: 20 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: surface

feet depth to: 776.1 ft. w/ 85 sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: 280 bbls

Dewatering method used: Drilled with fresh water - air dry

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Donna Thanda

Title: Agent Date: May 18, 2011

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: MAY 20 2011
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- Approved by: Dlg Date: 5/31/11

RECEIVED
KCC WICHITA

Operator Name: Roger Kent dba R J Enterprises Lease Name: J.S. Johnson Unit Well #: 1-1
 Sec. 13 Twp. 21 S. R. 19 East West County: Anderson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: Gamma Ray/Neutron/CCL	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum See attached log
--	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface		7"		20'			
Production		2-7/8"		776.1'	Thick Set	85 sxs	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
21 perfs	731.0 - 741.0		

TUBING RECORD: Size: <u>none</u> Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
FAX 620/431-0012

INVOICE

Invoice # 240176

Invoice Date: 03/29/2011 Terms: 0/0/30,n/30

Page 1

R. J. ENTERPRISE
% ROGER KENT
22082 NE NEOSHO RD
GARNETT KS 66032
(785) 448-6995

J.S. JOHNSON 1-I
30332
7-218-20E
03-23-11
KS

Part Number	Description	Qty	Unit Price	Total
1126A	THICK SET CEMENT	85.00	18.3000	1555.50
1110A	KOL SEAL (50# BAG)	340.00	.4400	149.60
1118B	PREMIUM GEL / BENTONITE	200.00	.2000	40.00
1105	COTTONSEED HULLS	25.00	.4200	10.50
4402	2 1/2" RUBBER PLUG	2.00	28.0000	56.00

Description	Hours	Unit Price	Total
479 TON MILEAGE DELIVERY	280.80	1.26	353.81
485 CEMENT PUMP	1.00	975.00	975.00
485 EQUIPMENT MILEAGE (ONE WAY)	60.00	4.00	240.00

RECEIVED
MAY 20 2011
KCC WICHITA

Parts:	1811.60	Freight:	.00	Tax:	141.31	AR	3521.72
Labor:	.00	Misc:	.00	Total:	3521.72		
Subt:	.00	Supplies:	.00	Change:	.00		

Signed _____

Date _____