

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1053046

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15 - 15-001-29968-00-00
Name:Wrestler, David L., a General Partnership	Spot Description:
Address 1: 1776 GEORGIA RD	SE_NW_NW_NW_Sec. 7 Twp. 24 S. R. 19 🗹 East West
Address 2:	495 Feet from Vorth / South Line of Section
City: HUMBOLDT State: KS Zip: 66748 + 1500	495 Feet from ☐ East / ✓ West Line of Section
Contact Person:Dave Wrestler	Footages Calculated from Nearest Outside Section Corner:
Phone: ( 620 ) 473-2324	□ne ☑nw □se □sw
CONTRACTOR: License #_33977	County:_Allen
Name: E K Energy LLC	Lease Name: Korte Farms Well #: 10
Wellsite Geologist: none	Field Name:
Purchaser: Pacer	Producing Formation: Tucker
Designate Type of Completion:	Elevation: Ground: 969 Kelly Bushing: 0
✓ New Well Re-Entry Workover	Total Depth: 936 Plug Back Total Depth:
☑ Oil ☐ wsw ☐ swd ☐ slow	Amount of Surface Pipe Set and Cemented at: 20 Feet
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 927
Cathodic Other (Core, Expl., etc.):	feet depth to: 0 w/ 110 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content: 0 ppm Fluid volume: 80 bbls
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Dewatering method used: Hauled to Disposal
Conv. to GSW	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:Dave Wrestler
Dual Completion Permit #:	Lease Name: Korte Farms License #: 7160
SWD Permit #:	
ENHR Permit #:	Quarter NW Sec. 7 Twp. 24 S. R. 19 V East West
GSW Permit #:	County: Allen Permit #: D30525
12/03/2010 12/10/2010 12/20/2010	
Spud Date or Date Reached TD Completion Date or Recompletion Date	

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY	
Letter of Confidentiality Received	
Confidential Release Date:  ✓ Wireline Log Received  Geologist Report Received  UIC Distribution  ALT   ✓	

Side Two



Operator Name: Wre	estler, David L.,	a Genera	al Partnershi	D Lease	Name: _	Korte Farms		Well #:10	
Sec. 7 Twp.24	s. r. <u>19</u>	✓ East	t 🔲 West	County	: Allei	n			
INSTRUCTIONS: Sh time tool open and clo recovery, and flow rate line Logs surveyed. A	ised, flowing and sh es if gas to surface t	ut-ın press est, along	ures, whether s with final chart(	shut-in pres	sure rea	sched static level	hvdrostatic pre	ssures hottom l	nole temperature flui
Drill Stem Tests Taken (Attach Additional S		Y	∕es ☑ No			.og Formatio	on (Top), Depth a	ind Datum	Sample
Samples Sent to Geol	ogical Survey	□Y	es ✓ No		Nan Tucke			Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy,	•	□ Y ☑ Y	es 🗌 No		TUCKE		·	928	936
ist All E. Logs Run:									
Gamay Ray/Neutror	n/ccl								
		Repo		RECORD conductor, su	✓ Norface, int	ew Used ermediate, product	tion, etc.		
Purpose of String	Size Hole Drilled		te Casing t (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12	8		14		20	Portland	6	
Long String	7	4		10		927	Portland	110	
			ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD			
Purpose:  —— Perforate  —— Protect Casing	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives	
Plug Back TD Plug Off Zone	-								
Shots Per Foot	PERFORATI Specify	ON RECOR Footage of I	D - Bridge Plug Each Interval Perf	s Set/Type forated			cture, Shot, Cemer mount and Kind of M		I Depth
			4		***************************************			·	
UBING RECORD:	Size:	Set At:		Packer At:		Liner Run:	Yes No	)	
Date of First, Resumed F 12/20/2010	roduction, SWD or EN	HR.	Producing Meth	od:  Pumping	. [	Gas Lift 🔲 C	Other (Explain)		
Estimated Production Per 24 Hours	Oil 2	Bbls.	Gas I	Mcf	Wate	er Bi	ois.	Gas-Oil Ratio	Gravity 20
DISPOSITIO	N OF GAS:	•	M	ETHOD OF (	COMPLE	TION:		PRODUCTIO	N INTERVAL:
Vented Sold	✓ Used on Lease	rimany	pen Hole		Dually (Submit A		nmingled nit ACO-4)		

.302 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products. Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, selfer assumes no responsibility for damages in any manner to siderivalts, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's fisk. The nanimum allotted irms for unloading trucks is of minutes per yard. A charge will be made for hodding brucks to find the proposition of the water contents to strength or mix indicated. We do not assume responsibility for solid propositions of the proposition of the content of the proposition of the propos

Fature of this confrictor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's fien on the property which is the subject of this contract.

SOUPTIA

CANDE

DAVICO E ROWENIESTEER 1776 DEORGTALKON, HUMB, 65749 DELTU: 1800, WISOUTH DANOTA

	The state of the s
TIME FORMULA LOAD SIZE YARDS ORDERED	DRIVER/TRUCK PLANT/TRANSACTION #
	Y CAL DIN TO THE STATE
DATE LOAD # YARDS DEL	BATCH# WATER TRIM SLUMP TIGKET NUMBER
o Date 3 16,50 vn	OCONIL STOREL NOMBER
13-19-19 Today	The interest of the interest o
WARNING PROPERTY	ANACE RELEASE. Fycessive Water is Detrimental to Concrete Borformance

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement, Wear, Ruborn Boots and Cloves, PROLONGED CONTACT MAY
CAUSE BURN'S, Avoid Contact With Eyes, and Protoriged Contact With Skin in Case of
Contact With Skin or Eyes; Flush, Thoroughly, With Water, If Initiation Persists, Get Medical
Alleriton, KEEP, CHILDREN, AWAY

CONCRETE IN A PERISHBLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING THE PLANT, DAY, CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST BE TELEPHONED IN THE SEFORE LOADING STATES.

The understance promises to pay all costs, including resonable atterneys' fees, incurred in collecting

All accounts not paid willen 30 days of dailyery will bear interest at the rate of 24% per armum. Not Responsible for Residen Aggregate of Color Quarty. No Claim Allowed Unless Made at Time Material is Defrence:

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Detay Time Charged @ \$50/HR.

Vater is Detrimental to Concrete Performance (10 BE SIGNED IF DELIVIERY TO BE MADE INSIDE CURB LINE)
Dear Clustomer-The divers of this buck in presenting this IRELENSE to
you full you's signature's of the donorise that this size and weight of his
truck may possibly cause damage to the premises anoticy adjacent
properly if I plouse the material in this load vinter you desire it, it is
out with to help you in every way that we can, but in order in do this
the drive is requesting than you sign his RELENSE relaving him and
this supplier from any responsibility from any damage failt may occur
to the premise another signed tropperly, buildings, listingals,
the property of the things of the signed tropperly with the premise in the public relation. The underlighted agrees to believing and hold hamites a fraction
than the way the fifth the public can all relating to the premises of
the make and this supplier to any are all distances to be a signed and the supplier to any are all distances to the make agrees to believing and hold hamites a fraction
of the make and this supplier to any are all distances to the another adjacent polipsely which may be claimed by anyone to have
area out of dishery of this order. (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) H₂0 Added By Request/Authorized By

GAL X

DESCRIPTION UNIT PRICE EXTENDED PRICE 5.50

THUCKING

WELL TO SACKS PER INTO TRUCKING CHARGE

33.30

76,00 50.00 418.20

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
2016	2116		JOB NOT READY     6. TRUCK BROKE DOWN     7. ACCIDENT		inTotal 8 444.00
LEFT PLANT ** %	ARRIVED JOB	START UNLOADING	3. TRUCK AHEAD ON JOB 6. CITATION	TIME DUE	
1 13	135				rder to 10214
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY,TIME	ADDITIONAL CHARGE 1
					ADDITIONAL CHARGE 2
	en e		Company of the compan		GRAND TOTAL D

02 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

i idlator

Payless Concrete Products, Inc.

CONDITIONS
Concreté to be delivered to the nearest accessible point over passable road, inder buck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any mannier to eldevalies, cadways, divelvesty, buddings, trees, shrubbey, etc., which are at customer's risk. The maximum ellotified time for unloading trucks is 5 minutos per yard. A charge will be imade for holding trucks longer. This concrete contains correct water contents for strength or mis indicated, we do not assume responsibility for NOTICE TO OWNER.
Failure of this contractor to pay those persons supplying material or services to complete this contractor to pay those persons supplying material or services to complete this contractor to pay those persons supplying material or services to complete this contractor of pay those persons supplying material or services to complete this contractor of pay those persons supplying material or services to complete this contractor of pay those persons supplying material or services to complete this contractor.

Committee Committee

creaced storers

DOUGD-46 FOR HARESTURK 1776 PEOROTA ROX, HUME, 56748 N DECTO : 1800 : 5=500TH DOMOTAL:

ar verbure e k TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRANSACTION # K-CAL %-AIR MOLIZARE A MA and a na 34 o. Da DATE " LOAD # YARDS DEL BATCH# WATER TRIM SLUMP 4 23000 vd A Laboration

- 1682 /888, 7

**WARNING** \*

IRRITATING TO THE SKIN AND EYES
Contains Portland Centert, Was hubble Boots and Gloves, PROLONGED CONTACT MAY
COURSE BURNS, Avoid Contact With Eyes and Prolonged Contact With Skins in Case of
Contact With Skin or Eyes, Rush Thoroughly With Water, It Inflation Persists, Gelf Medical Attention, KEEP CHILDREN AWAY

CONCRETE IS A PERISMANE COMMODITY and RECOMES the PROPERTY of the PURCHASER UPON LEARNING the PLANT. ANY CHANGES OF CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED IN the OFFICE BEFORE LOADING STARTS.

The undersigned cromises to pay all costs, nicholing reasonable attorneys' lites, incurred in collecting any sums owed.

All accounts not past within 30 days of Celivery will best interest at the rate of 24% per arrain.

Not Responsible for Reactive Aggregate or Octor Ougley No Claim Allowed Unless Made at Time Militaria Delivered

A \$25 Service Charge and Loss of the Cosh Discount will be collected on all Picture of Chocks. Excess Delay Time Charged @ SS0 HR.

QUANTITY CODE

PROPERTY DAMAGE RELEASE ITO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURS LINE)

TO BE SIGNED IF DELIVERY TO BE MADE INSDIE CURS LINE)

Des Cantonie-The devict of this haud in presenting the RELEASE in
you lar your signature in of the goldrinn that the ser and vesting of the
stack may possibly cause terrange to the premises and/or adjacent
properly 18 joins the material in this band where you desire it. It is
cut with to help you in every way that see can, but no order to do this
do drive it requested that they stip the RELEASE referring this and
Dis Aughor! from any responsibility have any dramage that may occur
to find premises and/or subjection property. Inclining, administrachrowings, curbs, etc. by the distingt on the materials and that you
also agreed to fifth this control may be for materials and that you
also agreed to fifth this control may be for the defined or in section and
and the control problems are the control of the section of the
and of this surplier to properly. Inclining the control of the section of the secti

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

UNIT PRICE

WELL HID SACKS PER BUILTY

DESCRIPTION

410.00

EXTENDED PRICE

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION CYLINDER TEST TAKEN:	TIME ALLOWED
2166	3:26		1. JOB NOT READY 8. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT. 3. TRUCK AFEAO ON JOB 8. CITATION	
- LEFT PLANT	ARRIVED JOB	-START-UNLOADING	4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER	TIME DUE
2,43	1168			Ā
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME A
Nation and the second				Ğ

418.00 X 7.300 30.51 448.51 DITIONAL CHARGE 1 DITIONAL CHARGE 2 AND TOTAL

## **DRILLERS LOG**

Company:

WRESTLER OIL

**Contractor: EK Energy LLC** 

License# 33977 County: Allen KORTE FARM

Farm: Well No:

10.#

API:

Surface Pipe: 20.4 Sec: 7 TWP: 24

Range: 19E

Location:

Location:

Spot:

Thickness	Formation	Depth	Remarks
	SOIL & CLAY	15	Drilled 12 1/4 Hole Set
45	LIME	60	Drilled 5-5/8 Hole Set
6	SHALE	66	67/8
6	LIME	72	
74	SHALE	146	STARTED 12-3-10
118	LIME	264	Finished 12/10/2010
173	SHALE	437	
36	LIME	473	
22	SHALE	589	T.D. Hole 936'
29	LIME	618	T.D. PIPE 927'
7	SHALE	625	
4	LIME	629	
9	SHALE	638	· · · · · · · · · · · · · · · · · · ·
7	SAND	645	
74	SHALE	719	
1	LIME	720	the state of the s
128	SHALE	848	
26	SAND	874	
6	SHALE	880	
20	OIL SAND	900	
28	SHALE	928	
8	OIL SAND	936	
		<del>i i jinga a dalaja ida pada makanji nji mama</del> ab	