

Notice: Fill out COMPLETELY
and return to Conservation Division at
the address below within
60 days from plugging date.

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
K.A.R. 82-3-117

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

OPERATOR: License #: 32924
Name: Gilbert-Stewart Operating, LLC
Address 1: 1801 Broadway
Address 2: Suite 450
City: Denver State: CO Zip: 80202 + _____
Contact Person: Kent Gilbert
Phone: (303) 534-1686
Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic
 Water Supply Well Other: _____ SWD Permit #: _____
 ENHR Permit #: _____ Gas Storage Permit #: _____
Is ACO-1 filed? Yes No If not, is well log attached? Yes No
Producing Formation(s): List All (If needed attach another sheet)

Depth to Top: _____ Bottom: _____ T.D. _____

Depth to Top: _____ Bottom: _____ T.D. _____

Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - 159-22631-00-00
Spot Description: _____
SW SE NE _____ Sec. 5 Twp. 19 S. R. 9 East West
2,310 Feet from North / South Line of Section
1,090 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Rice
Lease Name: Lincoln Well #: 11
Date Well Completed: D & A
The plugging proposal was approved on: 11-18-10 (Date)
by: BJ Hope (KCC District Agent's Name)
Plugging Commenced: 11-25-10
Plugging Completed: 11-25-10

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out
		Surface	8 5/8" new 23#	306'	0'

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plug well with 180 sacks of 60/40 Poz, 4% gel, 1/4# floeal per sack.
1st plug @ 3230' with 35 sacks. 2nd plug @ 1150' with 35 sacks. 3rd plug @ 800' with 35 sacks.
4th plug @ 350' with 35 sacks. 5th plug @ 60' with 25 sacks to surface. Plug rat hole with 15 sacks.
Job complete @ 7:30 a.m. on 10-25-10 by Quality (tk #4478)

Plugging Contractor License #: 33350 Name: Southwind Drilling, Inc.,
Address 1: PO Box 276 Address 2: 8 North Main
City: Ellinwood State: KS Zip: 67526
Phone: (620) 564-3800
Name of Party Responsible for Plugging Fees: Gilbert-Stewart Operating, LLC
State of Kansas County, Barton, ss. **RECEIVED**
Renee Kasselmann, Office Manager of Southwind Drilling, Inc. Employee of Operator or Operator on above-described well, **DEC 03 2010**
(Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Signature: Renee Kasselmann 12-01-10

SOUTHWIND DRILLING, INC.
PLUGGING ORDERS AND REPORTS

Lease: Lincoln #11

Plugging received from KCC representative:

Name: BJ Hope Date 11-18-10 Time 10:35

1st plug @ 3230 ft. 35 sx. Stands: 52

~~2nd plug @ 1150 ft. 35 sx. Stands: 18 1/2~~

3rd plug @ 800 ft. 35 sx. Stands: 13

4th plug @ 350 ft. 35 sx. Stands: 5 1/2

5th plug @ 60 ft. 25 sx. Stands: 1

Mousehole _____ sx.

Rahole 15 sx.

Total Cement used: 180 sx.

Type of cement 60/40 Poz 4% Gel 1/4" Flo.

Plug down @ 7:30 A:m 11-25-10

Call KCC When Completed:

Name: Dan Fox Date 12-01-10 Time 10:50 a.m.

RECEIVED
DEC 03 2010
KCC WICHITA

QUALITY OILWELL CEMENTING, INC.

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 4478

Date	11-25-10	Sec.	5	Twp.	19	Range	9	County	Rice	State	Ks	On Location		Finish	7:30 AM
Lease	Lincoln	Well No.	#11	Location		Chase, Ks - NW 1/4 Rd, SE 1/4									
Contractor	Sutherland Drilling Rig #3		Owner		Quality Oilwell Cementing, Inc.										
Type Job	plug		You are hereby requested to rent cementing equipment and furnish		cementer and helper to assist owner or contractor to do work as listed.										
Hole Size	7 7/8"		T.D.	3350'		Charge To		Gilbert + Stewart							
Csg.			Depth			Street									
Tbg. Size	4 1/2" D.P.		Depth	3230'		City		State							
Tool			Depth			The above was done to satisfaction and supervision of owner agent or contractor.									
Cement Left in Csg.			Shoe Joint			Cement Amount Ordered 180 SA 60/40 4% Gel 4ETS									
Meas Line			Displace	420/mhd											

EQUIPMENT

Pumptrk	1	No.	Cementer	Wente	Common
Bulktrk	7	No.	Driver	Brian F.	Poz. Mix
Bulktrk	p.u.	No.	Driver	Rick	Gel.

JOB SERVICES & REMARKS

Remarks:	Hulls
Rat Hole	Salt
Mouse Hole	Flowseal
Centralizers	Kol-Seal
Baskets	Mud CLR 48
D/V or Port Collar	CFL-117 or CD110 CAF 38
3230' - 35 SA	Sand
1150' - 35 SA	Handling
800' - 35 SA	Mileage
350' - 35 SA	
60' - 25 SA	
R.H. - 15 SA	

FLOAT EQUIPMENT

180 SA 60/40 4% Gel 4ETS	Guide Shoe
Cement did Circulate	Centralizer
	Baskets
	AFU Inserts
	Float Shoe
	Latch Down
	1-8 7/8" Dry hole plug
	Pumptrk Charge
	Mileage

X Signature *Jug Klein*

RECEIVED
DEC 03 2010
KCC WICHITA

Tax
Discount
Total Charge