KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Tes	t:	•				See Instruct	tions on Re	everse Side	e)					•
Open Flow Deliverabilty				Test Date					No. 15	ンクシ	\sim			
Company					Octobei	8, 2010	Lease		077	-20535 ~ (\sim	Well Nu	
		etrol	eum, Inc.				Muir					1-20	vven ive	
County Location Harper NE NE NE			Section 20		TWP 31S		RNG (E/W) 9W				Acres Attributed 160			
Field Spivey-Grabbs				Reservoi Mississi				Gas Gati West W	ection Satherin	g				
Completi 1979	on Dat	te .			Plug Bac 4451	k Total Dept	th .		Packer S	et at	,			
Casing Size 4-1/2			Weight 10.50#		Internal Diameter		Set at 4494		Perforations 4424		т _о 4434			
Tubing Size 2-3/8			Weight 4.70#		Internal Diar		Set at 4447		Perforations 4436			To 4438	•	
Type Completion (D Perf-Fracture			<u> </u>		Type Fluid Production Salt Water		n	-	Pump Unit or Trave Pumping Unit		Plunger?		/ No	
	g Thru		nulus / Tubing)		Carbon Dioxi	de		% Nitroge			Gas G .651	ravity - (э _°
Vertical Depth(H) 4451							sure Taps						Run) (P	rover) Size
	Buildu	ID:	Shut in10-8) }	0_10_at_1	Flan	-	Taken 10)-9	20	10 _{at}		·	(PM)
Well on L	•	-	Started 10-9		0 10 at 1		\simeq			20				(AM) (PM)
		·	···	·		OBSERVE	D SURFAC	E DATA			Duration	of Shut	-in_24	Hours
Static / Dynamic Property	Dynamic Size		Circle one: Meter Prover Pressur psig (Pm)	Pressure Differential in Inches H ₂ 0	Flowing Well Head Temperature t		Wellhead (P _w) or (f	$(P_w) \text{ or } (P_t) \text{ or } (P_c)$ (P_w)		ubing ad Pressure (P ₁) or (P _c)	essure Duration or (P _c) (Hours)		Liquid Produced (Barrels)	
Shut-In			F-15 (,				240	psia	psig 30			24		
Flow	Flow .375 175 10				190	-	190		24		3 B	SW		
					- 1	FLOW STR	EAM ATTE	RIBUTES	Т					Ţ
Plate Coefficient (F _b) (F _p) Mcfd		Pro	Circle one: Meter or Press Extension √ P _m x h		Gravity Factor F		Flowing Deviation Factor F _{t1}		ctor	Metered Flow R (Mcfd)		GOR (Cubic Fee Barrel)		Flowing Fluid Gravity G _m
		-						, , <u>,</u>		36	36,	000:1		
						OW) (DELIV	-					(P _a)) ² = 0.2	07
$(P_c)^2 =$		_:_	(P _w) ² =_	hoose formula 1 or 2:	P _d =		T	P _c - 14.4) +		 :		(P _d)) ² ≕	
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		(F	$(P_c)^2 - (P_w)^2$ 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$		LOG of formula 1. or 2. and divide P.2. P.2		Backpressure Curve Slope = "n" Assigned Standard Slope		n x LOG		Antilog ·		Open Flow Deliverability Equals R x Antilog (Mcfd)	
· · · · · · · · · · · · · · · · · · ·		-	- a	vided by: P _c ² - P _w ²	by:	<u> </u>	·	Jaro Giope			· · · · ·			· ·
· .						*								
Open Flo	w	•		Mcfd @ 14.	65 psia		Deliverat	oility			Mcfd @ 1	4.65 ps	ia	
		Ĭ.	d authority, on				-	2 a	o make the	e above repo Decem Two	rt, and tha	at he ha	as know	20 <u>10</u> .
			Witness (if	any)			-	f	gr P	For C	ompan KAN S	SAS COT	PORATIO	ON COMMISSION
			For Commis	sion		·	-		•	Chec	ked by	JA	N 2 1	- 2011

exempt status und and that the foreg correct to the best of equipment insta	er Rule K.A.R. 82-3- oing pressure inforr of my knowledge an	304 on behalf of the mation and statem nd belief based upo ype of completion o	e operator Messenge ents contained on the on available production or upon use being ma	nis application form are on summaries and leas ade of the gas well here	e true and se records
•	ounds that said well:	•	w testing for the	The first continues on the Adel Bodes	
(Check	is a coalbed methal is cycled on plunge is a source of natur is on vacuum at the	er lift due to water al gas for injection present time; KCC	into an oil reservoir approval Docket No rate in excess of 250)	
_	e to supply to the bes			ocuments deemed by	Commission
Siail as liecessary	to corroborate tris	ciaiii ioi exemplic	in nom testing.	. • •	
Date: December 2	29, 2010				
		Signature:	for the best of the sesident	weg	
					·

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test resultanSAS CORPORATION COMMISSION

JAN 21 2011