KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

| Type Tes | Type Test: (See Instr | | | | | | | everse Side | ;) | | | | | | |
|-------------------------------------------------------------|--------------------------------------------------|---------|----------------------------------------------------------------|---------------------------------------------------------------------------------------------------|------------------------------------------------|----------------|-----------------------------------------------------------|--------------------------------------------------------------------------------------|----------------------------|----------------------------------------------------------------------|---------------------------------------|------------------------------|----------------------------------------------------|-----------------------------------------------|--|
| Open Flow | | | | | Test Date | a• | | | A PI I | No. 15 | • | | | - | |
| Deliverabilty | | | | | | oer 20, 201 | 10 | | | 21916 - (| ∞ | $\mathcal{O}_{\mathcal{C}}$ | | | |
| Company Messenger Petroleum, Inc. | | | | | - | | Lease Bock | | | | | Well Number J-1 | | | |
| County Kingmar | n | | Location E/2 SW | | Section 3 | | TWP 29S | | | V) | | Acres Attributed 160 | | ttributed | |
| Field Garlisch | | | , | | Reservoir Mississippi | | 7. 1 | ٠, | Gas Gathering Cor OneOk | | ection | | | · | |
| Completion Date 2004 | | | | | Plug Back Total Depth 4181 | | th | | Packer Se | et at | · · · · · · · · · · · · · · · · · · · | | | | |
| Casing Size 4-1/2 | | | Weight 10.50# | | Internal Diameter | | Set at 4230 | | Perforations 4148 | | то 4153 | | | , | |
| Tubing Size 2-3/8 | | | Weight 4.7# | | Internal Diameter | | Set at 4176 | | Perforations 4163 | | то 4166 | | | | |
| Type Completion (E Perf-Frac | | | escribe) | , | Type Fluid Production Salt Water | | n | Pump Unit or Trave Pumping Unit | | | Plunger | ? Yes | / No | | |
| Producing Thru (Annulus Annulus | | | nulus / Tubing |) | % C | Carbon Dioxi | de | | % Nitrogen | | | Gas Gravity - (| | | |
| Vertical Depth(H) 4149 | | | | | | Pres Flan | sure Taps ge | Taps | | <u>, </u> | · | (Meter | Run) (Pr | over) Size | |
| | | ID: | Shut in2 | | | | | | | 2-21 20 | | 600 | | AM) (FM) | |
| Well on Line: | | | | | 40 000 | | _ | AM) PM Taken | | | | | | | |
| | | | | | - | OBSERVE | D SURFAC | SURFACE DATA | | 1 | Duration of Shut- | | in 31. | 5 Hours | |
| Static / Dynamic Property | ynamic Size | | Circle one: Meter Prover Pressuit psig (Pm) | Pressure Differential in Inches H ₂ 0 | Temperature Temperature | | Wellhead (P _w) or (F | Casing Wellhead Pressure (P _w) or (P _t) or (P _c) | | Tubing Wellhead Pressure $(P_w) \text{ or } (P_1) \text{ or } (P_c)$ | | Duration (Hours) | | Liquid Produced (Barrels) | |
| Shut-In | hut-In | | ,,,, | 1110100 1120 | | | 697 | psia | psig psia | | 31.5 | | | | |
| Flow | .500 |) | 118 | 9.5 | | | 125 | | 125 | 125 | | 24 | | 21 BSW | |
| | · | | | | <u> </u> | FLOW STR | | IBUTES | | | | | | · · · | |
| Plate Coefficeient (F _b) (F _p) Mcfd | | Pro | Circle one: Meter of over Pressure psia | Press Extension √ P _m x h | Grav Fac F | tor 1 | Flowing femperature Factor F _{ft} | Fa | iation ctor | Metered Flow R (Mcfd) | , | GOR (Cubic Fee Barrel) | | Flowing Fluid Gravity G _m | |
| | | | | | | 1. | | , | | 52 | 52 | ,000:1 | | | |
| | • | | | | (OPEN FL | OW) (DELIV | ERABILITY |) CALCUL | ATIONS | | ' | /P \ | ² = 0.20 | 77 | |
| (P _c) ² = | | _: | (P _w) ² = | : | P _d = | | % (I | P _c - 14.4) + | 14.4 = | : | | (P _d) | | | |
| or | $(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$ | | P _c) ² - (P _w) ² | Thoose formula 1 or 2: 1. $P_c^2 - P_a^2$ 2. $P_c^2 - P_d^2$ Tivided by: $P_c^2 - P_w^2$ | LOG of formula 1. or 2. and divide P 2 _ P 2 | | Backpressure Curve Slope = "n" or Assigned Standard Slope | | n x LOG | | Antilog | | Open Flow Deliverability Equals R x Antilog (Mcfd) | | |
| | | | | | | ٠. | | | | | | | | | |
| · | | | | | | | <u> </u> | | | | | | | | |
| Open Flow Mcfd @ 14.6 | | | 35 psia | | Deliverat | Deliverability | | . 1 | Vicfd @ | 14.65 psi | ia | | | | |
| | | | * | behalf of the | | | • | athorized to | o make the | becer | 10 | at he ha | s knowl | edge of | |
| | | | Witness (if | any) | | | - | JE | z V | Z // For C | ompany | | REC | EIVED | |
| | | | For Commis | ssion | | * | | | | Chec | ked by | | JAN | 2 0 20 1 | |

| I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Messenger Petroleum, Inc. |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| and that the foregoing pressure information and statements contained on this application form are true and |
| correct to the best of my knowledge and belief based upon available production summaries and lease records |
| of equipment installation and/or upon type of completion or upon use being made of the gas well herein named. |
| I hereby request a one-year exemption from open flow testing for the Bock J-1 |
| gas well on the grounds that said well: |
| |
| (Check one) |
| is a coalbed methane producer |
| is cycled on plunger lift due to water |
| is a source of natural gas for injection into an oil reservoir undergoing ER |
| is on vacuum at the present time; KCC approval Docket No |
| is not capable of producing at a daily rate in excess of 250 mcf/D |
| |
| I further agree to supply to the best of my ability any and all supporting documents deemed by Commission |
| staff as necessary to corroborate this claim for exemption from testing. |
| |
| Date: December 29, 2010 |
| |
| |
| |
| |
| Signature: Lea Vi Washer |
| Title: President |
| |
| |
| |

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

JAN 2 0 2011

KCC WICHITA