## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

C100 1.04	Type Test	::				(	See Instruct	ions on Re	verse Side	)				
Lose   Company   Losation   Section   Trinnile *OWWO*   Trinnile						Test Date	<b>e</b> :							
Line   County   Location   Section   Time   Provided   Time   T			iity 			2/22/1	1	· <u> </u>		151	-21820-00-0			
Pract			<b>)</b> .						"OWWO"				vell Number	
Vicinal   Description   Date   Description   Date   Description   Date   Description   Date   Description   Date   Description   Description   Date   Description   Desc	•							· · · · · · · · · · · · · · · · · · ·			,	Acres Attributed		
Applications   Casing Size   Weight   Internal Diameter   Sat at   Perforations   To   4272		ynesvi	lle A	ABD)			r				•	ection		
15.5   1.5	•	on Dat	е			Plug Bac	k Total Dept	h			et at			
Type Fluid Production   Pump Unit or Traveling Plunger?   Yes / No single   Producing Thru (Annulus / Tubing)   % Carbon Dioxide   % Nitrogen   Gas Gravity - G	•			Weight		Internal Diameter								
Type Completion (Describe) Single  Type Fluid Production  Pump Unit or Traveling Plunger? Yes / No single  Producing Thru (Annulus / Tubing)  % Carbon Dioxide  % Nilrogen  Gas Gravity - G <sub>g</sub> (Meter Run) (Prover) Size 2"  Pressure Buildup: Shut in 2/21 20 11 at 10:00AM (AM) (PM) Taken 2/22 20 11 at 10:00AM (AM) (PM)  Well on Line: Started 20 at				Weight		Internal Diameter				Perforations		То		
Producing Thru (Annulus / Tubing)  Pressure Eaps flange  Pressure Buildup: Shut in 2/21 20 11 at 10:00AM (AM) (PM) Taken 2/22 20 11 at 10:00AM (AM) (PM)  Well on Line: Started 20 at (AM) (PM) Taken 2/22 20 at (AM) (PM)  State (Inches)  Pressure Buildup: Shut in 2/21 20 11 at 10:00AM (AM) (PM) Taken 2/22 20 at (AM) (PM)  Pressure Buildup: Shut in 2/21 20 11 at 10:00AM (AM) (PM) Taken 2/22 20 at (AM) (PM)  Pressure Guide one (Inches)  Pressure Meter (Inches)  State (Inches)  Pressure Meter (Inches)  Pressure Pressure (Inches)  Pressure Flow STREAM ATTRIBUTES  Plus Meter (Inches)  Pressure Pressure	Type Completion (Describe)					Type Fluid Production				Pump Unit or Traveling Pl			/ No	
Pressure Buildup: Shut in 2/21 20 11 at 10:00AM (AM) (PM) Taken 2/22 20 11 at 10:00AM (AM) (PM) Well on Line: Started 20 at (AM) (PM) Well on Line: Started 20 at (AM) (PM)  OBSERVED SURFACE DATA Duration of Shut-in 2/4 Hours  OBSERVED SURFACE DATA Duration of Shut-in 2/4 Hours  OBSERVED SURFACE DATA Duration of Shut-in 2/4 Hours  Property (inches) Pressure page (Pn) Inches H,0 Inch		g Thru	(Anr	nulus / Tubin	g)	% C	arbon Dioxid	de				Gas Gr	avity - G <sub>g</sub>	
## Pressure Buildup: Shut in 2/21 20 11 at 10:00AM (AM) (PM) Taken 2/22 20 11 at 10:00AM (AM) (PM)  ## Well on Line: Started 20 at (AM) (PM) Taken 2/22 20 11 at 10:00AM (AM) (PM)  ## Observed Surface DATA												(1) 1 - 1 - 1	2 \ \( \( \text{D} \) \ \( \text{C} \)	
Well on Line: Started	Vertical D	epth(H	1)				_	•					Run) (Prover) Size	
Stalic / Orlifice Dynamic Prover Prassure (Inches) Pressure (Inches) Pressure (Inches) Pressure (Inches) Prover Pressure (Inches) Pressure (Inches) Prover Pressure (Inches) Press	Pressure	Buildu	p:	Shut in 2/2	12	0 11 at 1	0:00AM	(AM) (PM)	Taken_2/	22	20	11 at 10:00A	(AM) (PM)	
Static / Orifice Dynamic Properly (inches)   Original Properly Properly   Original Properly (inches)   Or	Well on L	ine:	;	Started	2	0 at		(AM) (PM)	Taken		20	at	(AM) (PM)	
Static   Orifice   Orifice   Orifice   Properly   Pro							OBSERVE	D SURFAC	E DATA			Duration of Shut-	n_24 Hours	
Shut-in	Dynamic	Siz	е	Meter Prover Pressi	Differential in	Temperature	Temperature	Wellhead (P <sub>w</sub> ) or (I	Pressure	Wellhe	ad Pressure (P <sub>t</sub> ) or (P <sub>c</sub> )			
FLOW STREAM ATTRIBUTES  Plate Coefficient (F <sub>s</sub> ) (F <sub>s</sub> ) Moder or Prover Pressure psia  Copen FLOW) (DELIVERABILITY) CALCULATIONS  (P <sub>c</sub> ) <sup>2</sup> = (P <sub>w</sub> ) <sup>2</sup> = (P <sub>w</sub> ) <sup>2</sup> = P <sub>c</sub> = .				psig (Pm)	Inches H <sub>2</sub> 0				<del> </del>	psig	psia	24		
Plate Coefficient (F <sub>a</sub> ) (F <sub>a</sub> ) (F <sub>a</sub> ) (F <sub>actor</sub> Prover Pressure psia Prover Pressure psia Prover Prover Pressure psia Prover P	Flow													
Coefficient (F <sub>p</sub> )(F <sub>p</sub> ) Meter or Prover Pressure psia  (P <sub>c</sub> ) <sup>2</sup> =  (OPEN FLOW) (DELIVERABILITY) CALCULATIONS (P <sub>c</sub> ) <sup>2</sup> =  (OPEN FLOW) (DELIVERABILITY) CALCULATIONS (P <sub>c</sub> ) <sup>2</sup> =  (OPEN FLOW) (DELIVERABILITY) CALCULATIONS (P <sub>c</sub> ) <sup>2</sup> =							FLOW STR	EAM ATTF	RIBUTES					
(P <sub>c</sub> ) <sup>2</sup> = : (P <sub>w</sub> ) <sup>2</sup> = : P <sub>d</sub> = % (P <sub>c</sub> - 14.4) + 14.4 = : (P <sub>d</sub> ) <sup>2</sup> = : (P <sub>d</sub> ) <sup>2</sup> = : (P <sub>d</sub> ) <sup>2</sup> = : (P <sub>e</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> (P <sub>c</sub> ) <sup>2</sup> - P <sub>c</sub> - P <sub>c</sub> - P <sub>w</sub> (P <sub>c</sub> ) <sup>2</sup> - P <sub>w</sub> (P <sub>c</sub>	Coeffiec	ient	Pro	Meter or over Pressure	Extension	Fac	tor	emperature Factor	Fa	ctor	R	(Cubic Fe	et/ Fluid Gravity	
(P <sub>c</sub> ) <sup>2</sup> = : (P <sub>w</sub> ) <sup>2</sup> = : P <sub>d</sub> = % (P <sub>c</sub> - 14.4) + 14.4 = : (P <sub>d</sub> ) <sup>2</sup> = : (P <sub>d</sub> ) <sup>2</sup> = : (P <sub>d</sub> ) <sup>2</sup> = : (P <sub>e</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> (P <sub>c</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup> (P <sub>c</sub> ) <sup>2</sup> - P <sub>c</sub> - P <sub>c</sub> - P <sub>w</sub> (P <sub>c</sub> ) <sup>2</sup> - P <sub>w</sub> (P <sub>c</sub>														
Choose formula 1 or 2:  1. P <sub>c</sub> - P <sub>n</sub> or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>n</sub> ) <sup>2</sup> or (P <sub>c</sub> ) <sup>2</sup> - (P <sub>n</sub> ) <sup>2</sup> divided by: P <sub>c</sub> <sup>2</sup> - P <sub>n</sub> divided by: P	(D \2 -			/D \2 -					•					
Open Flow  Mcfd @ 14.65 psia  Deliverability  Mcfd @ 14.65 psia  The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 22nd day of February  Witness (if any)  Witness (if any)  RECEIVED	(P <sub>c</sub> ) <sup>2</sup> - (I	- 1	_ · (F	T	Choose formula 1 or 2 1. P <sub>c</sub> <sup>2</sup> - P <sub>a</sub> <sup>2</sup>	LOG of formula		Backpre Sic	essure Curve ppe = "n" or	n x I	LOG		Open Flow Deliverability Equals R x Antilog	
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 22nd day of February , 20 11  Witness (if any)  Witness (if any)		d'			divided by: Pc2 - Pw	by:	Pc - Pw						(Mcfd)	
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 22nd day of February , 20 11  Witness (if any)  Witness (if any)							<del>,</del>		· ·					
the facts stated therein, and that said report is true and correct. Executed this the 22nd day of February , 20 11.  Witness (if any)  Witness (if any)	Open Flo	w			Mcfd @ 14.	65 psia		Deliveral	bility		L	Mcfd @ 14.65 psi	a	
the facts stated therein, and that said report is true and correct. Executed this the 22nd day of February , 20 11.  Witness (if any)  Witness (if any)	The	undersi	gned	d authority, o	n behalf of the	Company, s	states that h	e is duly a	uthorized to	o make th	e above repo	rt and that he ha	s knowledge of	
C100 1.04			-											
C100 1.04										(	M H M	ompany	RECEIVED	
										- 4	am I M	ked by	MAR 0 9 20	

KCC WICHITA

	eclare under penalty of perjury under the laws of the state of Kansas that I am authorized to request status under Rule K.A.R. 82-3-304 on behalf of the operator L.D.Drilling,Inc.
	at the foregoing pressure information and statements contained on this application form are true and
correc	to the best of my knowledge and belief based upon available production summaries and lease records
•	oment installation and/or upon type of completion or upon use being made of the gas well herein named. ereby request a one-year exemption from open flow testing for the
	Il on the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No
	is not capable of producing at a daily rate in excess of 250 mcf/D
l fu	rther agree to supply to the best of my ability any and all supporting documents deemed by Commission
	necessary to corroborate this claim for exemption from testing.
Datas	2/22/11
Dale	
	Simulation ( ) ( ) ( ) ( ) ( )
	Signature: XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

MAR 0 9 2011