# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM	VI
<b>WELL HISTORY - DESCRIPTION OF WELL &amp; I</b>	LEASE

OPERATOR: License #33623	API No. 15 - 125-31580-0000
Name: Allenergy, Inc	Spot Description:
Address 1: PO box 1413	sw_sw_seSec11_Twp34_s. R13[/]EastWest
Address 2:	330 Feet from North / South Line of Section
City: coffeyville State: Ks Zip: 67337 +	2,300 Feet from ✓ East / West Line of Section
Contact Person: Rex Horning	Footages Calculated from Nearest Outside Section Corner:
Phone: (719 ) 252-9352	□NE □NW Øse □sw
CONTRACTOR: License #_5989	County: Montgomery
Name: Finney drilling	Lease Name: Kelso Ropper Well #: #1
Wellsite Geologist: T.O.	Field Name: Havana Wayside
Purchaser: Plains marketing	Producing Formation: Redd
Designate Type of Completion:	Elevation: Ground: 775 Kelly Bushing:
[✔] New Well	Total Depth: 901 Plug Back Total Depth: 600
☑ oil ☐ wsw ☐ swp ☐ siow	Amount of Surface Pipe Set and Cemented at: 32.7 Feet
Gas D&A ENHR SIGW	Multiple Stage Cementing Collar Used? Yes V No
GSW Temp. Abd.	If yes, show depth set: Feet
CM (Coal Bed Methane)	If Alternate II completion, cement circulated from: 600
Cathodic Core, Expl., etc.):	feet depth to: surface w/ 75 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	teet depth tosx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	·
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Chloride content:ppm Fluid volume:bbls
Conv. to GSW	Dewatering method used: Air dry Backfill
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit#:	Quarter Sec. Twp. S. R. East West
ENHR Permit #:	County: Permit #:
GSW Permit #:	County
4-20-08         4-23-08         2-8-08           Spud Date or         Date Reached TD         Completion Date or	
Recompletion Date  Recompletion Date	
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover or coperate the spud of this form will be held confidential for a period of 12 months if requitality in excess of 12 months). One copy of all wireline logs and geologist well BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form	riversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidenting and submitted with this form. ALL CEMENTING TICKETS MUST
AFFIDAVIT  I am the affiant and I hereby certify that all requirements of the statutes, rules and relations promulgated to regulate the oil and gas industry have been fully complied and the statements herein are complete and correct to the best of my knowledge Signature:  Date: 4-2  -	with Letter of Confidentiality Received
	UIC Distribution

#### Side Two

Operator Name: Alle	energy, Inc		Lease N	lame:	Kelso Ropper		Well#: _#1	·	<del></del>
Sec. 11 Twp.34	s. R. <u>13</u>		County:	Mon	Igomery				
INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report.									
Drill Stem Tests Taker (Attach Additional		Yes No		۵r	og Formation	n (Top), Depth a	nd Datum		Semple
Samples Sent to Geo	logical Survey	Yes No	İ	Name			Top Datum 316 604		
Cores Taken			upper layton			310	•	~	
List All E. Logs Run:									
Gamma ray n	eutron comple	etion							
		CASING Report all strings set-	RECORD	√ No face, into		on, etc.			-
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./		Setting Depth	Type of Cement	# Sacks Used		and Percent
surface	12 1/4	7"	19		32.7	1	11		
Production	5.5	2 7/8			600	thick set	40		
		ADDITIONAL	CEMENTIN	G / SQL	JEEZE RECORD	·		<u></u>	
Purpose:	Depth Top Bottom	Type of Cement	# Sacks I	# Sacks Used Type and Percent Additives					
Protect Casing Plug Back TD									
— Plug Off Zone									
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record								Dooth	
Specify Footage of Each Interval Perforated  4 13 shots 554-557				<del></del>	(Amount and Kind of Material Used) Depth  acid 15% hcl 200 gai				Depth
						-	REC	EIVEC	
				<u> </u>			APR 2	2 9 20	11
TUBING RECORD:	Size:	Set At: 550	Packer At:		Liner Run:	] Yes 📝 No			
Date of First, Resumed 4-26-08	Production, SWD or EN	IHR. Producing Meth	rod:    Pumping	. 🗆	Gas Lift 0	ther (Explain)	NOG-V	<del>71⊖1</del> -11	<del></del>
Estimated Production Per 24 Hours	Oii	Bbls. Gas	Mcf	Wat	···	als.	Gas-Oil Ratio		Gravity
DISPOSITION OF GAS: METHOD OF COMPLETION: PRODUCTION INTERVAL:									
1_									
-	(Submit ACO-5) (Submit ACO-4)								

# **DRILLERS LOG**

'API NO.

<u>15-125-31580</u>

S. <u>11</u>

T. <u>34</u> R. <u>13</u>

**OPERATOR: ALLENERGY INC.** 

**LOCATION: SW SW SE** 

ADDRESS: P.O. BOX 1413

COFFEYVILLE, KS 67337

**COUNTY: MONTGOMERY** 

WELL#:

LEASE NAME: ROPER

FOOTAGE LOCATION: 330 FEET FROM S LINE 2300 FETT FROM E LINE

CONTRACTOR: FINNEY DRILLING COMPANY

GEOLOGIST: T.O.

SPUD DATE: 4-21-2008

TOTAL DEPTH:

901

DATE COMPLETED: 4-23-2008

OIL PURCHASER:

<u>CMT</u>

## CASING RECORD

PURPOSE	SIZE OF HOLE	SIZE OF CASING	WEIGHT LBS/FT	SETTING DEPTH	TYPE CEMENT	SACKS	TYPE AND %	
SURFACE: PRODUCTION:	12 1/4 5 5/8	7	19	32.7	1	11	SERVICE COMPANY	

## WELL LOG

CORES:

**NO CORES** 

RAN:

**RUN OPEN HOLE LOG** 

<b>FORMATION</b>	TOP	BOTTOM	<b>FORMATION</b>	TOD	D07710
TOP SOIL	0	3	LIME		BOTTOM
CLAY	3	20		261	271
GRAVEL	20	29	SHALE	271	288
SHALE	29	41	SAND	288	345
LIME	41	45	SAND & SHALE	345	363
SHALE	45	55	SHALE	363	404
LIME	55		SAND	404	463
SHALE	58	58 100	SHALE	463	540
LIME		109	LIME	540	546
SHALE	109	110	SAND & SHALE	546	550
LIME	110	111	OIL & SAND	550	559
	111	116	SAND & SHALE	559	564
SHALE	116	129	SHALE	564	717
LIME	129	132	LIME	717	719
SAND	132	134	SHALE	719	713 727
LIME	134	139	LIME	713	
SHALE	139	146	SAND & SHALE		743
LIME	146	149	LIME	743	802
SAND	149	157	SHALE	802	814
SHALE	157	202	LIME	814	816
SAND	202	212	SAND & SHALE	816	837
SHALE	212	261	SAND & SHALE	837	RECEIVED

APR 2 9 2011

**KCC WICHITA**