

5/15/11  
Form ADO-4  
October 2008

Form Must Be Typed

CONFIDENTIAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 33397  
Name: Running Foxes Petroleum  
Address 1: 7060 S TUCSON WAY Suite B  
Address 2: \_\_\_\_\_  
City: CENTENNIAL State: CO Zip: 80112 + \_\_\_\_\_  
Contact Person: Kent Keppel  
Phone: (303) 617-7242  
CONTRACTOR: License # 5786  
Name: McGown Drilling  
Wellsite Geologist: Greg Bratton  
Purchaser: \_\_\_\_\_

Designate Type of Completion:  
\_\_\_\_\_ New Well \_\_\_\_\_ Re-Entry \_\_\_\_\_ Workover  
\_\_\_\_\_ Oil \_\_\_\_\_ SWD \_\_\_\_\_ SIOW  
\_\_\_\_\_ Gas  ENHR \_\_\_\_\_ SIGW  
\_\_\_\_\_ CM (Coal Bed Methane) \_\_\_\_\_ Temp. Abd.  
\_\_\_\_\_ Dry \_\_\_\_\_ Other \_\_\_\_\_  
*(Core, WSW, Expl., Cathodic, etc.)*

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
\_\_\_\_\_ Deepening \_\_\_\_\_ Re-perf. \_\_\_\_\_ Conv. to Enhr. \_\_\_\_\_ Conv. to SWD  
\_\_\_\_\_ Plug Back: \_\_\_\_\_ Plug Back Total Depth  
\_\_\_\_\_ Commingled \_\_\_\_\_ Docket No.: \_\_\_\_\_  
\_\_\_\_\_ Dual Completion \_\_\_\_\_ Docket No.: \_\_\_\_\_  
\_\_\_\_\_ Other (SWD or Enhr.?) \_\_\_\_\_ Docket No.: \_\_\_\_\_  
1/29/2009      1/30/2009      2/5/2009  
Spud Date or      Date Reached TD      Completion Date or  
Recompletion Date                Recompletion Date

API No. 15 - 15-011-23501-00-00  
Spot Description: \_\_\_\_\_  
NE - SE - NW Sec. 36 Twp. 24 S. R. 23  East  West  
2160 Feet from  North /  South Line of Section  
2480 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
County: Bourbon  
Lease Name: Graham Well #: 6-36D Inj  
Field Name: Devon  
Producing Formation: Bartlesville  
Elevation: Ground: 873' Kelly Bushing: \_\_\_\_\_  
Total Depth: 572' Plug Back Total Depth: 561'  
Amount of Surface Pipe Set and Cemented at: 20 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: \_\_\_\_\_  
feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan AM II 15 7-6-09  
*(Data must be collected from the Reserve Pit)*  
Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls  
Dewatering method used: \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Kent Keppel  
Title: Landman Date: 5-18-2009  
Subscribed and sworn to before me this 18<sup>th</sup> day of May  
20 09.  
Notary Public: Karla Peterson

Date Commission Expires Nov. 9, 2011  
**KARLA PETERSON**  
NOTARY PUBLIC  
STATE OF COLORADO  
My Commission Expires November 9, 2011

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

RECEIVED  
MAY 20 2009

KCC WICHITA

Operator Name: Running Foxes Petroleum Lease Name: Graham Well #: 6-36D Inj  
 Sec. 36 Twp. 24 S. R. 23  East  West County: Bourbon

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run: <b>Density Neutron, Dual Induction, Gamma Ray</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Excello</td> <td>180'</td> <td>693'</td> </tr> <tr> <td>Upper Bartlesville</td> <td>408'</td> <td>465'</td> </tr> <tr> <td>Mississippian</td> <td>530'</td> <td>343'</td> </tr> </table>	Name	Top	Datum	Excello	180'	693'	Upper Bartlesville	408'	465'	Mississippian	530'	343'
Name	Top	Datum											
Excello	180'	693'											
Upper Bartlesville	408'	465'											
Mississippian	530'	343'											

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12.25"	7"	15lbs.	22'	Quickset	15	KolSeal
Production	6.75"	2.825"	6.5.5lbs.	561'	Quickset	78	KolSeal Gel

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
	Waiting on records		

TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	KCC WICHITA
Date of First, Resumed Production, SWD or Enhr.			Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	---	---

Hurricane Services, Inc.  
P.O. Box 782228  
Wichita, KS 67278-2228

Cement, Acid or Tools  
Service Ticket  
02988

Shop # 620 437-2661  
Cellular # 620 437-7582  
Office # 316 685-5908  
Office Fax # 316-685-5926  
Shop Address: 3613A Y Road  
Madison, KS 66860

DATE 2-5-09

COUNTY Bouco CITY \_\_\_\_\_

CHARGE TO Running Foxes

ADDRESS \_\_\_\_\_ CITY \_\_\_\_\_ ST \_\_\_\_\_ ZIP \_\_\_\_\_

LEASE & WELL NO. Graham #6-360 INT CONTRACTOR \_\_\_\_\_

KIND OF JOB LongString SEC. \_\_\_\_\_ TWP. \_\_\_\_\_ RNG. \_\_\_\_\_

DIR. TO LOC. \_\_\_\_\_ OLD  NEW

Quantity	MATERIAL USED	Serv. Charge	
			700.00
78 sks	Quick set cement		1,287.00
310 lbs	KOL-SEAL 4" P <sup>1</sup> / <sub>8</sub> "		139.50
100 lbs.	Gel > Flush Ahead		25.00
3 Hrs	Water Truck #193	RECEIVED	240.00
90	mileage on Trk. #107	MAY 20 2009	135.00
	BULK CHARGE		
4.49 Ton	BULK TRK. MILES	KCC WICHITA	444.51
90	PUMP TRK. MILES		270.00
	Rental on wireline		50.00
1	PLUGS 2 7/8" Top Rubber		17.00
		6.3% SALES TAX	92.52
		TOTAL	3,400.53

T.D. 572'

SIZE HOLE \_\_\_\_\_

MAX. PRESS. \_\_\_\_\_

PLUG DEPTH \_\_\_\_\_

PLUG USED \_\_\_\_\_

CSG. SET AT \_\_\_\_\_ VOLUME \_\_\_\_\_

TBG SET AT 561' VOLUME 3 1/4 Bbls

SIZE PIPE 2 7/8"

PKER DEPTH \_\_\_\_\_

TIME FINISHED \_\_\_\_\_

REMARKS: Rig up to 2 7/8" Tubing, Break circulation with 5 Bbls. water, 5 Bbl. Gel Flush, followed with 10 Bbls. water, Mixed 78 sks. Quick Set cement w/ 4" KOL-SEAL. Shutdown washout Pump lines - Release Plug - Displace Plug with 3 1/4 Bbls. water, Final Pumping at 400 RST Pumped Plug to 1100 RST - close Tubing in w/ 1100 RST Good cement returns w/ 3 1/2 Bbls. slurry

EQUIPMENT USED

NAME Kelly Kimberlin UNIT NO. 185

NAME Jerry #91, Jason #193 UNIT NO. \_\_\_\_\_

Brad Butler  
HSI REP.

OWNER'S REP.