KCC WICHITA

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST (See Instructions on Reverse Side)

		For Comm	nission	· ··· -		<u>.</u>			Che	cked b	y		R 1 9 2
		Witness (if any)			-			For	Compa	uny	RE	CEIVE
			n behalf of the o						•	ort ar	nd that he ha	_	edge of
Open Flow	N		Mcfd @ 14.6	S5 psia		Deliverat	oility			Mefe	1 @ 14.65 ps	la	
									<u></u>		· 		
(P _e) ² - (P) ₄) ₅		2. P _e ² -P _d ² divided by: P _e ² -P _g ²	1. or 2. and divide by:	P ₂ . P _w ²	As	isigned lard Slope						R x Antilog Mcfd)
		(P _c) ² - (P _w) ²	Choose formula 1 or 2:	LOG of formula		Backpressure Curve Slope = "n"		nxi	LOG	Antilog		Open Flow Deliverability	
(P _c) ² =		(P _w)² =	::	(OPEN FL	OW) (DELIV) CALCUL P _c - 14.4) +				(P _s)	2 = 0.20 2 =	07
(F _b) (F _p) Pn Motd		psia Prassure		F		Factor F		F _{pv} (Mctd)		Barrel		·	Gravity G _m
Plate Coefficient		Circle one: Meter or rover Pressure	Press Extension	Press Gravit Extension Factor		or Temperature		lation ctor	Metered Flow		GOR (Cubic Fe	Flowing Fluid	
Flow	· · · · · · · · · · · · · · · · · · ·	1			EI OW STO	EAM ATTE	HBLITES	L	1				
Shut-in						115	205	5	150	24	,	0	
Static / Dynamic Property	Orifice Size (Inches)	Circle one: Meter Prover Pressu psig (Pm)	Pressure Differential in Inches H ₂ 0	Flowing Well Heat Temperate t		Wellhead Pressure (P _w) or (P ₁) or (P _c) psig psia		Tubing Wellhead Pressure (P _w) or (P _t) or (P _o) psig psia		Duration (Hours)		Liquid Produced (Barrels)	
Г			15		OBSERVE	D SURFAC				Dur	ation of Shut	in	Hour
Well on Li	ine:		20	at		(AM) (PM)	Taken		20		_ at	(AM) (PM)
Pressure 6	Buildup:	Shut in _11/	15 20	10 at 9	:30 AM	(AM) (PM)	Taken_11	1/16	20	10	9:30 F	<u>M</u> (AM) (PM)
Vertical De	epth(H)				Pres:	sure Taps					•	Run) (Pr 1 mete	over) Size r run
Tubing			0.1109				21.6794			Gas Gravity - G 0.6618			
Gas	Thru (Ar	nnulus / Tubin	n)	none % C	arbon Dioxi		•	no % Nitrog	en		Gas G	avity - G	· · · · · · · · · · · · · · · · · · ·
1 1/2 Type Completion (Describe)			1 1/4 1250 Type Fluid Production			1250 Pump Unit or Traveling Plunger? Yes /				/ No			
4 1/2 10.5 Tubing Size Weight			Internal Diameter Set at			at	1245 Perforations			1251 To			
Casing Size Weight			Internal Diameter Set at			Perforations			To 1251				
Completion Date Plu			Plug Bac	Plug Back Total Depth				Packer Set at NA					
Field Lyons			Reservoir Chase Group				Gas Gathering Connection Foundation Energy, LLC						
County Rice			Section 10		TWP 19S		RNG (E/W) 8W			Acres Attrib		ttributed	
Company Gas Cha					· · · · · · · · · · · · · · · · · · ·	Lease Plank					1	Well Nu	
	iverabilty			11/15/2					No. 15 159-20631	- (∞		
Ope	en Flow			Test Date		.010 011 710	70/30 Cido		No. 45				
					See mstruct	IUII3 UII NO	10130 JILL	,					

exempt status und and that the foreç	er penalty of perjury under the laws of the state of Kansas that I am authorized to request er Rule K.A.R. 82-3-304 on behalf of the operator Gas Chasers, Inc. oing pressure information and statements contained on this application form are true and
of equipment insta	of my knowledge and belief based upon available production summaries and lease records llation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the Plank #1
gas well on the gr	ounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
Date: 04/16/11	
	Signature: Kent A. Strube (President)

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.