

KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:

(See Instructions on Reverse Side)

Open Flow

Deliverability

Test Date: 01/25/2011 - 01/26/2011

API No. 15
15-185-20,753 - 0000

Company F.G. Holl Company, L.L.C.		Lease SUITER "B"		Well Number 1-20	
County Stafford	Location NW SE SE	Section 20	TWP 24S	RNG (E/W) 15W	Acres Attributed
Field Farmington		Reservoir Kinderhook		Gas Gathering Connection Lumen Energy	
Completion Date 07/15/1977		Plug Back Total Depth 4215'		Packer Set at None	
Casing Size 4-1/2"	Weight 10.5#	Internal Diameter	Set at 4285'	Perforations 4183'-4187'	To 4202'-4204'
Tubing Size 2-3/8"	Weight 4.7#	Internal Diameter	Set at 4173'	Perforations	To
Type Completion (Describe) Single (Gas)		Type Fluid Production		Pump Unit or Traveling Plunger? Yes / No	
Producing Thru (Annulus / Tubing)		% Carbon Dioxide		% Nitrogen	
Tubing				Gas Gravity - G _g	
Vertical Depth(H)		Pressure Taps		(Meter Run) (Prover) Size	

Pressure Buildup: Shut in 01/25/2011 19 at 8:00 (AM) (PM) Taken 01/25/2011 19 at 8:00 (AM) (PM)

Well on Line: Started 01/26/2011 19 at 8:00 (AM) (PM) Taken 01/26/2011 19 at 8:00 (AM) (PM)

OBSERVED SURFACE DATA

Duration of Shut-in 24 Hours

Static / Dynamic Property	Orifice Size inches	Circle one: Meter or Prover Pressure psig	Pressure Differential In (h) Inches H ₂ O	Flowing Temperature t	Well Head Temperature t	Casing Wellhead Pressure (P _w) or (P _i) or (P _c)		Tubing Wellhead Pressure (P _w) or (P _i) or (P _c)		Duration (Hours)	Liquid Produced (Barrels)
						psig	psia	psig	psia		
Shut-In						105				24	
Flow											

FLOW STREAM ATTRIBUTES

Plate Coefficient (F _s) (F _p) Mcf/d	Circle one: Meter or Prover Pressure psia	Press Extension $\frac{P_c^2 - P_w^2}{P_c^2 - P_d^2}$	Gravity Factor F _g	Flowing Temperature Factor F _t	Deviation Factor F _{pv}	Metered Flow R (Mcf/d)	GOR (Cubic Feet/ Barrel)	Flowing Fluid Gravity G _w

(OPEN FLOW) (DELIVERABILITY) CALCULATIONS

(P_c)² = _____ : (P_w)² = _____ : P_d = _____ % (P_c - 14.4) + 14.4 = _____ : (P_c)² = 0.207
(P_d)² = _____

(P _c) ² - (P _s) ² or (P _c) ² - (P _d) ²	(P _c) ² - (P _w) ²	Choose formula 1 or 2: 1. P _c ² - P _s ² 2. P _c ² - P _d ² divided by: P _c ² - P _w ²	LOG of formula 1, or 2, and divide by: $\left[\frac{P_c^2 - P_w^2}{P_c^2 - P_d^2} \right]$	Backpressure Curve Slope = "n" ----- or ----- Assigned Standard Slope	n x LOG $\left[\frac{P_c^2 - P_w^2}{P_c^2 - P_d^2} \right]$	Antilog	Open Flow Deliverability Equals R x Antilog Mcf/d

Open Flow Mcf/d @ 14.65 psia Deliverability Mcf/d @ 14.65 psia

The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct. Executed this the 28th day of January, 2011, 19__.

Witness (if any)

For Company

For Commission

Checked by

RECEIVED
FEB 0 1 2011

KCC WICHITA


I declare under penalty or perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator F.G. Holl Company, L.L.C. and that the foregoing information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon gas production records and records of equipment installation and/or of type completion or upon use of the gas well herein named.

I hereby request a permanent exemption from open flow testing for the SUITER "B" 1-20 gas well on the grounds that said well:

(Check one)

- is a coalbed methane producer
- is cycled on plunger lift due to water
- is a source of natural gas for injection into an oil reservoir undergoing ER
- is on vacuum at the present time; KCC approval Docket No. _____
- is incapable of producing at a daily rate in excess of 250 mcf/D

Date: 01/28/2011

Signature: 

Title: Petroleum Geologist

Instructions: All active gas wells must have at least an original G-2 form on file with the conservation division. If a gas well meets the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to obtain a testing exemption.

At some point during the succeeding calendar year, wellhead shut-in pressure shall be measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under "observed surface data." Shut-in pressure shall thereafter be reported yearly in the same manner.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than thirty (30) days after the taking of the pressure reading. The form must be signed and dated on the front side as though it was a verified report of test results.