KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test: (See Instructions on Reverse Side) Open Flow																	
Deliverability				Test Date 3-2-11	Test Date: API No. 15 3-2-11 15-129-21614 —							Com					
Company		СО	MPANY, IN	IC.			••	Lease GLENN						1-214	Vell Nu	mber	
County Location MORTON C N2 NW NE			Section 14					RNG (E	RNG (E/W)			Acres Attributed					
Field RICHFIELD				Reservoir TOPEKA				Gas Gathering Conne ANADARKO			ectio	n		<u> </u>			
Completion Date 12-14-00				Plug Back 5450	(Total (Depth	<u>.</u>	Packer Set NONE									
Casing Size Weigh 5.5 15.5			Weigh 15.5	it	Internal 0 4.950	Internal Diameter 4.950			Set at 5453			Perforations 5170			To 5230		
•			Weigh	ıt	Internal E 2.441	Internal Diameter 2.441			Set at 5153		Perforations			To			
Type Completion (Describe) SINGLE GAS			Type Flui	Type Fluid Production WATER			-	Pump Unit or Traveling I				Plunger? Yes / No					
Producing	-	(Anr	nulus / Tubin	g)		% Carbon Dioxide				% Nitrogen 3.370			Gas Gravity - G _g				
Vertical Depth(H) 5200			0.003	Pressure Taps FLANGE				0.010			(Meter Run) (Prover) Size 3.068*						
Pressure	Bulldu	p: ;	Shut in 2-2	6-11	0 at _			(AM) (PM)	Taken 3-	1-11		20				AM) (PM)	
Well on Line: Started 3-1-11 20			0 at			AM) (PM) Taken 3-2-		2-11				•		AM) (PM)			
					· · · · · · · · ·	OBSE	AVEC	SURFAC	E DATA				Dur	ation of Shut-i	72.	0 Hours	
Static / Dynamic Property	tatic / Orifice		Circle one: Mater Prover Press		Flowing Temperature t	Temperature Temperature		Casing Wellhead Pressure $(P_u) \propto (P_t) \propto (P_c)$		1	Tubing Wellhead Pressure $(P_u) \circ (P_t) \circ (P_c)$		Duration (Hours)		Liquid Produced (Barrels)		
Shut-In		psig (Pm) tnches		Inches H ₂ 0				95.2	109.6 9		2 109.6		72.0				
Flow .750)	6.9	1.0	0 26		67.2		81.6	8.0	0 22.4		24.0 0		0		
				<u> </u>		FLOW	STR	EAM ATTR	RIBUTES		-,						
Plate Coefflecient (F _b) (F _p) Mcfd		Pro	Circle one: Mater or over Pressure psia	Press Extension	Fac	Gravity Factor F ₀		Flowing emperature Factor F _{II}	F	riation actor F _{nv}	Matered Flow R (Mctd)		w	v GOR (Cubic Fee Barrel)		Flowing Fluid Gravity G _m	
2.7402	2	21	.30	4.62	1.25		1.0)344	1.002	23	16.	4		NONE		0.640	
(P.)* = 1	12.0	_ :	(P_)² :	. 0.5 :		OW) (DI 20.5		ERABILITY	/) CALCUI P _c - 14.4) -			6 _:			? = 0.2 ? =		
				Choose formula 1 or 1. $P_c^2 \cdot P_a^2$ 2. $P_c^2 \cdot P_a^2$ divided by: $P_c^2 \cdot P_a^2$	LOG of formula 1, or 2.			Backpressure Curve Slope = "n"		• ,	n x LOG		Antilog		O De	pen Flow liverability s R x Antilog (Mcfd)	
11.80	•	11	1.51	1.026	0.011	0		0.850		0.	0094		1.	0218	16.7	75	
Open Flo	ow 17			Mcfd @ 14	.65 psia			Delivera	bility				McI	d © 14.65 ps	ia		
The	unden stated	signe there	in, and that s	on behalf of the said report is tr	e and corre	ct. Exec	uted	this the	2	day of	MAR	CH .			•	20 11	
Ca	Pg_	10	KCC For Com	Wichif (il any) Dodge unission	<u> </u>						<u></u>	For Ch	eckéd	Bave			
															ļ	MAR 08	

KCC WICHITA

l de	eclare under penalty of perjury under the laws of the state of Kansas that I am authorized to request
	status under Rule K.A.R. 82-3-304 on behalf of the operator
	It the foregoing pressure information and statements contained on this application form are true and
	to the best of my knowledge and belief based upon available production summaries and lease records
	oment installation and/or upon type of completion or upon use being made of the gas well herein named.
	reby request a one-year exemption from open flow testing for the
	I on the grounds that said well:
	(Check one)
	is a coalbed methane producer
	is cycled on plunger lift due to water
	is a source of natural gas for injection into an oil reservoir undergoing ER
	is on vacuum at the present time; KCC approval Docket No.
	is not capable of producing at a daily rate in excess of 250 mct/D
l fur	ther agree to supply to the best of my ability any and all supporting documents deemed by Commission
	necessary to corroborate this claim for exemption from testing.
Data:	· · · · · · · · · · · · · · · · · · ·
Dale	
	Signature:
	Title:
	•

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

Sample No: 20110685

PRECISION WIRELINE AND TESTING NATURAL GAS ANALYSIS REPORT 620-624-4505

Operator: PIONEER OIL COMPANY, INC.Analysis Date: 03/03/11
Well Name: GLENN 1-214 Sample Date: 03/02/11

Location: 14-32S-41W Sample Pressure: 6.9
County: MORTON Sample Temperature: 26
State: KANSAS Sample Time: 1030

Sample Source: METER RUN Formation: TOPEKA Bottle No: P-110B

Requested By: PIONEER OIL COMPANY INC

Sampled By: MARK

NATURAL GAS ANALYSIS

	Mole %	GPM	
Helium	0.290		
Hydrogen	0.000		
Oxygen	0.000		
Nitrogen	3.370		
Carbon Dioxide	0.569		
Methane	88.898	i	
Ethane	3.451	1,294	
Propane	1.620	0.607	
Iso Butane	0.234	0.072	
Normal Butane	0.556	0.177	
Iso Pentane	0.192	0.053	
Normal Pentane	0.227	0.063	
Hexanes Plus	0.593	0.136	
TOTALS	100.000	2.402	
Z Factor:		0.000	RECEIVED
Specific Gravity:		0.9998	
opourito diavity.		0.6403	MAR 0 8 2011
BTU/cu.ft. (sat, 60	F. 14.73 psia):	1065.4	
BTU/cu.ft. (dry, 60	F. 14.73 psia):	1084.3	KCC WICHITA
Octane Rating		121.8	