KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

	Type rest.						(See Instruc	tions on R	everse Side	θ)					
Section 15-128-21096 Company	= '					Tost Date	••								
Company Problement Country C	Deliv	erabilty					B.					-000)		
Section Type Ty		OIL CC	OMPANY,	INC.		,			ISON				Well N	umber	•
Completion Date	•										(W)		Acres	Attributed	•
Completion Date Plug Back Total Depth Packer Set at	Field	-													
Casing Size Weight Internal Diameter Set at Perforations 4956		Date					k Total Dep	th		Packer					
Tubing Size)					Diameter			Perfo					
Type Completion (Describe) Type Fluid Production WATER Pump Unit or Travelling Plunger? Yes / No YES-PUMP	Tubing Size Weight			Internal Diameter Set at											
Producting Thru (Annulus / Tubing)			escribe)	-		Type Fiui	Type Fluid Production						/ No		
Vertical Depth(H)			nulus / Tubi	ing)										G_	
Pressure Buildup: Shut in 2-26-11 20 at 0915 (AM) (PM) Taken 3-2-11 20 at 0915 (AM) (PM)						0.497				9.754				0	
Pressure Buildup: Shut in 2-26-11 20 at 0915 (AM) (PM) Taken 3-1-11 20 at 0915 (AM) (PM) Taken 3-2-11 20 at		мцту						•				· ·		rover) Size	
Valid on Line: Started 3-1-11 20 at O915 (AM) (PM) Taken 3-2-11 20 at O915 (AM) (PM)		ıllalı	<u> </u>	26-1	11 _	0:			3.	1-11				<u> </u>	ı
State Orifice Orific							~ 4 =							(AM) (PM)	
State Orifice Orific	Well on Line) :	Started	1-1	20	at <u>U</u>		(AM) (PM)) Taken <u>3-</u>	2-11	20	at		(AM) (PM)	
State Orifice Metar Prover Pressure Property (Inches) Property (Inches) Property (Inches) Property (Inches) Prover Pressure Prov							OBSERVE	D SURFAC	E DATA			Duration of Shut-	in_ 72	.0 Hours	
Shut-in	Dynamic	Size	Meter Prover Pres	sure	Differential in	Temperature	Temperature	Weilhead (P _w) or (Pressure	Wellhe	ad Pressure r (P _i) or (P _r)		Liqu	id Produced (Barrels) RE	CEIVED
Plate Coefficient Meter or Prover Pressure Pisis Extension Pisis Press Extension Press Press Extension Press	Shut-In								_		pse	72.0	-		ř .
Plate Coefficient Meter of Prover Pressure (F _a) (Motif of Power Pressure psia (P _a) ² = 4.8 (P _a) ² = 0.4 (P _a) ² - P _a ² (P _a) ² (P _a	Flow .	625	2.1		12.0	36	75	6.1	20.5			24.0	0		
Plate Coefficient Meter of Prover Pressure psia Extension			-				FLOW STE	REAM ATT	RIBUTES				<u> </u>	KCC	WICHITA
(P _c) ² = 4.8 : (P _w) ² = 0.4 : P _d = 29.7 % (P _c - 14.4) + 14.4 = 69.3 : (P _d) ² = 0.207 (P _c) ² · (P _d	Coeffiectent (F _b) (F _p)		Meter or Prover Pressure		Extension	Factor		Temperature Fa		ctor A		(Cubic Fe		Flowing Fluid Gravity	,
(OPEN FLOW) (DELIVERABILITY) CALCULATIONS $(P_{c})^{2} = 4.8 \qquad : \qquad (P_{w})^{2} = 0.4 \qquad : \qquad P_{d} = 29.7 \qquad \% \qquad (P_{c} - 14.4) + 14.4 = 69.3 \qquad : \qquad (P_{a})^{2} = 0.207$ $(P_{c})^{3} \cdot (P_{a})^{2} \qquad (P_{a})^{2} \cdot (P_{w})^{2} \qquad (P_{a})^{2} - P_{w}^{2} \qquad (P$	1.8973	18	.50	1	4.07	1.073	3 1.	0239	1.002	27	29.4	NONE		 	
					W	(OPEN FL	OW) (DELIV	ERABILITY	Y) CALCUL	ATIONS		— ··!		·	ı
Choose formula 1 or 2: 1. P 2 - P 2 1. P 2 - P 2 1. OG of formula 1. or 2 2. P 2 - P 2 divided by: P 2 - P 2 divided by: P 2 - P 2 1. O 2 - P 2 divided by: P 2 - P 2 divide	(P _e) ² = 4.8	:	(P_)2	0	. <u>4</u> :						39.3 _:			207	
4.60 4.38 1.049 0.0210 0.850 0.0178 1.0419 30.65	(P _e) ² - (P _a) ² or (P _e) ² - (P _a) ²		P _x)*- (P _w)*	1	1. P _e *-P _e * 2. P _e *-P _e *	formula 1, or 2. and divide	P,2, P,2	Backpro Sig	essure Curve ope = "n" or ssigned	•	[7]		O De Equal:	ilverability BR x Antilog	
	4.60	4.3	38	1.0	 049	0.0210)	0.850		0.0	178	1.0419	30.6	35	
Open Flow 31 Mcfd © 14.65 psia Deliverability Mcfd © 14.65 psia	Open Flow	31			Mcfd @ 14.6	35 psia		Delivera	bility		,I,				
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the above report and that he has knowledge of	The unc	dersigne	d authority,	on b	ehalf of the	Company, s	states that h		uthorized t		e above repo			vledge of	
the facts stated therein, and that said report is true and correct. Executed this the 2 day of MARCH	the facts state	ed therei <i>L</i> _	In, and that	said :	report is true	and correct	t. Executed	this the $\frac{2}{}$							
Copy TO KCC With Ita Yrecision Wireland & Testing	COPE	70	KCC Witness	W GLACO	ich/ta	<u> </u>			Pre	15/2	n Win	elmo 47	251	775	
Copy to KCC With/ta Precision Wireland + Testing Copy to KCC Ordy City For Commission For Commission For Commission For Commission	ومون	to	KCC For Cor	<i>Di</i>	Sa C	3	•			711	ack from	Beach.)		

	nder penalty of perjury under the laws of the state of Kansas that I am authorized to request under Rule K.A.R. 82-3-304 on behalf of the operator
correct to the b of equipment in I hereby re	regoing pressure information and statements contained on this application form are true and est of my knowledge and belief based upon available production summaries and lease records istallation and/or upon type of completion or upon use being made of the gas well herein named. Quest a one-year exemption from open flow testing for the
I further ag	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D pree to supply to the best of my ability any and all supporting documents deemed by Commission sary to corroborate this claim for exemption from testing.
	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results:

Sample No: 20110688

PRECISION WIRELINE AND TESTING NATURAL GAS ANALYSIS REPORT 620-624-4505

Operator: PIONEER OIL COMPANY, INC. Analysis Date: 03/03/11 Well Name: HARRISON 1-9 Sample Date: 03/02/11

Location: 9-32S-40W Sample Pressure: 2.1
County: MORTON Sample Temperature: 36
State: KANSAS Sample Time: 0915

Sample Source: METER RUN Formation: ATOKA Bottle No: P-462

Requested By: PIONEER OIL COMPANY INC

Sampled By: MARK

NATURAL GAS ANALYSIS

	Mole %	GPM	
Helium	0.152		
Hydrogen	0.000		
Oxygen	0.000		
Nitrogen	9.754		
Carbon Dioxide	0.497		
Methane	65.663		
Ethane	7.258	2.722	
Propane	8.651	3.243	
Iso Butane	1.065	0.326	
Normal Butane	3.190	1.014	
Iso Pentane	0.777	0.213	
Normal Pentane	0.972	0.269	
Hexanes Plus	2.021	0.464	
TOTALS	100.000	8.252	
Z Factor:		0.9997	RECEIVED
Specific Gravity:		0.8675	
			MAR 0 8 2011
BTU/cu.ft. (sat,)		1317.9	
	60 F. 14.73 psia):	1341.2	KCC WICHITA
Octane Rating		106.7	MOTIA