KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test: (See Instructions on Reverse Side)														
✓ Open Flow														
Deliverabilty					Test Date 3-2-11):			API 15-	No. 15 129-21591	-0000)		
PIONEE		. CO	MPANY, I	NC.			Lease RUBY KINSLER					1-41	Well Number	_
County Location MORTON C NE NE						Section 4		TWP 32S			W)	Acres Attributed		
Field RICHFIELD						Reservoir WABAU	NSEE/TO	PEKA	EKA		Gas Gathering Connection BP AMERICA PROD.			
Completion Date 9-7-99					Plug Bac 3207	k Total Dep	lh	Р		Packer Set at NONE				
Casing Size Weight 5.5 14.0				Internat D 5.012	Diameter		Set at 3256		rations	To 3060				
Tubing Size Weight 2.375 4.7				Internat D 1.995	Diameter	Set a	Set at 3190		rations	To				
Type Completion (Describe) COMINGLED GAS					·	d Productio		Pump Unit or Trave		il or Traveling	Plunger? Yes	_		
Producing		(Anr	ndus / Tubir	ıg)		% C	arbon Diox	de	% Nitrogen		Gas Gra			
Vertical D		 }		•		0.100	Pres	sure Taps		23.508 0.788				<u></u>
3057 FLANGE 3.068*											Run) (Prover) Siz	9		
						U at	0000				20		(AM) (PM)	_
Well on L	ne:		Started 3-1	1-11	20	0 a1	930	(AM) (PM)	Taken <u>3</u> -	-2-11	20	at	(AM) (PM)	
	-		Circle one:		Pressure		OBSERVE	D SURFAC				Duration of Shut-	72.0 _{Ho}	ırs
Static / Dynamic Property	amic Siz		fice Meter		Differential in Inches H ₂ 0	Flowing Temperature t	perature Temperature		Casing Wellhead Pressure (P_w) or (P_t) or (P_c) psig psia		ubing ad Pressure (P ₁) or (P ₂)	Duration (Hours)	Liquid Produced (Barrels)]
Shut-In	nut-In				<u> </u>			255.4	269.8	75.3	89.7	72.0	REC	海IVED
Flow	1.12	5	3.3		7.2	36	75	250.6	265.0	23.9	38.3	24.0	o MAR	0 8 2011
····							FLOW STR	EAM ATTR	IBUTES				VCC	
Plate Coefficient (F _p) (F _p) Mcfd		Circle om: Meter of Prover Pressure psia			Press Extension	Fact	Gravity Te		Flowing Devia Factor Fa		Metered Flor R (Mcfd)	w GOR (Cubic Fee Barrel)	Flowing	
6.2507		17.70		1	12.9	1.126	5 1.	0239	1.001	18	81.5	NONE	0.788	7
	^							ERABILITY) CALCUL	ATIONS			?= 0.207	J
$(P_c)^2 = 8$.0	<u> : </u>	(P _w) ² :	<u>- </u>	<u>.6</u> :	P _d =	44.1	% (F	P _c - 14.4) +	14.4 = _8	39.7 :	(P _a) ²		
$(P_{E})^{2} - (P_{\Phi})^{2}$ or $(P_{E})^{2} - (P_{\pi})^{2}$		(P _c)² - (P _w)²		1. P _c ² -P _a ² 2. P _c ² -P _a ²		LOG of tormula 1. or 2. and divide p 2. p 2		Backpressure Curve Slope = "n"		- nxl	.og	Antilog	Open Flow Deliverability Equals R x Antil	
	_			divide	ed by: P P.		P.*-P.*		lard Slope				(Mcfd)	
7.84		6.4	18	1.2	209	0.0825	 5	0.850		0.07	701	1.1751	95.82	-
Open Flow 96 Mcfd © 14.6				65 psla		Deliverat	Deliverability			Mcfd ூ 14.65 psia		_		
The u	ındərs	gned	d authority, o	on be	shalf of the	Company, a	tates that h	e is duly a				ort and that he ha	s knowledge of	_
the facts st	ated t	nerei	n, and that s	aid r	eport is true	and correct	t. Executed	this the 2		day of M			20 11	_•
Cop	gy_	10	KCC Witness KCC	_L (il any	Vichit	a_		-	PI	<u>ecisi</u>	m W	Celha of Tompany Bron	Esting	
CYOR	9-	to	KCC For Com	<i>Do</i>	rdge C	<u> </u>		-	 <u>_</u> -		Carl	I Bron	~)_	

exempt sta and that the correct to of equipm here	are under penalty of perjury under the laws of the state of Kansas that I am authorized to request atus under Rule K.A.R. 82-3-304 on behalf of the operatorhe foregoing pressure information and statements contained on this application form are true and the best of my knowledge and belief based upon available production summaries and lease records ent installation and/or upon type of completion or upon use being made of the gas well herein named. by request a one-year exemption from open flow testing for the
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D ser agree to supply to the best of my ability any and all supporting documents deemed by Commission ecessary to corroborate this claim for exemption from testing.
Date:	
	Signature:
	Title:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

Sample No: 20110687

PRECISION WIRELINE AND TESTING
NATURAL GAS ANALYSIS REPORT
620-624-4505

Operator: PIONEER OIL COMPANY, INC. Analysis Date: 03/03/11 Well Name: RUBY KINSLER 1-41 Sample Date: 03/02/11 Location: 4-32S-40W Sample Pressure: 3.3

County: MORTON Sample Temperature: 36
State: KANSAS Sample Time: 0930

Sample Source: METER RUN

Formation: WABAUNSEE/TOPEKA

Bottle No: P-32

Requested By: PIONEER OIL COMPANY INC

Sampled By: MARK

NATURAL GAS ANALYSIS		
Mole %	GPM	
Helium 0.595	:	
Hydrogen 0.000		
Oxygen 0.000		
Nitrogen 23.508	I	
Carbon Dioxide 0.190		
Methane 62.070		
Ethane 5.654	2.120	
Propane 4.105	1.539	
Iso Butane 0.608	0.186	
Normal Butane 1.595	0.507	
Iso Pentane 0.391	0.107	
Normal Pentane 0.499	0.138	
Hexanes Plus 0.785	0.180	
TOTALS 100.000	4.778	
Z Factor:	0.9998 RECEIVED	`
Specific Gravity:	0.7882	J
	973 5 MAR 0 8 20	44
BTU/cu.ft. (sat, 60 F. 14.73 psia):	973.5	11
BTU/cu.ft. (dry, 60 F. 14.73 psia):	990.7	
Octane Rating	93.3 KCC WICHT	T