## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

	For Commiss	sion	-		***				cked by		KO	C WICH
	Wilness (if a	ny)			<u></u>	cear Larr	<u>Yetro</u> y Wa	llum. 1levt	Company			AN 26
•	ned authority, on large, and that sald				·		o make th	•	ert and t	hat he ha		edge of 0 11 RECEIV
Open Flow	l	Mcfd @ 14.6	5 psia		Deliverabil	ity			Mcfd @	14.65 psi	a	
(P <sub>e</sub> ) <sup>2</sup> - (P <sub>a</sub> ) <sup>2</sup> or (P <sub>e</sub> ) <sup>2</sup> - (P <sub>q</sub> ) <sup>3</sup>	(P <sub>e</sub> ) <sup>2</sup> - (P <sub>w</sub> ) <sup>2</sup>	1. P <sub>c</sub> <sup>2</sup> - P <sub>s</sub> <sup>2</sup> 2. P <sub>c</sub> <sup>2</sup> - P <sub>s</sub> <sup>2</sup> ded by: P <sub>c</sub> <sup>2</sup> - P <sub>s</sub> <sup>2</sup>	LOG of formula 1. or 2. and divide by:	b°5-b°5	Slope ( Assi	sure Curve e = "n" or gned rd Stope	n x L	og [	An	tilog	Deli Equals	on Flow verability R x Antilog McId)
P <sub>c</sub> ) <sup>2</sup> =	: (P <sub>w</sub> ) <sup>2</sup> =	:	(OPEN FLO		ERABILITY)		ATIONS	<u></u> :		(P <sub>a</sub> ) (P <sub>d</sub> )	² = 0.20	07
Plate Coefficient (F <sub>h</sub> ) (F <sub>p</sub> ) Mcfd	Circle one:  Meter or  rover Pressure  psia  Press  Extension  Pmx h		Gravity Factor F <sub>e</sub>		Flowing Deviate Factor F <sub>p,</sub>		ctor R		v	GOR (Cubic Feet/ Barrel)		Flowing Fluid Gravity G <sub>m</sub>
Flow				FLOW STR	EAM ATTRI	BUTES	<u> </u>	<u> </u>		·		
Shut-In					190			<u> </u>				
Dynamic Size	mic Size Prover Pressur		Flowing Well Head Temperature t t		Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> ) psig psia		Tubing Wellhoad Pressure		Dui	Duration Liqui		Produced larrels)
					D SURFACE							Hours
ressure Buildup /ell on Line:	Shut in										•	AM) (PM) AM) (PM)
	Shut in 1-24		11 10	):30		1-	.25	20	11	4" 10:30		
Annulus /ertical Depth(H)				Press	sure Taps					(Meter F	Run) (Pr	over) Size
	Multi-Zoze C Annulus / Tubing)	ommingle		arbon Dioxid	de		% Nitroge	_	••	Gas Gr	avity - G	•
ype Completion		. , l	Type Fluid	Production			Pump Uni Pumpir	t or Traveling	Plunge	r? Yes	/ No	
ubing Size	10.5 Weight		Internal Diameter 2"		Set at 3040		Topeka 3162-65 Perforations			LKC 3296-3365		
-14-67 Casing Size	Weight	3406 Internal Diameter 4"		Set at 3570		Perforations			To 2206 2265			
Reichel Completion Date	mpletion Date Plug Ba			ppeka, LKC ug Back Total Depth			Packer Set at					
ield	d			Reservoir			Gas Gathering Connection				+00	
Dunty Location			Section 7		TWP			i/W)		Acres Attributed		ttributed
ompany lear Petroleum					Lease Holzmeis	ter R				,	Well Nur	mber
Deliverabili	у		Test Date: 1-25-11					No. 15 65-20012	-0	$\infty$	2	
✓ Open Flow			•	iee Instructi			•					

I declare unde	er penalty of perjury under the laws of the state of Kansas that I am authorize	d to request
xempt status unde	er Rule K.A.R. 82-3-304 on behalf of the operator Bear Petroleum, Inc.	
	oing pressure information and statements contained on this application form a	are true and
orrect to the best	of my knowledge and belief based upon available production summaries and le	ase records
•	llation and/or upon type of completion or upon use being made of the gas well he	rein named.
I hereby reque	st a one-year exemption from open flow testing for the Holzmeister B #1	
as well on the gro	ounds that said well:	
(Check	one)	
	is a coalbed methane producer	
	is cycled on plunger lift due to water	
Ä	is a source of natural gas for injection into an oil reservoir undergoing ER	
	is on vacuum at the present time; KCC approval Docket No.	
V	is not capable of producing at a daily rate in excess of 250 mcf/D	
I further agree	to supply to the best of my ability any and all supporting documents deemed t	by Commission
taff as necessary	to corroborate this claim for exemption from testing.	
ate: 1-25-11		
	Signature:	
	Signature:	RECEIV
	Title: President	JAN 2 6

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.