



1055449

Operator Name: H & B Petroleum Corp. Lease Name: OUDEKIRK Well #: 3
 Sec. 7 Twp. 10 S. R. 19 East West County: Rooks

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum Arbuckle 3772
---	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	13.375	8.625	24	196		135	
Production	7.875	5.5	14	3772		150	
Liner 07/05/2010	5.5	4.5	10.5	3723	60/40	200	4%gel, 1% CD-31

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	2884-	Class A	550	CC 3%
	-			

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: <u>2 7/8</u> Set At: <u>3721</u> Packer At: <u>n/a</u>		Liner Run: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or ENHR. <u>05/06/2010</u>		Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls. <u>40</u>	Gas Mcf <u>0</u>	Water Bbls. <u>110</u> Gas-Oil Ratio _____ Gravity <u>28</u>

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input checked="" type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: <u>3772-3784</u>
---	---	--

ALLIED CEMENTING CO., LLC. 33865

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>4-21-10</u>	SEC. <u>7</u>	TWP. <u>10</u>	RANGE <u>19</u>	CALLED OUT	ON LOCATION	JOB START <u>1:00 p.m.</u>	JOB FINISH <u>1:30 p.m.</u>
LEASE <u>Outer Kink</u>	WELL # <u>3</u>		LOCATION <u>Zenich 2w 2s 1/4w S10</u>		COUNTY <u>Boonville</u>	STATE <u>KS</u>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR Trinity
 TYPE OF JOB Square
 HOLE SIZE _____ T.D. _____
 CASING SIZE 5 1/2 DEPTH _____
 TUBING SIZE 2 7/8 DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL Reinforced Kick DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT T-50L C-31C

OWNER _____
 CEMENT AMOUNT ORDERED 200 Corn

EQUIPMENT _____
 PUMP TRUCK CEMENTER Craig
 # 398 HELPER Paul
 BULK TRUCK DRIVER Bob
 # _____ DRIVER _____

COMMON	<u>200</u>	@	<u>13.50</u>	<u>2700.00</u>
POZMIX		@		
GEL		@		
CHLORIDE		@		
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>100</u>	@	<u>2.25</u>	<u>225.00</u>
MILEAGE	<u>110.56</u>	@		<u>500.00</u>
TOTAL				<u>3425.00</u>

REMARKS:

Hole from 995-1028
For 1810 900PS: Packg set to square
870. Mixed 200SK Corn. & Displd.
Squered to 200 psi. Wash down
Tool & Shut in.

Thanks!

CHARGE TO: HLB
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB	_____		
PUMP TRUCK CHARGE			<u>1159.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>50</u>	@	<u>2.00</u> <u>350.00</u>
MANIFOLD		@	
		@	
TOTAL <u>1509.00</u>			

PLUG & FLOAT EQUIPMENT

_____	@	
_____	@	
_____	@	
_____	@	
_____	@	
TOTAL _____		

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
 TOTAL CHARGES 3425.00
 DISCOUNT 0.00 IF PAID IN 30 DAYS

ALLIED CEMENTING CO., LLC. 33914

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell KS

DATE <u>4-16-10</u>	SEC. <u>7</u>	TWP. <u>10</u>	RANGE <u>19</u>	CALLED OUT	ON LOCATION	JOB START <u>12:30pm</u>	JOB FINISH <u>1:00pm</u>
Ouder Kirk LEASE		WELL # <u>3</u>	LOCATION <u>Zurich KS 2 West 2 South 1/2 West</u>			COUNTY <u>Rooks</u>	STATE <u>KS</u>
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one)			South into				

CONTRACTOR Trinity
 TYPE OF JOB Squeeze
 HOLE SIZE _____ T.D. _____
 CASING SIZE 5 1/2 DEPTH 890-9650
 TUBING SIZE 2 7/8 DEPTH 870'
 DRILL PIPE _____ DEPTH _____
 TOOL Richardt Services DEPTH 870'
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT C=2.05 T=5.04

EQUIPMENT

PUMP TRUCK # 417 CEMENTER John Roberts
 HELPER Shane
 BULK TRUCK # 410 DRIVER Ron
 BULK TRUCK # _____ DRIVER _____

REMARKS:

Holes 995-1028' Packer set @ 870'
Mix 25 sk neat followed by 175 sk
hot 3/4 cc. Displaced 5 1/2 Bbl and squeeze to 1500psi
Please pull SIFs pressure up to 500psi and shut in.
Thank You!

CHARGE TO: H&B
 STREET _____
 CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME: Mike Hammersmith

OWNER _____
 (used 200com and 6 cc)

CEMENT AMOUNT ORDERED 200com
7cc on side

COMMON	<u>200</u>	@	<u>13.50</u>	<u>2700.00</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>7</u>	@	<u>51.50</u>	<u>360.50</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>100</u>	@	<u>2.25</u>	<u>225.00</u>
MILEAGE	<u>110/sk/mi.</u>			<u>500.00</u>
TOTAL				<u>3785.50</u>

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>991.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>5</u>	@	<u>70.00</u>	<u>350.00</u>
MANIFOLD		@		
		@		
		@		
TOTAL				<u>1341.00</u>

PLUG & FLOAT EQUIPMENT

	@			
	@			
	@			
	@			
	@			
TOTAL				_____

SALES TAX (If Any) _____
 TOTAL CHARGES ~~3785.50~~
 DISCOUNT ~~_____~~ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., LLC. 33908

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell KS

DATE <u>4-13-10</u>	SEC. <u>7</u>	TWP. <u>10</u>	RANGE <u>19</u>	CALLED OUT	ON LOCATION	JOB START <u>7:45pm</u>	JOB FINISH <u>8:30pm</u>
LEASE <u>Ouder Kirk</u>		WELL # <u>3</u>		LOCATION <u>Zurich KS 2 West 2 South</u>		COUNTY <u>Rooks</u>	STATE <u>KS</u>
<input checked="" type="radio"/> OLD OR NEW (Circle one)				<u>1/2 West South into.</u>			

CONTRACTOR Trinity

TYPE OF JOB Squeeze

HOLE SIZE _____ T.D. _____

CASING SIZE 5 1/2 DEPTH BP@ 3650'

TUBING SIZE 2 7/8 DEPTH 2530' / 870'

DRILL PIPE _____ DEPTH _____

TOOL Reihardt Services DEPTH 2530' / 870'

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT ~~2.5 Bbl~~ C=9.37 Bbl / C=3.057 x 5.04 ASC

OWNER _____

(Used 150sk com 4skcc 2sk Sand)

CEMENT _____

AMOUNT ORDERED 150com

On side 5cc 2 sand

EQUIPMENT

PUMP TRUCK CEMENTER John Roberts

417 HELPER Matt

BULK TRUCK _____

440 DRIVER Ran

BULK TRUCK _____

_____ DRIVER _____

COMMON	<u>150</u>	@	<u>13.50</u>	<u>2025.00</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>4</u>	@	<u>51.50</u>	<u>206.00</u>
	<u>Sand 2</u>	@	<u>12.75</u>	<u>25.50</u>
		@		
		@		
		@		
		@		
HANDLING	<u>150</u>	@	<u>2.25</u>	<u>337.50</u>
MILEAGE	<u>110/104/mile</u>			<u>675.00</u>
TOTAL				<u>3269.00</u>

REMARKS:

BP@ 3650 test @ 1000 psi. Spot 2sk sand @ 3600'
Hole 2934-67 Spot 45 sk cement neat @ 2967'
Pulled up to 2550 and washed around tool pulled
one ft. set tool 2530' Displace 2.5 Bbl squeezed
to 1000 psi. Released pressure dried up. Top Hole 995-1020'
Set packer @ 870'. Mixed 100sk w/ 4skcc. Displaced
6 1/4 Bbl and squeezed to 1000 psi. Released pressure
dried up wash around tool pulled 2 jts pressured up
to 500 psi and shut in! Thank You!

CHARGE TO: H & B

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____		
PUMP TRUCK CHARGE _____		<u>1159.00</u>
EXTRA FOOTAGE _____ @ _____		
MILEAGE <u>45</u> @ <u>7.00</u>		<u>315.00</u>
MANIFOLD _____ @ _____		
_____ @ _____		
_____ @ _____		
TOTAL		<u>1474.00</u>

PLUG & FLOAT EQUIPMENT

_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
TOTAL _____	

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Mike Hammersmith

SALES TAX (If Any) _____

TOTAL CHARGES 1474.00

DISCOUNT _____ IF PAID IN 30 DAYS

ALLIED CEMENTING CO., LLC. 041779

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Russell

DATE <u>6-23-10</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START <u>6:30am</u>	JOB FINISH <u>7:00pm</u>
LEASE <u>OVERTRK</u>	WELL # <u>3</u>		LOCATION <u>Zurich 2w2s 1/4w S100</u>			COUNTY <u>ROCKS</u>	STATE <u>KS</u>
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR CD Tools OWNER _____

TYPE OF JOB liner

HOLE SIZE 5 1/2 T.D. _____

CASING SIZE 4 1/2 10 1/2 DEPTH 3223

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 59 1/4 gal

EQUIPMENT

PUMP TRUCK CEMENTER Chas

398 HELPER Paul

BULK TRUCK

378 DRIVER Ron

BULK TRUCK

_____ DRIVER _____

CEMENT			
AMOUNT ORDERED	<u>200 60/40 4 1/2 gal</u>		
	<u>1/2 10 1/2 CD-31</u>		
	<u>Liquid Densamer</u>		
COMMON	<u>120</u>	@ <u>13.50</u>	<u>1620.00</u>
POZMIX	<u>80</u>	@ <u>7.55</u>	<u>604.00</u>
GEL	<u>7</u>	@ <u>20.25</u>	<u>141.75</u>
CHLORIDE		@	
ASC		@	
CP-31	<u>86</u>	@ <u>9.10</u>	<u>782.60</u>
		@	
		@	
		@	
		@	
		@	
HANDLING	<u>100</u>	@ <u>2.25</u>	<u>225.00</u>
MILEAGE	<u>110/50/mile</u>		<u>500.00</u>
TOTAL			<u>3873.35</u>

REMARKS:

4 1/2 liner set @ 3223 land hole w/ salt water
Est. Circulation - Mix Cement + Displace plug w/ salt water
Cement Circulated while mixing. Mixed 200 gal
Clear line - Start D. Splicer! Plug land w/ 4500'
Release pressure. Float held

THANKS

CHARGE TO: HAB

STREET _____

CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>991.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>50</u>	@ <u>7.00</u>	<u>350.00</u>
MANIFOLD		@	
		@	
		@	
TOTAL			<u>1341.00</u>

PLUG & FLOAT EQUIPMENT

<u>4 1/2</u>			
<u>BW Float shop</u>		@	<u>206.00</u>
<u>Rubber plug</u>		@	<u>22.00</u>
		@	
		@	
TOTAL			<u>228.00</u>

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____

TOTAL CHARGES