KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:	en Flow	. 5	ISI			(See Ins	tructi	ions on Re	verse Sid	θ)						
Open Flow Deliverability				Test Date: 2/4/2010					API No. 15 181-20451-01 -								
Company Rosewoo		soure	ces, Inc.						Lease Bowma	: in				-	21-08H	Vell Nα 1	umber
County Location Sherman NENW					Section 8			TWP 7S			RNG (E/W) 39W			Acres Attributed 80		Attributed	
Field Goodland	d d						Reservoir Niobrara				Gas Gathering Connection Branch Systems Inc.						
Completio		9		-		Plug Back	k Total	Dept	h			ker Se	<u>-</u>				
Casing Size Weight 4 1/2" 10.5#				Internal Diameter 4.000			r	Set at 3122'			Perforations 3052'			то 3067'			
Tubing Siz	ze		Weig	ht -		Internal C	Diamete	r	Set	at	F	Perfora	ations		То	· · · · · · · · · · · · · · · · · · ·	-
Type Com Single (i						Type Fluid Dry Ga		ction	1			np Unit	or Traveling	Plun	ger? Yes	No)
Producing		(Ann	ulus / Tubi	ng)	•	% C	arbon [Dioxid	de		% N	litroge	n		Gas Gr	evity -	\widetilde{G}_{g}
Vertical D)			· · · · · · · · · · · · · · · · · · ·				sure Taps		<u>.</u>				•	Run) (P	Prover) Size
3152'						10 1	-	lang						10	2"	-	
Pressure	Buildup				20								20				(AM) (PM)
Well on Li	ine:	S	started 2-	4	20) at	40		(AM)(PM)	Taken 2	-5		20		at 5:25		(AM) (PM)
							OBSE	RVE	D SURFAC	E DATA				Dura	ion of Shut-	72	Hours
Static / Dynamic Property	namic Size Prover Pressure		sure	Pressure Differential in Inches H ₂ 0	Flowing Well Head Temperature t t			Casing Wellhead Pressure (P _w) or (P ₁) or (P _c)		(Tubing Wellhead Pressure (P _w) or (P _t) or (P _c)		Duration (Hours)		Liquid Produced (Barrets)		
Shut-In	·······		poig (r iii	"	mones ri ₂ 0				psig 27	psia 41, 4	,	psig	psla				
Flow									24	38.4				72		0	
							FLOW	STR	EAM ATT	RIBUTES							
Plate Coeffiecient (F _b) (F _p) Mcfd		Circle one: Meter or Prover Pressure psia			Press Extension Pmxh	tension Factor		Flowing Temperature Factor F ₁₁		F	Deviation Factor F _{pv}		Metered Flow R (Mcfd)		GOR (Cubic Feet/ Barrel)		Flowing Fluid Gravity G _m
													49				
(P _c) ² =		:	(P _w)²	_	:	(OPEN FLO	OW) (DI			/) CALCUI P _e - 14.4) -			:		(P _a) ²	²= 0.2 ²=	207
(P _c) ² - (F or (P _c) ² - (F	•	(P)²-(P _w)²	;	ose formula 1 or 2: 1. P _c ² - P _a ² 2. P _c ² - P _d ² led by: P _c ² - P _a ²	LOG of formula 1, or 2, and divide	P.2 - P.	2	Sid	essure Curv ppe = "n" - or ssigned dard Slope		n x LC	og [Antilog	O De Equal	pen Flow liverability s R x Antilog (Mcfd)
					. c w												
Open Flov	<u> </u>				Motol @ 14	65 peio			Deliverat	hilitu				Mote	@ 14 65 cci		
•			A	<u> </u>	Mcfd @ 14.	-			Deliveral		••	- د ما	about		@ 14.65 psi		uladga of
		-	-		ehalf of the report is true	, ,			-				cember	m and	imatne na.		20 10
			Witness	s (if an	ν)			_				10	MN For	Company		MSAS C	RECEIVED COMM
			For Cor	mmissio	on			_					Che	cked by		Ĵ	ĀN 26 2011

CONSERVATION DIVISION WICHITA, KS

exempt and that correct to of equip	clare under penalty of perjury under the laws of the state of Kansas that I am authorized to request status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. It the foregoing pressure information and statements contained on this application form are true and to the best of my knowledge and belief based upon available production summaries and lease records ment installation and/or upon type of completion or upon use being made of the gas well herein named. reby request a one-year exemption from open flow testing for the Bowman 21-08H
gas wel	on the grounds that said well: (Check one) is a coalbed methane producer
	is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D
	ther agree to supply to the best of my ability any and all supporting documents deemed by Commission necessary to corroborate this claim for exemption from testing.
Date: <u>1</u>	2/16/10
	Signature: Qui Guu Guu Guu Guu Guu Guu Guu Guu Guu G

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

KANSAS CORPORATION COMMISSION

JAN 26 2011

W2283 Bowman 21-08H North Goodland Goodland None February-10

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters
2/1/2010	19	32	47	0	cd
2/2/2010	20	33	9	22	
2/3/2010	24	37	0	24	
2/4/2010	25	38	0	24	
2/5/2010	24	37	49	0	
2/6/2010	22	35	52	1.5	
2/7/2010	21	. 34	52	1	
2/8/2010	21	34	52	0	
2/9/2010	21	. 34	38	18	
2/10/2010	23	36	4	24	
2/11/2010	26	39	0	24	
2/12/2010	25	38	6	15	
2/13/2010	27	40	0	24	
2/14/2010	27	40	5	12	
2/15/2010	27	40	7	18	
2/16/2010	31	. 44	0	8	shut in @ meter
2/17/2010	25	38	0	8	
2/18/2010	18	31	0	8	
2/19/2010	18	31	0	6	
2/20/2010	14	27	0	5	
2/21/2010	11	. 24	0	0	
2/22/2010	9	22	0	0	
2/23/2010	8	3 21	0	1	opened to 13mcf
2/24/2010	29	42	23	0	
2/25/2010	29	42	27	1.5	bp
2/26/2010	29	42	23	5.5	
2/27/2010	28	3 41	28	1	
2/28/2010	28	41	28	0	
3/1/2010	(0	0	0	
3/2/2010	(0	0	0	
3/3/2010	() 0	0	0	

Total

450

RECEIVED (CANSAS CORPORATION COMMISSION

JAN 26 2011

W2283 Bowman 21-08H North Goodland Goodland None March-10

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters
3/1/2010	28	41	28	0	
3/2/2010	28	41	28	0	
3/3/2010	28	41	28	0	
3/4/2010	28	41	27	' 0	
3/5/2010	29	42	. 19	0	
3/6/2010	28	41	28	0	
3/7/2010	28	41	28	0	
3/8/2010	28	41	28	0	
3/9/2010	28	41	. 28	0	opened to 56mcf
3/10/2010	26	39	50	0	
3/11/2010	25	38	53	0	bp
3/12/2010	25	38	52	2 0	
3/13/2010	25	38	51	. 0	
3/14/2010	25	38	49	0	
3/15/2010	24	37	51	. 0	
3/16/2010	24	37	50	0	
3/17/2010	24	. 37	50	0	
3/18/2010	24	. 37	50	0	cal
3/19/2010	24	37	38	0	
3/20/2010	24	37	5(0	
3/21/2010	23	36	5 49	0	
3/22/2010	23	36	5 49	0	
3/23/2010	23	36	5 49	0	
3/24/2010	23	36	5 49	0	opened to 54mcf
3/25/2010	22	35	5 57	' 0	
3/26/2010	22	35	5 56	5 0	
3/27/2010	22	35	5 56	5 0	
3/28/2010	22	35	5 56	0	
3/29/2010	21	. 34	55	5 0	
3/30/2010	21	. 34	5.5	0	
3/31/2010	21	. 34	53	. 0	

Total 1370

RECEIVED KANSAS CORPORATION COMMISSION

JAN 26 2011