## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

				nission	·····		_		-		Company Company		EC 2 9	
			Witness (				-			Coll	Hampl	1	RECEI	
			•	n behalf of the aid report is true			_	authorized	_	the above repo Dece <b>rp</b> ber	ort and that he ha		ge of	
en Flov	W			Mcfd @ 14.	65 psia		Delive	ability			Mcfd @ 14.65 psi	ia		
or P <sub>a</sub> )²- (F	o <sup>4</sup> ) <sub>5</sub>	(r	er - v wr	2. Pz. Pz divided by: Pz. Pw	formula 1. or 2. and divide	P.2. P.	,	Slope = "n" or Assigned Indard Slope	n x	LOG	Antilog	Delive Equals R (Mo	rability x Antilog	
P )2 - (5	)2	_ ·	(P <sub>w</sub> ) <sup>2</sup> =	Choose formula 1 or 2	P <sub>d</sub> =		Back	pressure Curv		<u>·</u> _	(P <sub>a</sub> )	Open	Flow	
)² =			(P )2 -		•	OW) (DE	LIVERABILI %	TY) CALCU (P <sub>e</sub> - 14.4)			_	<sup>2</sup> = 0.207		
Plate Coeffiecient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd		Pro	Circle one:  Meter or  Prover Pressure  psia		Gravity Factor F <sub>g</sub>		Flowing Temperatur Factor F <sub>rr</sub>	6 F	viation actor F <sub>p</sub>	Metered Flov R (Mcfd)	w GOR (Cubic Fe Barrel)	et/	Flowing Fluid Gravity G <sub>m</sub>	
				l	· · ·	FLOW S	STREAM AT	TRIBUTES			I			
low							020#					-		
ut-In			psig (Pm)	Inches H <sub>2</sub> 0			psig 820#	psla	psig	psia	600			
atic / namic operty	c Size		Circle one: Meter Prover Pressi	1	Flowing Temperature t	Well Head Temperature t	wellhe	Casing Wellhead Pressure (P <sub>w</sub> ) or (P <sub>t</sub> ) or (P <sub>c</sub> )		Tubing ead Pressure or (P <sub>t</sub> ) or (P <sub>c</sub> )	Duration (Hours)		Liquid Produced (Barrels)	
						OBSEF	WED SURFA	ACE DATA			Duration of Shut-	in 600	Hours	
il on Li											at			
ssure	Buildu	ıp:	 Shut in	1/2 2	0 10 at 8	3:00 AN	/t (AM) (PI	M) Taken	1/2	2720	10 <sub>at</sub> 8:00 A	M (AN	/) (PM)	
rtical D	epth(F	H)				Р	ressure Taps	i			(Meter	Run) (Prov	er) Size	
Producing Thru (Annulus / Tubing)				% C	% Carbon Dioxide				gen	Gas Gr	Gas Gravity - G <sub>g</sub>			
Type Completion (Describe) Single			Type Fluid Production Gas, Oil & Water				Init or Traveling ping Unit	Plunger? Yes	/ No					
fubing Size 2.375"		Weight 4.7#		Internal Diameter		42	Set at 4284.43'		orations	То				
Casing Size 4.5"		Weight 10.5#		Internal Diameter		42	Set at 4296.75'		orations en Hole	то 4296' - 4310'				
mpletic 29/04	<u> </u>	te			Plug Bac 4310'				Packer					
Spivey-Grabs					Mississippian			Gas Gathering Connection Pioneer				<u>.</u>		
County Location Kingman NE SE NW			Section 9		TWP 30S		RNG (E/W)			Acres Attr	iouted			
McCoy Petroleum Corporation					Lease Whitmer "Y"						#1-9			
maaa.		oilty			1/2/10		1		15	-095-21,88	1-0000	) Well Numb		
Del	liversh				Test Date	3.			AL	<sup>1</sup> No. 15	ヘムヘハ	`		

exempt	sclare under penalty of perjury under the laws of the state of Kansas that I am authorized to request status under Rule K.A.R. 82-3-304 on behalf of the operator McCoy Petroleum Corporation
correct of equip	t the foregoing pressure information and statements contained on this application form are true and to the best of my knowledge and belief based upon available production summaries and lease records ment installation and/or upon type of completion or upon use being made of the gas well herein named. reby request a one-year exemption from open flow testing for the <a #1-9"="" href="Whitmer" y"="">Whitmer "Y" #1-9</a>
	l on the grounds that said well:
	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No. is not capable of producing at a daily rate in excess of 250 mcf/D  ther agree to supply to the best of my ability any and all supporting documents deemed by Commissinecessary to corroborate this claim for exemption from testing.
Date: _	12/28/10
	Signature: Solt Hungel  Title: Vice President - Production

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.