KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test:	_{=low})	ØSI		(See Instruct	ions on Re	verse Side)				
Deliver				Test Date 10/27/10					1 No. 15 1-20356-00 -	·00		
Company Rosewood F	Resour	ces		10/2://	.	Lease Lohr				1-26	Well No	ımber
County Sherman	Location		Section 26				RNG (EW) 40W			Acres A	Attributed	
Field Goodland	-	. .	· • · · · · · · · · · · · · · · · · · ·	Reservoir Niobrara					thering Conn Systems in			•
Completion D 10/2/2004	•			Plug Back Total Depth 1260'			·	Packer :	Set at			
Casing Size 27/8"			Internal D 2.441				Perfo 105	orations 64'	To 1084	ا 		
Tubing Size		Weigh	t	Internal C	Internal Diameter Set at				orations			
Type Completion (Describe) Single (Conventional)				Type Fluid Production Dry Gas			Pump Unit or Traveling Plunger? Flowing			s / (No)		
Producing Thru (Annulus / Tubing) Annulus				% C	% Carbon Dioxide			% Nitrogen Gas .6			Gravity - (
Vertical Depth 1084'					Pres Flan				·—	(Mete	r Run) (P 	rover) Size
Pressure Buil	ldup:	Shut in 10-2	26 2	0 10 at 2	30	(AM) (PM)	Taken_10	-27	20	10 at 2:50		(AM)(PM)
Vell on Line:	:	Started 10-2	27 20	10 at	50	(AM) (PM)			. 20	10 _{at} 3:30		(AM) (PM)
					OBSERVE	D SURFAC	E DATA			Duration of Shu	_{it-In} 24	Hours
Dynamic 5	rifice Size nches)	e Prover Pressure in		Flowing Well Head Temperature t t		(P _w) or (P _t) or (P _e)		Wellho	(P,) or (P,) or (P,		ration Liquid Produces ours) (Barrels)	
Shut-In		poil (iii)	1			psig 2	16.4	psig	psla			
Flow				-		3	17.4			24	0	
				 	FLOW STR	EAM ATTE	RIBUTES		 			, ,
IE VIE V Groups Brookuse		Press Extension P _m x h	Gravity Factor F		Flowing Femperature Factor F ₁₁	Fac	ation ctor ev	Metered Flow R (Mcfd)	W GO! (Cubic Barro	Feet/	Flowing Fluid Gravity G _m	
									7			
		,		•	OW) (DELIV		•) ² = 0.2	:07
P _c) ² =	:	(P _w) ² =	Choose formula 1 or 2:	P ₄ =		1	P _e - 14.4) +	14.4 = _	 :	(P	(_d)² =	
$ \begin{array}{c cccc} (P_c)^2 \cdot (P_a)^2 & (P_c)^2 \cdot (P_w)^2 & 1. \ P_c^2 \cdot P_a^3 \\ or \\ (P_c)^2 \cdot (P_d)^2 & 2. \ P_c^2 \cdot P_d^3 \\ \end{array} $		 P₂² · P₄² P₂² · P₄² divided by: P₂² · P₄² 	LOG of formula 1. or 2. and divide by:		Backpressure Curve Slope = "n" Assigned Standard Slope		пх	LOG	Antilog	Del Equat	Open Flow Deliverability Equals R x Antilog (Mcfd)	
				-								
Open Flow		<u>l</u>	Mcfd @ 14.	65 osia		Deliveral				Mcfd @ 14.65 p	osla	
·	ersigned	d authority, or			tates that h		-	make t		ort and that he		riedge of
	-	•	aid report is true			•	_		December			20 10 .
		Witness (i	fany)			Ġ	$\overline{}$	ÜV	ine	Company		EIVED
		For Comm	ission				· · · · · · · · · · · · · · · · · · ·		Che	KANSAS	CORPOR	ATION COMMI

JAN 26 2011

exempt status und and that the foreg correct to the bes of equipment insta I hereby requ	er penalty of perjury under the laws of the state of Kansas that I am authorized to request der Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. going pressure information and statements contained on this application form are true and tof my knowledge and belief based upon available production summaries and lease records allation and/or upon type of completion or upon use being made of the gas well herein named. est a one-year exemption from open flow testing for the Lohr 1-26
(Check	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D e to supply to the best of my ability any and all supporting documents deemed by Commission y to corroborate this claim for exemption from testing.
Date: 12/13/10	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED

KAMSAS CORPORATION COMMISSION

W409 Lohr 1-26 South Goodland Goodland None October-10

	Casing		H	RS	REMARKS
DATE	PSI	STATIC M	CF D	own	(Maximum length 110 characters)
10/1/2010		3 16	6	0	
10/2/2010		3 16	6	0	
10/3/2010		3 16	6	0	
10/4/2010	,	3 16	6	0	
10/5/2010	•	3 16	6	0	
10/6/2010		3 16	6	0	
10/7/2010	;	3 16	6	0	
10/8/2010		2 15	8	0	
10/9/2010	:	3 16	6	0	
10/10/2010		3 16	6	0	
10/11/2010		3 16	7	0	
10/12/2010		3 16	7	0	
10/13/2010	2	2 15	9	0	
10/14/2010	:	2 15	7	0	
10/15/2010	•	3 16	5	0	
10/16/2010		3 16	6	0	
10/17/2010		3 16	6	0	
10/18/2010	:	3 16	6	0	
10/19/2010		3 16	6	0	cal
10/20/2010		2 15	5	0	
10/21/2010		2 15	6	0	
10/22/2010	:	2 15	6	0	
10/23/2010	:	2 15	6	0	
10/24/2010	2	2 15	6	0	
10/25/2010		2 15	6	0	
10/26/2010	:	2 15	6	0	shut in for test
10/27/2010	:	2 15	0	24	opened up
10/28/2010	;	3 16	7	0	- •
10/29/2010	•	3 16	7	0	
10/30/2010	:	3 16	7	0	
10/31/2010		2 15	7	0	

Total 190

RECET: STATISTION

JAN 26 2011

W409 Lohr 1-26 South Goodland Goodland None November-10

	Casing			HRS	REMARKS		
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)		
11/1/2010		2 15	7	0			
11/2/2010		2 15	7	0			
11/3/2010		3 16	6	0			
11/4/2010	,	3 16	6	0			
11/5/2010		2 15	6	0			
11/6/2010		2 15	6	0			
11/7/2010		3 16	6	0			
11/8/2010		3 16	6	0			
11/9/2010		2 15	6	0			
11/10/2010		2 15	7	0			
11/11/2010		2 15	6	0	bp		
11/12/2010		2 15	7	0			
11/13/2010		2 15	7	0			
11/14/2010		2 15	7	0			
11/15/2010		2 15	7	0			
11/16/2010		2 15	7	0			
11/17/2010	:	2 15	6	0			
11/18/2010		2 15	7	0			
11/19/2010		2 15	7	0			
11/20/2010		2 15	7	0			
11/21/2010		2 15	7	0			
11/22/2010		2 15	7	0			
11/23/2010		2 15	7	0			
11/24/2010		2 15	6	0			
11/25/2010		2 15	6	0			
11/26/2010		2 15	6	0			
11/27/2010	•	2 15	6	0			
11/28/2010		2 15	7	0			
11/29/2010	,	2 15	7	0			
11/30/2010		2 15	7	0			
12/1/2010		0 0	0	0			

Total 197

RECEIVED KANSAS CORPORATION COMMISSION

W409
Lohr 1-26
South Goodland
Goodland
None
December-10

	Casing		HR	S	REMARKS
DATE	PSI	STATIC MCF	DO	WN	(Maximum length 110 characters)
12/1/2010	- 2		6	0	
12/2/2010	2	2 15	7	0	
12/3/2010	2	2 15	7	0	
12/4/2010	2	2 15	7	0	
12/5/2010	2	2 15	7	0	
12/6/2010	2	2 15	7	0	
12/7/2010	2		7	0	
12/8/2010	2	2 15	6	0	nb, left pinched
12/9/2010	3		4	0	bp, opened up
12/10/2010	2		7	0	
12/11/2010	- 2		7	0	
12/12/2010	2	2 15	7	0	
12/13/2010		2 15	7	0	
12/14/2010		2 15	7	0	
12/15/2010	2	2 15	6	0	
12/16/2010	2	2 15	6	0	
12/17/2010	:	2 15	7	0	
12/18/2010		2 15	6	0	
12/19/2010		2 15	7	0	
12/20/2010		2 15	7	0	
12/21/2010	2	2 15	6	0	
12/22/2010		2 15	6	0	
12/23/2010	2	2 15	6	0	
12/24/2010	2	2 15	7	0	
12/25/2010		2 15	6	0	
12/26/2010		2 15	6	0	
12/27/2010	2	2 15	6	0	
12/28/2010	2	2 15	6	0	
12/29/2010	2	2 15	6	0	
12/30/2010		2 15	7	0	
12/31/2010		2 15	8	0	

Total 202

RECEIVED KANSAS CORPORATION COMMISSION

JAN 26 2011