KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test		v Ě	₫SI_		•	(See Instruc	tions on Re	verse Side					
Deliverability					Test Date: 10/27/10				API 181	No. 15 -20345-00 =	00		
Company Rosewoo		sour	ces, Inc.				Lease Topiff	-			_	Well Number	
County Location Sherman SESW/4					Section TWP 27 8S				RNG (E/W) 40W			Acres Attributed 80	
Field Goodand	ŧ	·			Reservoir Niobrara				Gas Gathering Connection Branch Systems Inc.				
Completion Date 7-23-2004					Plug Back Total Depth 1306'			· 	Packer Set at				
Casing Size Weight 4 1/2" 10.5#				Internal Diameter 4.052		Set at 1310'		Perforations 1092'		то 1124'			
Tubing Si NONE			Weight		Internal Diameter Set at			at	Perforations To				
Type Con Single (Conv	enti	onal)		Dry Ga				flowing	9	Plunger? Yes		
Annulus	3		ulus / Tubing)	% Carbon Dioxide				.6			avity - G	<u>-</u> -
Vertical D 1310'	• •				Pressure Taps Flange						2"	Run) (Prover) Size	3
Pressure	Buildu	o: \$	Shut in10-2	262	0 10 at 2	:20	(AM) (PM)	Taken_10	0-27	20	10 at 2:35	(AM) (PM)	
Well on L				27 2			(AM) (PM)				10 at 3:20	(AM)(PM))
						OBSERVE	D SURFAC				Duration of Shut-	in 24 Hou	ırs
Static / Dynamic Property	Notation / Orifice Meter Disconario Size Prover Pressure		Pressure Differential in Inches H ₂ 0	lai Flowing Well Head Temperature Temperature		Wallhaad Praecura		Tubing Wellhead Pressure (P _w) or (P _i) or (P _a) psig psia		Duration (Hours)	Liquid Produced (Barrels)		
Shut-In							4	18.4					
Flow	·						6	20.4			24	0	
Diete			Gircle one:		- 	FLOW STF	REAM ATTE	RIBUTES					7
Plate Coefficient (F _b) (F _p) Motd		nt <i>Meter</i> or		Press Extension Pmxh	Fac	Gravity Flowing Factor Factor F F F F F F F F F F F F F F F F F F F		Fa	leviation Matered Flow Factor R F _{pv} (Mcfd)		y GOR (Cubic Fo Barrel)	1 Geneite	
- · · · · ·										18			
					(OPEN FL	OW) (DELIV	ERABILITY	/) CALCUL	ATIONS		(P _s)	²= 0.207	-
(P _c) ² =	 -	:	(P _w) ² =	:	P _d =	. 	% (1	P _c - 14.4) +	14.4 =	<u> </u>	(P _d)		
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$) ² (P _c) ² - (P _w) ²		1. P _a ² - P _a ² 2. P _e ² - P _d ² tivided by: P _e ² - P _d ²	P2-P2 LOG of formula 1, or 2. and divide p2-p		Backpressure Curve Slope = "n"		n x LOG		Antilog E	Open Flow Deliverability Equals R x Antilo (Mctd)	19
													-
Open Flow Mcfd @ 1				Mcfd @ 14.	4.65 psia Deliverability			bility	Mcfd ② 14.65 psia				
		_	-	behalf of the			-			ne above repo	ort and that he ha	s knowledge of	
		•	Witness (if	any)						For	Company	RECEIVED	_ ס
		-	For Commi	saion			-			Che	cked by KANS	AS CORPORATION	CONA

exempt status and that the f correct to the of equipment I hereby r	under penalty of perjury under the laws of the state of Kansas that I am authorized to request under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. pregoing pressure information and statements contained on this application form are true and pest of my knowledge and belief based upon available production summaries and lease records installation and/or upon type of completion or upon use being made of the gas well herein named. Equest a one-year exemption from open flow testing for the Topliff 1-27 e grounds that said well:
l further a	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D gree to supply to the best of my ability any and all supporting documents deemed by Commissionary to corroborate this claim for exemption from testing.
Date: <u>12/13/</u>	

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be RECEIVED signed and dated on the front side as though it was a verified report of annual test resultenance CORPORATION COMMISSION

W430 Topliff 1-27 South Goodland Goodland None October-10

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
10/1/2010	4	17	16	0	
10/2/2010	4	17	16	0	
10/3/2010	4	17	16	0	
10/4/2010	4	17	16	0	
10/5/2010	4	17	16	0	
10/6/2010	4	17	16	0	
10/7/2010	4	17	16	0	
10/8/2010	4	17	17	0	
10/9/2010	4	17	16	0	
10/10/2010	4	17	16	0	
10/11/2010	4	17	16	0	
10/12/2010	4	17	16	0	
10/13/2010	3	16	19	0	
10/14/2010	3	16	17	0	
10/15/2010	4	17	15	0	
10/16/2010	4	17	16	0	
10/17/2010	4	17	16	0	
10/18/2010	4	17	17	0	
10/19/2010	4	17	17	0	
10/20/2010	4	17	17	0	
10/21/2010	4	17	17	0	
10/22/2010	4	17	17	0	
10/23/2010	4	17	17	0	
10/24/2010	4	17	17	0	
10/25/2010	4	17	17	0	
10/26/2010	4	17	17	0	shut in for test
10/27/2010	4	17	0	24	opened up, bp
10/28/2010	6	19	18	0	
10/29/2010	5	18	19	0	
10/30/2010	5		17	0	
10/31/2010	4	17	17	0	

Total 500

RECEIVED KANSAS CORPORATION COMMISSION

JAN 26 2011

W430 Topliff 1-27 South Goodland Goodland None November-10

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
11/1/2010	4	17	17	0	
11/2/2010	4	17	17	0	
11/3/2010	4	17	16	0	
11/4/2010	4	17	16	0	cal
11/5/2010	4	17	13	0	
11/6/2010	4	17	17	0	
11/7/2010	4	17	17	0	
11/8/2010	4	17	17	0	
11/9/2010	4	17	17	0	
11/10/2010	4	17	17	0	
11/11/2010	4	17	16	0	bp
11/12/2010	4	17	17	0	
11/13/2010	4	17	17	0	
11/14/2010	4	17	18	0	
11/15/2010	4	17	18	0	
11/16/2010	4	17	18	0	
11/17/2010	4	17	17	0	
11/18/2010	4	17	18	0	
11/19/2010	4	17	18	0	
11/20/2010	4	17	17	0	
11/21/2010	4	17	17	0	
11/22/2010	4	17	17	0	
11/23/2010	3	16	17	0	
11/24/2010	4	17	16	0	
11/25/2010	3	3 16	16	0	
11/26/2010	3	3 16	16	0	
11/27/2010	4	17	16	0	
11/28/2010	4	17	17	0	
11/29/2010	4	17	17	0	
11/30/2010	4	17	18	0	
12/1/2010	() 0	0	0	

Total 505

RECEIVED KANSAS CORPORATION COMMISSION

W430 Topliff 1-27 South Goodland Goodland None December-10

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
12/1/2010		16	16	0	
12/2/2010	:	3 16	17	0	
12/3/2010	4	17	17	0	
12/4/2010	4	17	17	0	
12/5/2010	3	3 16	17	0	
12/6/2010	4	17	19	0	
12/7/2010	3	3 16	17	0	
12/8/2010	:	3 16	17	0	bp
12/9/2010	-	3 16	18	0	
12/10/2010	4	17	17	0	
12/11/2010	4	17	17	0	
12/12/2010	-	3 16	16	0	
12/13/2010	3	3 16	17	0	
12/14/2010	3	3 16	17	0	
12/15/2010	3	3 16	17	0	
12/16/2010	3	3 16	16	0	
12/17/2010	3	3 16	17	0	
12/18/2010	:	3 16	17	0	
12/19/2010	3	3 16	17	0	
12/20/2010	;	3 16	17	0	
12/21/2010	:	3 16	17	0	
12/22/2010	3	3 16	16	0	
12/23/2010		3 16	18	0	
12/24/2010	4	17	23	0	
12/25/2010	:	3 16	17	0	
12/26/2010		3 16	17	0	
12/27/2010		3 16	17	0	
12/28/2010		3 16	17	0	
12/29/2010		3 16	17	0	
12/30/2010		3 16	17		bp
12/31/2010		3 16	17	0	-

Total 533

RECEIVED KANSAS CORPORATION COMMISSION

JAN 26 201