KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test	:	TET		(See Instruct	ions on Re	verse Side	θ)					
Op	en Flow	MSI.						4.51	N. 45				
Deliverabilty				Test Date: 10/27/10			API No. 15 181-20393-00 ~ 🔘						
Company Rosewood Resources, Inc.					Lease Toplff						Well Number 2-34		
County Location Sherman SESE/4			Section 34				RNG (E/W) 40W			Acres 80	Attributed		
Field Goodan	d				Reservoir Niobrara			Gas Gathering Connection Branch Systems Inc.			_	•	
Completic 2/24/200				Plug Bac 1198'	k Total Dept	h		Packer S	et at				
			Internal I 2.441	Internal Diameter Set at 2.441 1216'			Perfo 1090	rations)'	то 1120	To 1120'			
Tubing Si	ize	Weig	ht	Internal (Internal Diameter Set at				Perforations				
• •		Describe) ntional)		Type Flui Dry Ga	id Production	1		Pump Ur flowing	nit or Traveling	Plunger? Yes	No)	
Producing Annulus	• '	innulus / Tubir	(g)	% (% Carbon Dioxide				% Nitrogen			Gas Gravity - G _g	
Vertical D	epth(H)				Pres	sure Taps				*	Run) (F	rover) Size	
1216'	-	. =			Flan			·	- 	2"	-		
Pressure	Buildup:	Shut in		20 10 at 1		(AM) (PM)	Taken_1(0-27 20 10 at 2				(AM) (PM)	
Well on L	ine:	Started 10	-27	20 10 at .	:05	(AM)(PM)	Taken 10	0-28	. 20	10 at 2:45		(AM)(PM)	
					OBSERVE	D SURFACI	E DATA			Duration of Shu	_{it-in} 24	Hours	
Static / Dynamic Property	lynamic Size Prover Pressure		Differentia	re in Temperature Te		Well Head Temperature Casing Wellhead Pressure (P _w) or (P _s)		Tubing Wellhead Pressure (P_w) or (P_t) or (P_a)		Duration (Hours)		Liquid Produced (Barrels)	
	(HICHES)	psig (Pm)	Inches H ₂ (t	psig	psla	psig	psia			-	
Shut-In						3	17.4						
Flow						2	16.4	<u> </u>		24	0		
					FLOW STR	EAM ATTR	BUTES			· · · · · · · · · · · · · · · · · · ·			
Plate Coefficeient (F _p) (F _p) Mcfd		Circle one: Meter or Prover Pressure psla Press Extension Pmxh		rac	tor T	Flowing emperature Factor F ₁₁	ture Pactor		tor R		GOR (Cubic Feet/ Barrel)		
									8				
(B. \2 -		(0.12		•	OW) (DELIV)² = 0.:	207	
(P _e) ² =		(P _w) ²	Choose lamula 1 o	P _d =			· - 14.4) +		·	(Γ,	₅) ² =		
$(P_c)^2 - (P_a)^2$ or $(P_c)^2 - (P_d)^2$		$(P_e)^2 - (P_w)^2 = 1. P_e^2 - P_e^2 = 2. P_a^2 - P_d^2$		LOG of formula 1, or 2. and divide	formula		Backpressure Curve Slope = "n" Assigned		.OG	Antilog	De	Open Flow Deliverability Equals R x Antilog	
			divided by: P _c ² - F	by:	<u>[: '*.]</u>	Standa	ard Slope					(Mcfd)	
Open Flor			Mcfd @ 1	4.65 psia		Deliverab	ility			Mcfd @ 14.65 p	sia		
		and nutbority			etatoe that b			to make th		·		wlodge of	
	_	-	aid report is tr	•		-		_	ecember	ort and that he h		20 10 .	
						6		an	nell	$-\infty$		CHU)	
		Witness	(if any)						For	Company KANSAS	CORPO	Billing octif	
		For Com	mission			_			Che	cked by	JAN	26 2011	

exempt status und and that the foreg correct to the best of equipment insta I hereby reque	er penalty of perjury under the laws of the state of Kansas that I am authorized to request the Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. Topliff 2-34
(Check	one) is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D to supply to the best of my ability any and all supporting documents deemed by Commission to corroborate this claim for exemption from testing.
Date: 12/13/10	Signature:

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECENTED

KANSAS CORPORT TO THESE ON

JAN 26 2011

W432 Topliff 2-34 South Goodland Goodland None October-10

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
10/1/2010		3 16	7	0	
10/2/2010		3 16	7	0	
10/3/2010		3 16	8	0	
10/4/2010		3 16	8	0	
10/5/2010		3 16	8	0	
10/6/2010		3 16	8	0	
10/7/2010		3 16	8	0	
10/8/2010		3 16	9	0	
10/9/2010		3 16	7	0	
10/10/2010		3 16	8	0	
10/11/2010		3 16	8	0	
10/12/2010		3 16	8	0	
10/13/2010		2 15	10	0	
10/14/2010		2 15	8	0	
10/15/2010		3 16	6	0	
10/16/2010		3 16	7	0	
10/17/2010		3 16	7	0	
10/18/2010		3 16	7	0	
10/19/2010		3 16	7	0	
10/20/2010		3 16	8	0	
10/21/2010		3 16	8	0	
10/22/2010		3 16	8	0	
10/23/2010		3 16	8	0	
10/24/2010		3 16	8	0	
10/25/2010		3 16	8	0	
10/26/2010		3 16	8	0	shut in for test, cal
10/27/2010		3 16	0	24	opened up
10/28/2010		3 16	12	0	
10/29/2010		2 15	9	0	
10/30/2010		2 15	9	0	
10/31/2010		2 15	9	0	

Total 241

RECEIVED IVANSAS CORPORATION DE COMPONIDADOS D

W432
Topliff 2-34
South Goodland
Goodland
None
November-10

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
11/1/2010		2 15	8	0	
11/2/2010		2 15	8	0	
11/3/2010		3 16	8	0	
11/4/2010		2 15	8	0	
11/5/2010		2 15	8	0	
11/6/2010		2 15	8	0	
11/7/2010		2 15	8	0	
11/8/2010		2 15	8	0	
11/9/2010		2 15	8	0	
11/10/2010		2 15	8	0	bp
11/11/2010		2 15	8	0	
11/12/2010		2 15	8	0	
11/13/2010		2 15	8	0	
11/14/2010		2 15	8	0	
11/15/2010		2 15	8	0	
11/16/2010		2 15	8	0	
11/17/2010		2 15	8	0	
11/18/2010		2 15	8	0	
11/19/2010		2 15	8	0	
11/20/2010		2 15	8	0	
11/21/2010		2 15	8	0	i
11/22/2010		2 15	8	0	i
11/23/2010		2 15	8	0	
11/24/2010		2 15	8	0	i
11/25/2010		2 15	8	0	
11/26/2010		2 15	8	0	i
11/27/2010		2 15	8	0	
11/28/2010		2 15	8	0	
11/29/2010		2 15	8	0	i
11/30/2010		2 15	8	0	
12/1/2010		0 0	0	0	

Total 240

RECEIVED KANSAS CORPORATION COMMISSION

W432 Topliff 2-34 South Goodland Goodland None December-10

	Casing		H	RS	REMARKS
DATE	PSI	STATIC MO	F DO	OWN	(Maximum length 110 characters)
12/1/2010		2 15	8	0	
12/2/2010		2 15	8	0	
12/3/2010		2 15	8	0	
12/4/2010		2 15	8	0	
12/5/2010		2 15	8	0	
12/6/2010	:	2 15	8	0	
12/7/2010		2 15	8	0	
12/8/2010		2 15	8	0	bp
12/9/2010	:	2 15	8	0	
12/10/2010		2 15	8	0	
12/11/2010		2 15	8	0	
12/12/2010		2 15	8	0	
12/13/2010		2 15	8	0	
12/14/2010	;	2 15	8	0	
12/15/2010		2 15	8	0	
12/16/2010	;	2 15	7	0	
12/17/2010		2 15	8	0	
12/18/2010		2 15	7	0	
12/19/2010	:	2 15	7	0	
12/20/2010		2 15	8	0	
12/21/2010		2 15	8	0	
12/22/2010		2 15	7	0	
12/23/2010		2 15	8	0	
12/24/2010		2 15	8	0	
12/25/2010		2 15	9	0	
12/26/2010		2 15	8	0	
12/27/2010		2 15	8	0	
12/28/2010		2 15	8	0	
12/29/2010		2 15	8	0	
12/30/2010		2 15	8	0	
12/31/2010		1 14	8	0	

Total 245

RECEIVED (VANSAS CORPORATIO / COUNTISSION