ORIGINAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #_32754	API No. 15 - 051-24861-000/
Name: Elysium Energy, L.L.C.	County: Ellis
Address: 1625 Broadway, Suite 2000	NW_NWSE_Sec. 27 Twp. 11 S. R. 17 _ East West
City/State/Zip: Denver, CO 80202	2921 feet from S / O (circle one) Line of Section
Purchaser: NCRA	2948 feet from E / (G) (circle one) Line of Section
Operator Contact Person: Chris Gottschalk	Footages Calculated from Nearest Outside Section Corner:
Phone: (785_) 434-4638 RECEIV	(circle one) NE SE NW SW
Contractor: Name: Gaschler Well Service MAY 2-9 2	ase Name: Baumer B Well #: 44
License: MAY 2 3	Field Name: Bemis-Shutts
Wellsite Geologist: KCC WIC	HFTAcing Formation: Arbuckle
Designate Type of Completion:	Elevation: Ground: 2077' Kelly Bushing: 2082'
New Well Re-Entry Workover	Total Depth: 3644' Plug Back Total Depth: 3564'
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 1340 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator: Phillips Petroleum Company	feet depth tow/sx cmt.
Well Name: Baumer B #44	liberaria tar 65.00
Original Comp. Date: 4-3-94 Original Total Depth: 3644'	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content NA ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauted offsite:
Dual Completion Docket No	·
Other (SWD or Enhr.?) Docket No.	Operator Name:
1/30/03 2/3/03	Lease Name:License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R 🗍 East 🗍 West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1: 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature:	KCC Office Use ONLY
Regulatory Engineer 5/27/03	
Date.	Letter of Confidentiality Attached
Subscribed and sworn to before me this 27 day of	If Denied, Yes Date:
+ 2663 h	Wireline Log Received
Notary Public: Menole Ookers.	Geologist Report Received UIC Distribution
1/04/04 1000	
Date Commission Expires: 52.4 OC	ALL TO THE PARTY OF THE PARTY O
	COL

My Commission Expires 8/26/2008

‡

Operator Name: Elysium Energy, L.L.C.					Lease Name: Baumer B Well #: 44						
Sec. 27 Twp.	11 S. R. 17	Eas	t 🕝 West	Cour	nty: Ellis						
INSTRUCTIONS: S tested, time tool ope temperature, fluid rer Electric Wireline Log	n and closed, flowing covery, and flow rate	and shut s if gas to	-in pressures, s surface test, a	whether long with	shut-in pre	ssure reached	static level, hydro	static pressure	es, botto	m hole	
Drill Stem Tests Taken Yes (Altach Additional Sheets)		es []∕No		٦٠	og Formati	d Datum Sample		Sample			
Samples Sent to Geological Survey		es 🖟 No		Nam	e		Тор		Datum		
		=	es LiNo es LiNo								
List All E. Logs Run:											
_			CASING	PECORI) Ne	nu [] Usad					
CASING RECORD New Used Report all strings set-conductor, surface, intermediate, production, etc.											
Purpose of String	Size Hole Drilled			Weight Lbs. / Ft.		Setting Depth				and Percent additives	
									· · · · · · · · · · · · · · · · · · ·		
		l	ADDITIONAL	CEMEN	TING / SQL	JEEZE RECORD)	- !	l	· · · · · · · · · · · · · · · · · · ·	
Purpose: Depth Top Bottom Protect Casing		Туре	of Cement	#Sac	ks Used	Type and Percent Additives					
Plug Back TD Plug Off Zone										· · · · · · · · · · · · · · · · · · ·	
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				De	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth					
4 3539-43'					250 gal 15% NE Acid					3549-51'	
					250 gal 15% NE Acid, 500 gal 15% NE Acid					3539-43'	
							·				
		***								·-	
TUBING RECORD Size Set At Packer At					Liner Run						
2-7/8" 3523'						l l	Yes No		·····		
Date of First, Resumed 2/3/03	d Production, SWD or E	itr.	Producing Meth	od	Flowing	g 📝 Pumpi	ng 🔲 Gas Lif	t Othe	er (Explain)	
Estimated Production Per 24 Hours	Oil 13	Bbls.	Gas	Mcf	Wate 290	er B	bls. G	ias-Oil Ratio		Gravity	
Disposition of Gas		METHOD OF COMPLETION Production Interval									
Vented Sold	Used on Lease		Open Hole	[V] P	erf. 🔲 [Jually Comp.	Commingled	3539-3551		··· , <u>, , , , , , , , , , , , , , , , ,</u>	