## KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

ř.

Company Rosewood Resources  County Location Section TWP RNG (E/W) Sherman SESW 34 8S 40W  Field Reservoir Goodland Niobrara Branch Sys Completion Date 8/17/2004 Plug Back Total Depth 1350' Casing Size Weight Internal Diameter Set at Perforation 2 7/8" 6.5# 1102' Tubing Size Weight Internal Diameter Set at Perforation Niobrara Set at Perforation Set at Perforation Set at Perforation Niobrara Branch Sys Packer Set at Perforation Set at Perforation Set at Perforation Set at Perforation	g Connectionstems Inc.	1-34 To 1136'	Well Number Acres Attributed 80
Rosewood Resources         Topliff           County         Location         Section         TWP         RNG (E/W)           Sherman         SESW         34         8S         40W           Field         Reservoir         Gas Gatherir           Goodland         Niobrara         Branch Sys           Completion Date         Plug Back Total Depth         Packer Set at           8/17/2004         1350'           Casing Size         Weight         Internal Diameter         Set at         Perforation           2 7/8"         6.5#         2.441         1346'         1102'           Tubing Size         Weight         Internal Diameter         Set at         Perforation           none         Perforation         Perforation         Perforation         Perforation	ns	1-34 On To 1136'	Acres Attributed
Sherman         SESW         34         8S         40W           Field         Reservoir         Gas Gathering           Goodland         Niobrara         Branch System           Completion Date         Plug Back Total Depth         Packer Set at           8/17/2004         1350'         Perforation           Casing Size         Weight         Internal Diameter         Set at         Perforation           2 7/8"         6.5#         2.441         1346'         1102'           Tubing Size         Weight         Internal Diameter         Set at         Perforation           none         Perforation         Perforation         Perforation         Perforation	ns	To 1136'	
Goodland Niobrara Branch System Plug Back Total Depth Packer Set at 8/17/2004 1350'  Casing Size Weight Internal Diameter Set at Perforation 2 7/8" 6.5# 2.441 1346' 1102'  Tubing Size Weight Internal Diameter Set at Perforation None	ns	то 1136' То	
8/17/2004         1350'           Casing Size         Weight         Internal Diameter         Set at Perforation           2 7/8"         6.5#         2.441         1346'         1102'           Tubing Size         Weight         Internal Diameter         Set at Perforation         Perforation	ns	1136' To	
2 7/8"         6.5#         2.441         1346'         1102'           Tubing Size         Weight         Internal Diameter         Set at         Perforation           none         Perforation         Perforation         Perforation         Perforation         Perforation	ns	1136' To	
none			
	Traveling Plu	mner? Yes	$\overline{}$
Type Completion (Describe)  Type Fluid Production  Pump Unit or  Single (Conventional)  Dry Gas  Flowing		inger: 100	/ (NO)
Producing Thru (Annulus / Tubing) % Carbon Dioxide % Nitrogen Annulus		Gas Gr .6	avity - G
Vertical Depth(H) Pressure Taps 1136' Flange		(Meter I	Run) (Prover) Size
Pressure Buildup: Shut in 10-13 20 10 at 1:30 (AM) (PM) Taken 10-14	20 10	1:55	- (AM)(PM)
Well on Line: Started 10-14 20 10 at 1:55 (AM) (PM) Taken 10-15	20 10	2:30 at	(AM)(PM)
OBSERVED SURFACE DATA	Dur	ration of Shut-	in 24 Hou
Static / Orlfice Dynamic Size Property (inches) Program (psig (Pm)) Pressure psig (Pm) Prossure psig (Pm) Prossure Prover Pressure psig (Pm) Prossure psig (Pm) Prossure Prover Pressure psig (Pm) Prossure t Well Head Temperature t Well Head Temperature t	essure	Duration (Hours)	Liquid Produced (Barrels)
Shut-In 14 28.4	psia		
Flow 19 33.4	24	1	0
FLOW STREAM ATTRIBUTES	-1		
Plate Coefficient (F <sub>b</sub> ) (F <sub>p</sub> ) Mcfd  Coefficient (F <sub>b</sub> ) (F <sub>p</sub> ) Prover Pressure psia  Press Extension Factor Factor Factor F <sub>a</sub> F <sub>b</sub> F <sub>b</sub> F <sub>c</sub> F <sub>tt</sub> Press Fr <sub>tt</sub> Deviation M Factor Factor Factor F <sub>tt</sub> F <sub>tt</sub>	etered Flow R (McId)	GOR (Cubic Fe Barrel)	Graviba
25			
(OPEN FLOW) (DELIVERABILITY) CALCULATIONS $(P_c)^2 = (P_w)^2 =$ $(P_w)^2 =$ $(P_w)^2 =$ $(P_w)^2 =$	:	(P <sub>a</sub> ) (P <sub>d</sub> )	<sup>2</sup> = 0.207
		Antilog	Open Flow Deliverability Equals R x Antilo (Mctd)
Open Flow Mcfd @ 14.65 psia Deliverability	Mefe	d <b>@</b> 14.65 ps	ia
The undersigned authority, on behalf of the Company, states that he is duly authorized to make the at			
the facts stated therein, and that said report is true and correct. Executed this the 13 day of Dece	mber A <b>í</b>	4	, 20 10
Witness (if any)	For Compa	MANSAS (	CRECKIVE ON CO.
For Commission	Checked t	by	JAN <b>26</b> 201

I declare under penalty of perjury under the laws of the state of Kansas that I am authorized to request exempt status under Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc.  and that the foregoing pressure information and statements contained on this application form are true and correct to the best of my knowledge and belief based upon available production summaries and lease records of equipment installation and/or upon type of completion or upon use being made of the gas well herein named.
I hereby request a one-year exemption from open flow testing for the Topliff 1-34 gas well on the grounds that said well:
(Check one)  is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D  I further agree to supply to the best of my ability any and all supporting documents deemed by Commission staff as necessary to corroborate this claim for exemption from testing.
Signature: Production Assistant  Date: 12/13/10

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under **OBSERVED SURFACE DATA**. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption **IS** denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be signed and dated on the front side as though it was a verified report of annual test results.

RECEIVED KANSAS CORPORATION COMMISSION

W431 Topliff 1-34 South Goodland Goodland None

October-10

FloBoss

FIODOSS	Casing	<del></del>		HRS	REMARKS
DATE	PSI	STATIC MCF		DOWN	(Maximum length 110 characters)
10/1/2010	14		24	0	<del>!`</del>
10/2/2010	14		24	0	
10/2/2010	15		24	0	
10/4/2010	15		24	0	
10/4/2010	13		24	0	
10/6/2010	14		24	0	
10/7/2010				-	
	14		24	0	
10/8/2010	14		24	0	
10/9/2010 10/10/2010	14 14	- ·	24	0	
10/10/2010	14 14	• •	24 24	0	
	14			-	
10/12/2010 10/13/2010	14	= :	24 28		opened to 31 shut in for test
10/13/2010	13		28		
					opened to 35
10/15/2010	19		25	0	
10/16/2010	19		22	0	
10/17/2010	18		22	0	
10/18/2010	18		22	0	
10/19/2010	17		22	0	
10/20/2010	17		22	0	
10/21/2010	16		22	0	
10/22/2010	16		22	0	
10/23/2010	16		23	0	
10/24/2010	16		23	0	
10/25/2010	16		23	0	
10/26/2010	15		23		opened to 46
10/27/2010	15		30		bp
10/28/2010	14		26	0	
10/29/2010	14		26	0	
10/30/2010	13		26	0	l
10/31/2010	13	26	26	0	)

Total 721

RECEIVED KANSAS CORPORATION COMMISSION

JAN 26 2011

W431 Topliff 1-34 South Goodland Goodland None

November-10

**FloBoss** 

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
11/1/2010	4	17	25		
11/2/2010	4	17	25		
11/3/2010	4	17	25		
11/4/2010	4	17	25		
11/5/2010	4	17	25		
11/6/2010	4	17	25		
11/7/2010	4	17	25		
11/8/2010	4	17	25		
11/9/2010	4	17	25		
11/10/2010	4				bp
11/11/2010	4				
11/12/2010	4	17	25		
11/13/2010	4	17	25		
11/14/2010	4	16	25		
11/15/2010	4	16	25		
11/16/2010	4	16	25		
11/17/2010	3	16	25		
11/18/2010	3	16	25		bp
11/19/2010	3	16	25		
11/20/2010	3	16	25		
11/21/2010	3	16	25		
11/22/2010	3	16	25		
11/23/2010	3		25		
11/24/2010	3		25		
11/25/2010	3	16	25		
11/26/2010	3		25		
11/27/2010	3	16	25		
11/28/2010	3		25		
11/29/2010	3		25		
11/30/2010	3	16	25		
12/1/2010					

Total 750

RECEIVED KANSAS CORPORATIO LOCALMISSION

JAN 26 2011