KANSAS CORPORATION COMMISSION ONE POINT STABILIZED OPEN FLOW OR DELIVERABILITY TEST

Type Test		. j	MSI		((See Instruc	tions on Re	overse Side)			
Open Flow Test Date: 2/4/2010					API No. 15 181-20488-01 → CO							
Company		our	ces, Inc.		·,		Lease Crouch	•			21-02	Well Number H
County Location Sherman NENW			Section 2			TWP 7S	TWP RNG (E/W)		 W)	Acres Attributed 80		
Field Goodland			· · 	Reservoir Niobrara			Gas Gathering Connect Branch Systems Inc.				· -	
Completion Date 2/28/2007				Plug Back Total Depth 2846'			Packer Set at					
Casing Size Weight 4 1/2" 11.6				Internal (4.000	Set at 2846'		Perfo 277	orations '9'	то 2794'			
Tubing Size Weight NONE				Internal Diameter			Set at Perforations		То			
Type Con Single (Type Flui Dry Ga	id Productio as	n		Pump U Flowir	nit or Traveling	Plunger? Yes	No T
Producing Annulus		Ann	ulus / Tubing)		% C	Carbon Dioxi	ide	· -	% Nitro	gen	- Gas G	ravity - G
Vertical D		-	 			Pres	sure Taps			<u> </u>		Run) (Prover) Size
2859'			_			Flan					2"	
Pressure	Buildup		Shut in 2-3		10 at 9	:10	(AM)(PM)	Taken 2-	4		10 at 9:25	(PM)
Well on L	ine:	5	Started 2-4	20	10 _{at} 9	:25	(AM)(PM)	Taken 2-	5	20	10 _{at} 10:10	(AM)(PM)
-				1		OBSERVE	D SURFAC		,		Duration of Shut	-in 72 Hours
Static / Dynamic Property	Dynamic Size Prover Pressure		Pressure Differential in tnches H ₂ 0	Temperature Temperature		(P _a) or (P ₁) or (P _e)		Tubing Wellhead Pressure (P_w) or (P_t) or (P_c)		Duration (Hours)	Liquid Produced (Barrels)	
Shut-In			po.g ()	William 1,20			. 4/Q	psia 54,4	psig	psia		
Flow							19	33.4			72	0
						FLOW STE	REAM ATTE	RIBUTES				
Plate Coefficcient (F _b) (F _p) Mctd				Press Extension ✓ P _m x h	Gravity Factor F _g		Flowing Temperature Factor F _{II}	Fa	Deviation Metered Flor Factor R F _{pv} (Mcfd)		w GOR (Cubic Fo	eet/ Fluid Gravity
										22		
					•	OW) (DELIV	ERABILITY) CALCUL	ATIONS)² = 0.207
(P _c) ² =		:	(P _w) ² =	<u>;</u>	P _d =		% (P _e - 14.4) +	14.4 = _	:	(P _a ,) ² =
$(P_c)^2 - (P_a)^2$ or $(P_a)^2 - (P_a)^2$		(P _v) ² · (P _w) ²		1, P _e ² -P _e ² 2, P _e ² -P _e ² ded by: P _e ² -P _e ²	lormula p2.p2 1.or 2. and divide p2.p2		Backpressure Curve Slope = "n" Assigned Standard Slope		n x	rog	Antilog	Open Flow Deliverability Equals R x Antilog (McId)
Open Flor				Model @ 14	SE osis		Dolinessi	hillin.	Ш.		Maria (8) 11 05	
Open Flor				Mcfd @ 14.	,		Deliveral				Mcfd @ 14.65 ps	
			authority, on t				_			he above repo December	ort and that he ha	as knowledge of
			Mirana III				,	<u> </u>	ins	ull.	Oll	MU)
			Witness (if ar	וזיי				/		Fort	Jompany KAN	RECEIVED ISAS CORPORATION CO
			For Commiss	ion		- *			÷	Che	cked by	1441 0 0 0

exempt status us and that the fore correct to the be of equipment ins I hereby req	der penalty of perjury under the laws of the state of Kansas that I am authorized to request or noted that Rule K.A.R. 82-3-304 on behalf of the operator Rosewood Resources, Inc. Regoing pressure information and statements contained on this application form are true and state of my knowledge and belief based upon available production summaries and lease records stallation and/or upon type of completion or upon use being made of the gas well herein named. Regoing pressure information and statements contained on this application form are true and statements and lease records the stallation and/or upon type of completion or upon use being made of the gas well herein named. Regoing pressure information and statements contained on this application form are true and statements of my knowledge and belief based upon available production summaries and lease records the table of the gas well herein named. Regoing pressure information and statements contained on this application form are true and statements of my knowledge and belief based upon available production summaries and lease records the table of the gas well herein named. Regoing pressure information and statements contained on this application form are true and statements of my knowledge and belief based upon available production summaries and lease records the statement of the gas well herein named.
I further agressating as necessarias	is a coalbed methane producer is cycled on plunger lift due to water is a source of natural gas for injection into an oil reservoir undergoing ER is on vacuum at the present time; KCC approval Docket No is not capable of producing at a daily rate in excess of 250 mcf/D ee to supply to the best of my ability any and all supporting documents deemed by Commission my to corroborate this claim for exemption from testing.
Date: 12/16/10	Signature: <u>Janul Gelve</u> Title: <u>Production Assistant</u>

Instructions:

If a gas well meets one of the eligibility criteria set out in KCC regulation K.A.R. 82-3-304, the operator may complete the statement provided above in order to claim exempt status for the gas well.

At some point during the current calendar year, wellhead shut-in pressure shall have been measured after a minimum of 24 hours shut-in/buildup time and shall be reported on the front side of this form under OBSERVED SURFACE DATA. Shut-in pressure shall thereafter be reported yearly in the same manner for so long as the gas well continues to meet the eligibility criterion or until the claim of eligibility for exemption IS denied.

The G-2 form conveying the newest shut-in pressure reading shall be filed with the Wichita office no later than December 31 of the year for which it's intended to acquire exempt status for the subject well. The form must be RECEIVED signed and dated on the front side as though it was a verified report of annual test results.

KANSAS CORPORATION COMMISSION

W2420 Crouch 21-02H North Goodland Goodland None February-10

	Casing			I	IRS	REMARKS	
DATE	PSI	STATIC	MCF	Ĺ	OWN	(Maximum length 110 characters)	
2/1/2010	1	1 2	4	13	0	cd	
2/2/2010	1	1 2	4	2	22		
2/3/2010	4	0 5	3	0	24		
2/4/2010	3	3 4	6	0	24		
2/5/2010	1	9 3:	2	22	0		
2/6/2010	1	3 2	6	25	1.5		
2/7/2010	1	2 2:	5	22	1		
2/8/2010	1	1 2	4	22	0		
2/9/2010	1	6 2	9	13	18		
2/10/2010	2	1 3-	4	2	24		
2/11/2010	4	0 5:	3	0	24	nb	
2/12/2010	2	4 3	7	3	15		
2/13/2010	4	0 5:	3	0	24		
2/14/2010	2	7 4	0	4	12		
2/15/2010	2	5 3	8	4	18		
2/16/2010	3	3 4	6	0	8	shut in @ meter	
2/17/2010	2	5 3	8	0	8		
2/18/2010	1	8 3	1	0	8		
2/19/2010	1	8 3	1	0	6		
2/20/2010	1	4 2	7	0	5		
2/21/2010	1	1 2	4	0	0		
2/22/2010		9 2:	2	0	0		
2/23/2010		8 2	1	0	1	opened to 8mcf	
2/24/2010	3	0 4:	3	9	0		
2/25/2010	2	9 4:	2	8	1.5		
2/26/2010	2	9 4:	2	7	5.5		
2/27/2010	2	8 4	1	8	1		
2/28/2010	2	8 4	1	8	0		
3/1/2010		0	0	0	0		
3/2/2010		0	0	0	0		
3/3/2010		0	0	0	0		

Total 172

RECEIVED KANSAS CORPORATION COMMISSION

W2420 Crouch 21-02H North Goodland Goodland None March-10

	Casing			HRS	REMARKS
DATE	PSI	STATIC	MCF	DOWN	(Maximum length 110 characters)
3/1/2010	28	3 41	8	0	bp
3/2/2010	28	41	8	0	
3/3/2010	27	40	8	0	
3/4/2010	27	40	8	0	
3/5/2010	28	41	5	0	
3/6/2010	27	40	8	0	
3/7/2010	27	40	8	0	
3/8/2010	27	40	8	0	
3/9/2010	27	40	8	0	
3/10/2010	27	40	8	0	
3/11/2010	27	40	8	0	bp., opened to 15mcf
3/12/2010	23	36	14	0	
3/13/2010	22	2 35	14	0	
3/14/2010	21	. 34	14	0	
3/15/2010	20	33	14	0	
3/16/2010	20	33	14	0	
3/17/2010	20	33	14	0	
3/18/2010	20	33	13	0	
3/19/2010	19	32	13	0	
3/20/2010	19	32	13	0	
3/21/2010	19	32	13	0	
3/22/2010	19	32	13	0	
3/23/2010	19	32	13	0	
3/24/2010	19	32	13	0	opened to 19mcf
3/25/2010	16	5 29	16	0	
3/26/2010	15	28	16	0	
3/27/2010	15	28	16	0	
3/28/2010	14	27	16	0	
3/29/2010	14	27	15	0	
3/30/2010	14	27	10	0	
3/31/2010	14	27	14	0	

Total 363

RECEIVED KANSAS CORPORATION COMMISSION