For KCC Use: 7 26-20|| District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

,	vith the Kansas Surface Owner Notification Act, MUST be submitted with this form.
expected Spud Date: August 10 20	211 Spot Description: SE4
month day	year SE _ NE _ SE _ Sec _ 26 _ Twp. 16 _ S. R. 30 _ ☐ E ▼ W
6009	(0/0/0/0) 1,650 feet from N / X S Line of Section
PERATOR: License#	330 feet from X E / W Line of Section
ddress 1: 221 S. Broadway, #331	
ddress 2:	(Nate - Locate well on the Section Plat on reverse side)
ity: Wichita State KS Zip: 67202	+ County: Lane
ontact Person: Jim Robinson	Lease Name: Shay Dirreen B Well #: 1
hone: 316-264-0422	Field Name: Healy West Dickey Southwest
ONTRACTOR: License# 6039	Is this a Prorated / Spaced Field?
ame: L D Drilling, Inc.	Target Formation(s): Mississippi
Well Drilled For: Well Class: Type Equip	oment: Nearest Lease or unit boundary line (in footage): 330
X Oil	Ground Surface Elevation: 2045 reet MSL
Gas Storage Pool Ext. Air Ro	vyater weil within one-quarter mile.
Disposal Wildcat Cable	Public water supply well within one mile: Yes IXINO
Seismic ; # of Holes Other	Depth to bottom of fresh water: 12073
Other:	Depth to bottom of usable water: 1800' /450
If OWWO: old well information as follows:	Surface Pipe by Alternate: Surface Pipe by Alternate: 390'
	Length of Surface Pipe Planned to be set: 390'
Operator:	Continue Take Densile Abill
Well Name:	N 4:::
Original Completion Date: Original Total Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
Yes, true vertical depth:	
Bottom Hole Location:	
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone: RECEIVED
	AFFIDAVIT
The undersigned hereby affirms that the drilling completion a	and eventual plugging of this well will comply with K.S.A. 55 et. seq. JUL 2 1 201
t is agreed that the following minimum requirements will be n	
	Studie CC MICLUT
Notify the appropriate district office <i>prior</i> to spudding of A copy of the approved notice of intent to drill shall be	of well: Posted on each drilling rig;
 Notify the appropriate district office <i>prior</i> to spudding of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified below 	of well; posted on each drilling rig; pow shall be set by circulating cement to the top; in all cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the consolidated materials plus as minimum	of well; posted on each drilling rig; pow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the first plus is dry hole, an agreement between the operation. 	of well; posted on each drilling rig; pow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified belof through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of the appropriate district office will be notified before we If an ALTERNATE II COMPLETION, production pipe significant in the properties of th	of well; posted on each drilling rig; by shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; ell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation of the appropriate district office will be notified before well than ALTERNATE II COMPLETION, production pipe story nursuant to Appendix "B" - Eastern Kansas surface 	of well; posted on each drilling rig; posted on each drilling rig; pow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; ell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. It casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the well is dry hole, an agreement between the operation of the appropriate district office will be notified before well for an ALTERNATE II COMPLETION, production pipe story pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the spud	of well; posted on each drilling rig; posted on each drilling rig; pow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. It casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of the unit of the well is dry hole, an agreement between the operation of the specified before well an ALTERNATE II COMPLETION, production pipe story pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or an appendix of the spud date or an appendix of the spud date or appendix to the spud	of well; posted on each drilling rig; posted on each drilling rig; pow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; sell is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. It casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of 1. If the well is dry hole, an agreement between the operation of 1. The appropriate district office will be notified before well to an ALTERNATE II COMPLETION, production pipe story pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or 1. Ihereby certify that the statements made herein are true and 	of well; posted on each drilling rig; posted into the underlying formation. pater and the district office on plug length and placement is necessary prior to plugging; pull is either plugged or production casing is cemented in; pull is either plugged or p
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe slor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the hereby certify that the statements made herein are true and 	of well; posted on each drilling rig; posted into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; pull is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. Teasing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It to the best of my knowledge and belief. Representative
Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe slor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and the position of the statements. Signature of Operator or Agentation 1.	of well; posted on each drilling rig; posted on each drilling formation. ator and the district office on plug length and placement is necessary prior to plugging; posted in either plugged or production casing is cemented in; posted in either plugged or production casing is cemented in; posted in either plugged or production casing is cemented in; posted of plugged or production casing is cemented in; posted of plugged or production casing is cemented in; posted of each plugged or plugging; posted on each drilling rig; posted on eac
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe slor pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and 1. Date: 7-20-11 Signature of Operator or Agentation of the spud of the spud date of the spud of	of well; posted on each drilling rig; posted on each drilling formation. ator and the district office on plug length and placement is necessary prior to plugging; posted in either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. Teasing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It to the best of my knowledge and belief. Title: Representative Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe story pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or hereby certify that the statements made herein are true and Date: 7-20-11 Signature of Operator or Agent For KCC Use ONLY API # 15 - / O J - 2 2 3 0 2 - 00 - 0 0	of well; posted on each drilling rig; posted on each drilling formation. ator and the district office on plug length and placement is necessary prior to plugging; posted in either plugged or production casing is cemented in; posted in either plugged or production casing is cemented in; posted in either plugged or production casing is cemented in; posted of plugged or production casing is cemented in; posted of plugged or production casing is cemented in; posted of each plugged or plugging; posted on each drilling rig; posted on eac
1. Notify the appropriate district office <i>prior</i> to spudding of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the second of the well is dry hole, an agreement between the operation of the second of the seco	of well; posted on each drilling rig; posted
1. Notify the appropriate district office <i>prior</i> to spudding of the appropriate district office <i>prior</i> to spudding of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of the through all unconsolidated materials plus a minimum of the through all unconsolidated materials plus a minimum of the through all unconsolidated materials plus a minimum of the through all unconsolidated materials plus a minimum of the through the through the operation of the spud before we of the appropriate district office will be notified before we of the appropriate of the spud district office will be notified before we of the appropriate of the spud date or the spud date or through the spud date or through the spud date or the spud date or the spud date or the spud date or through the spud date or throu	of well; posted on each drilling rig; posted
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe sl Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or hereby certify that the statements made herein are true and the policy of the spud date or contact. Signature of Operator or Agent Approved by: WMA 7-21-20 II	of well; posted on each drilling rig; posted
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe sl Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or hereby certify that the statements made herein are true and bate: T-20-11	of well; posted on each drilling rig; posted on prior to plugging rig serior to plu
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe slow or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and coate: 7-20-11 Signature of Operator or Agent For KCC Use ONLY API # 15 - / O / - 2 2 3 0 2 - 00 - 0 0 Conductor pipe required	of well; posted on each drilling rig; posted by shall be set by circulation casing is all cases surface pipe shall be set posted on plugging rig; posted on plugging; posted on plugging rig; posted on plugging; posted on plugging rig; posted on plugging; posted on plugging; posted on plugging rig; posted on plugging; posted on plugging; posted on pluggin
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before well 6. If an ALTERNATE II COMPLETION, production pipe slor or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or thereby certify that the statements made herein are true and poate: 7-20-11 Signature of Operator or Agent Minimum surface pipe required Approved by: MM 7-21-20 II This authorization void if drilling not started within 12 months of approved to the spud if drilling not started within 12 months of approved by the spud if drilling not started within 12 months of approved to the spud of the spud within 12 months of approved by the spud of the spud within 12 months of approved to the spud of the spud within 12 months of approved to the spud of the spud within 12 months of approved to the spud of the sp	of well; posted on each drilling rig; posted on prior to plugging rig serior to plu
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified belot through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe sl Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or hereby certify that the statements made herein are true and bate: T-20-11	posted on each drilling rig; posted by shall be set by circulating cement to the top; posted on each drilling rig; posted by shall be set by circulating cement to the top; posted on each drilling rig; posted by shall be set by circulating cement to the top; posted into the underlying formation. Complete on plug length and placement is necessary prior to plugging; plugging right and placement is necessary prior to plugging; plugging right and placement is necessary prior to plugging; plugging right and placement is necessary prior to plugging; plugging right and placement is necessary prior to plugging; plugging right and placement is necessary prior to plugging; plugging right and placement is necessary prior to plugging; plugging right and placement is necessary prior to plugging; plugging right and placement is necessary prior to plugging; plugging right and placement is necessary prior to plugging; plugging

For KCC Use ONLY
API # 15 - 101-22302 -0000

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Double Eagle Exploration, Inc. Lease: Shay Dirreen B Well Number: 1 Field: Healy West	Location of Well: County: Lan 1,650 330 Sec. 26 Twp. 16	feet from N / S Line of Section feet from E / W Line of Section
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: - SE - NE - SE	Is Section: Regular or If Section is Irregular, locate Section corner used: NE	well from nearest corner boundary.

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections KCC WICHITA 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

15-101-22302-0000

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 6009	Well Location:		
Name: Double Eagle Exploration, Inc.	SE_NE_SE_Sec. 26 Twp. 16_S, R. 30 Eas X West		
Address 1: 221 S. Broadway, #310	County: Lane		
Address 2:	Lease Name: Shay Dirreen B Well #: 1		
City: Wichita State: KS Zip: 67202 + Contact Person: Jim Robinson Phone: (316) 264-0422 Fax: (316) 269-1504 Email Address: Doubleeagle310@gmail.com	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person: JIM Robinson			
Phone: (316) 264-0422 Fax: (316) 269-1304	_		
Email Address: Doubleeagle310@gmail.com	-		
Surface Owner Information:			
Name: E. Vance Shay and Dana Y. Shay Address 1: 2001 N. Sycamore	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1: 2001 N. Sycamore	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: Healy State: KS Zip: 67850 +			
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cat	hodic Protection Borehole Intent), you must supply the surface owners and		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cat the KCC with a plat showing the predicted locations of lease roads, to			
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cat the KCC with a plat showing the predicted locations of lease roads, to are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be	hodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cat the KCC with a plat showing the predicted locations of lease roads, to are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filling in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface	hodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cat the KCC with a plat showing the predicted locations of lease roads, to are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax. I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface task, I acknowledge that I am being charged a \$30.00 handling.	thodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat of on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Be Act (House Bill 2032), I have provided the following to the surface elecated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ing fee, payable to the KCC, which is enclosed with this form.		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cat the KCC with a plat showing the predicted locations of lease roads, to are preliminary non-binding estimates. The locations may be entered Select one of the following:	thodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface elecated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form me being filed is a Form C-1 or Form CB-1, the plat(s) required by this can demail address. I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ing fee, payable to the KCC, which is enclosed with this form. In fee with this form. If the fee is not received with this form, the KSONA-1 in the returned.		

KCC WICHITA

JUL 2 1 2011

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Double Eagle Exploration, Inc.		License Number: 6009			
Operator Address: 221 S. Broadway, #310		Wichita	KS 67202		
Contact Person: Jim Robinson			Phone Number: 316-264-0422		
Lease Name & Well No.: Shay Dirreen B 1			Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE NE SE Sec. 26 Twp. 16 R 30 East X West		
Emergency Pit Burn Pit					
Settling Pit X Drilling Pit	If Existing, date constructed:		1,650 Feet from North / X South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from X East / V	Nest Line of Section	
(If WP Supply API No. or Year Drilled)	200	(bbls)	Lane		
Is the pit located in a Sensitive Ground Water A	Is the pit located in a Sensitive Ground Water Area? Yes X No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
X Yes No	Yes X		Native Clay		
Pit dimensions (all but working pits):)0 Length (fee	et) 100	Width (feet)	N/A: Steel Pits	
Depth fro	m ground level to dee	epest point:	6 (feet)	No Pit	
, and the second of the second			dures for periodic maintenance and determin	ning	
Distance to progress water well within one mile of sit:			west fresh water1 15feet.		
Source of		,	Source of information:		
none 646 feet Depth of water well 173 feet measured			well owner electric log KDWR		
Producing Formation:			ial utilized in drilling/workover: Drig mud		
		orking pits to be utilized:			
		procedure: Evaporate + back[!II	RECEIVED 8		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits m		Drill pits must b	Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of n			my knowledge and belief.	RECEIVED と	
				JUL 2 1 2011	
7-19-2011	\triangle		Robinson	TO MICHITA	
Date		Sig	griature of Applicant or Agent	KCC WICHITA	
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: 7-21-11 Permit Number: Permit Date: 7-21-11 Lease Inspection: Yes 🗷 No					