

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION OF WELL AND LEASE

ORIGINAL

Operator: License # 4629

Name: Brito Oil Company, Inc.

Address 120 S. Market, Suite #400

City/State/Zip Wichita, KS 67202

Purchaser: _____

Operator Contact Person: Raul Brito

Phone (316) 263-8787

Contractor: Name: Abercrombie RTD, Inc.

License: 30684

Wellsite Geologist: _____

Designate Type of Completion

New Well Re-Entry Workover

Oil SWD SIOW Temp. Abd.

Gas ENHR SIGW

Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover:

Operator: N/A

Well Name: _____

Comp. Date 11-11-97 11-19-97 11-19-97

Deepening Re-perf. Conv. to Inj/SWD

Plug Back PBTB

Commingled Docket No. _____

Dual Completion Docket No. _____

Other (SWD or Inj?) Docket No. _____

Spud Date 11-11-97 Date Reached TD 11-19-97 Completion Date 11-19-97

API NO. 15- 109-20,661-00-00

County Logan

SW Sec. 18 Twp. 13S Rge. 32 E

1240 Feet from S (circle one) Line of Section

1050 Feet from E (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
NE, SE, NW or SW (circle one)

Lease Name Wieland Well # 1-18

Field Name Wildcat

Producing Formation _____

Elevation: Ground 3035' KB 3040'

Total Depth 4760' PBTB _____

Amount of Surface Pipe Set and Cemented at 220.19 Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set _____ Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan DFA 8-12-98 UC
(Data must be collected from the Reserve Pit)

Chloride content 21,000 ppm Fluid volume 1200 bbls

Dewatering method used Evaporation

Location of fluid disposal if hauled off site _____

Operator Name _____

Lease Name _____ License No. _____

Quarter _____ Sec. _____ Twp. _____

County _____ Docket No. _____

RELEASED

JAN 29 1999

FROM CONFIDENTIAL

CONFIDENTIAL

RECEIVED

JAN 07 1998

CONSERVATION DIVISION
WICHITA, KS

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature _____

Title Raul F. Brito, President Date 12/02/97

Subscribed and sworn to before me this 2nd day of December, 19 97.

Notary Public Betty M. Abbott

Date Commission Expires 1-22-99

K.C.C. OFFICE USE ONLY
F Letter of Confidentiality Attached
C Wireline Log Received
C Geologist Report Received
Distribution
 KCC SWD/Rep NGPA
 KGS Plug Other
(Specify)

BETTY M. ABBOTT
NOTARY PUBLIC
STATE OF KANSAS
My Appt. Exp. 1-22-99

SIDE TWO

ORIGINAL

Operator Name Brito Oil Company, Inc.

Lease Name Wieland

Well # 1-18

Sec. 18 Twp. 13S Rge. 32

East

County Logan

West

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all drill stem tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface during test. Attach extra sheet if more space is needed. Attach copy of log.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets.)
Samples Sent to Geological Survey Yes No
Cores Taken Yes No
Electric Log Run Yes No
(Submit Copy.)

Log Formation (Top), Depth and Datums Sample
Name Top Datum

See attachment sheet

List All E.Logs Run:

Dual Induction
Compensated Neutron Density Log
Sonic Log

CASING RECORD New Used

Report all strings set-conductor, surface, intermediate, production, etc.

Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs./Ft.	Setting (Depth)	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	20#	220.19	60/40 pos	160	2% gel, 4% cc

ADDITIONAL CEMENTING/SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth

TUBING RECORD Size Set At Packer At Liner Run Yes No

Date of First, Resumed Production, SWD or Inj. *D+A* Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours Oil *N-A* Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

Disposition of Gas: METHOD OF COMPLETION Vented Sold Used on Lease (If vented, submit ACO-18.) Open Hole Perf. Dually Comp. Commingled Other (Specify)

15-109-20661-00-00

ORIGINAL

Brito Oil Company, Inc.
KCC Op. #4629
120 S. Market, Suite 400
Wichita, Kansas 67202

Wieland #1-18
API # 15-109-20,661
80'S & 60'E of E/2 W/2 SW
Section 18-13S-32W
Logan County, Kansas

CONFIDENTIAL

ACO-1 Attachement Sheet

RELEASED

JAN 29 1999

FROM CONFIDENTIAL

DST #1 4280-4300 ("L" Zone)
30-45" 60-60", Rec., 210' MW, FP 31/41#,
83/114#, SIP 1246/1215#:

SAMPLE TOPS:

Anhy	2513	(+527)
B/Anhy	2535	(+505)
HB	3970	(-930)
LKC	4003	(-963)
MC	4167	(-1127)
STK	4254	(-1214)
PAW	4463	(-1423)
FS	4522	(-1482)
CHE	4546	(-1506)
JHN	4590	(-1550)
MISS	4684	(-1644)
RTD	4760	

LOG TOPS:

Anhy	2508	(+532)
B/Anhy	2530	(+510)
HB	3962	(-922)
LKC	4004	(-964)
MC	4162	(-1122)
STK	4248	(-1208)
PAW	4458	(-1418)
FS	4512	(-1472)
CHE	4539	(-1499)
JHN	4583	(-1542)
MISS	4670	(-1670)
LTD	4757	

KCC
DEC 2
CONFIDENTIAL

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 07 1998

CONSERVATION DIVISION
WICHITA, KS

15-109-20661-00-00

ALLIED CEMENTING CO., INC. 9894

Federal Tax I.I.

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
DAKLEY

ORIGINAL

DATE <u>11-11-97</u>	SEC. <u>18</u>	TWP. <u>135</u>	RANGE <u>32W</u>	CALLED OUT	ON LOCATION <u>10:00 PM</u>	JOB START <u>11:00 PM</u>	JOB FINISH <u>11:30 PM</u>
LEASE <u>WJELAND</u>	WELL# <u>1-18</u>	LOCATION <u>DAKLEY 13-30-15-1W</u>			COUNTY <u>LOGAN</u>	STATE <u>KS</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Alberquerque PTD #578
 TYPE OF JOB SURFACE
 HOLE SIZE 12 1/2" T.D. 225'
 CASING SIZE 8 5/8" DEPTH 220'
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT 600'
 CEMENT LEFT IN CSG. 15'
 PERFS.
 DISPLACEMENT 13000

OWNER SAVIE
 CEMENT AMOUNT ORDERED 110 SK. 6140 22.785 28.611

CONFIDENTIAL

EQUIPMENT
 PUMP TRUCK CEMENTER 7500V
 # 300 HELPER WADSW
 BULK TRUCK
 # 212 DRIVER ANDREW
 BULK TRUCK
 # DRIVER

COMMON @
 POZMIX @
 GEL @ **RELEASED**
 CHLORIDE @
 @ **JAN 29 1999**
 @
 @ **FROM CONFIDENTIAL**
 @
 HANDLING @
 MILEAGE RUC
 DEC 2 TOTAL

REMARKS:

Cement OK ✓
THANK YOU

CONFIDENTIAL SERVICE
 DEPTH OF JOB 220'
 PUMP TRUCK CHARGE
 EXTRA FOOTAGE @
 MILEAGE @
 PLUG 8 5/8 SURFACE @
 @ **RECEIVED**
 @ KANSAS CORPORATION COMMISSION
 @

CHARGE TO: Beto Oil Co.
 STREET
 CITY STATE ZIP

FLOAT EQUIPMENT CONSERVATION DIVISION
 WICHITA, KS

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX
 TOTAL CHARGE
 DISCOUNT IF PAID IN 30 DAYS

SIGNATURE Syl Rome

Syl Rome
 PRINTED NAME

TOTAL **JAN 07 1998**

ALLIED CEMENTING CO., INC. 8658

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

Federal Tax I.D.#
ORIGINAL

SERVICE POINT:
OAKLEY

DATE <u>11-19-97</u>	SEC. <u>18</u>	TWP. <u>13S</u>	RANGE <u>32W</u>	CALLED OUT	ON LOCATION <u>5:30 PM</u>	JOB START <u>7:00 PM</u>	JOB FINISH <u>10:30 PM</u>
WELL AND LEASE	WELL# <u>1-18</u>	LOCATION <u>OAKLEY 115-3W-15-1W-18N</u>		COUNTY <u>LOGAN</u>	STATE <u>KS</u>		

OLD OR (NEW) (Circle one)

CONTRACTOR ALBERT CAMPBELL RTO #2678
 TYPE OF JOB PTA
 HOLE SIZE 7 7/8" T.D. 4760'
 CASING SIZE _____ DEPTH _____
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE 4 1/2" DEPTH 2530'
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER CONFIDENTIAL

CEMENT AMOUNT ORDERED 190.5 kg 60kg bag 679.651

COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____

RELEASED

JAN 29 1999

EQUIPMENT

PUMP TRUCK CEMENTER TERRY
 # 291 HELPER JEFF
 BULK TRUCK
 # 212 DRIVER ROBERT
 BULK TRUCK
 # _____ DRIVER _____

FROM CONFIDENTIAL
 _____ @ _____
 _____ @ _____
 HANDLING _____ @ _____
 MILEAGE _____ @ _____

KCC

TOTAL _____

DEC 2

REMARKS:

25 SK AT 2530'
100 SK AT 1485'
40 SK AT 270'
10 SK AT 40'
15 SK AT Hole

SERVICE **CONFIDENTIAL**

DEPTH OF JOB 2530
 PUMP TRUCK CHARGE _____
 EXTRA FOOTAGE _____ @ _____
 MILEAGE _____ @ _____
 PLUG 2 5/8 DRY HOLE @ _____
 _____ @ _____
 _____ @ _____

TOTAL _____

CHARGE TO: Drito oil co.
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

RECEIVED
 @ KANSAS CORPORATION COMMISSION
 @ _____
 @ _____
 @ _____
 @ **JAN 07 1998**
 @ _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TOTAL CONSERVATION DIVISION
WICHITA, KS

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE [Signature]

Anthony Martin
 PRINTED NAME